A VALUE FOCUSED APPROACH TO DETERMINING THE TOP TEN HAZARDS IN ARMY AVIATION

Brian K. Sperling

AFIT/GOR/ENS/99M-16

Approved for public release; distribution unlimited

19990409 040

A VALUE FOCUSED APPROACH TO DETERMINING THE TOP TEN HAZARDS IN ARMY AVIATION

THESIS

Presented to the Faculty of the Graduate School of Engineering of the

Air Force Institute of Technology

Air University

In Partial Fulfillment of the

Requirements for the Degree of

Master of Science in Operations Research

Brian K. Sperling

March 1999

Approved for public release; distribution unlimited

THESIS APPROVAL

STUDENT: Brian K. Sperling

CLASS: GOR-99M

THESIS TITLE: A Value Focused Approach to Determining

the Top Ten Hazards in Army Aviation

DEFENSE DATE: 25 February 1999

COMMITTEE:

NAME/TITLE/DEPARTMENT

SIGNATURE

JackM. World

Advisor

Jack M. Kloeber Jr., Lieutenant Colonel, USA

Assistant Professor of Operations Research

Department of Operational Sciences

Reader

Richard F. Deckro, DBA

Professor of Operations Research Department of Operational Sciences

Acknowledgments

I would like to express my sincere gratitude to my faculty advisor LTC Jack Kloeber. This effort would not have been possible without his patience and guidance. I would also like to thank my reader; Dr. Richard Deckro who always tried to keep me focused on my overall goal. Their insight and enthusiasm for this project was definitely appreciated.

In addition I would like to thank the entire Chain of Command at the U. S. Army Safety Center, particularly the Operations Research and Systems Analysis/Statistics Division. Their support for this undertaking was instrumental throughout the entire project.

Most importantly I want to thank my wife, JoAnna, and my son, Joshua. Without the emotional support that they provided at home this would have been a much more difficult and less enjoyable project. They were always there for me and I thank them from the bottom of my heart.

Table of Contents

Acknowledg	gments	ii
	res	
	es	
Abstract		viii
1	Introduction	1-1
1.1	General Issue	1-1
1.2	Background	1-3
1.3	Problem Statement	1-5
1.4	Research Objectives	1-5
1.5	Research Approach	
1.6	Scope of Problem	1-6
1.7	Overview	1-7
2	Literature Review	2-1
2.1	Introduction	2-1
2.2	Decision Analysis	2-1
2.3	Value Focused Thinking	2-3
2.4	Multiattribute Preference Theory	2-7
2.5	Value Focused Thinking Application in Current Literature	
3	Methodology	
3.1	Introduction	
3.2	Accident Model Value Hierarchy	3-3
3.3	Evaluation Measures	
3.3.1	Degree of injury or illness:	
3.3.2	Loss of or damage to equipment or property:	
3.3.3	Environmental Damage	
3.3.4	Other Mission-Impairing Factors	
3.4	Single Dimensional Value Functions	
3.4.1	Degree of injury or illness:	3-16
3.4.2	Loss of or damage to equipment or property	
3.4.3	Environmental Damage	
3.4.4	Other Mission Impairing Factors (Unit Readiness):	3-22
3.5	Assessing Weights	3-26
3.6	Converting Value (Severity) to Utility (Severity[U])	
3.7	Establishing Accident Risk	
3.8	Hazard to Accident Association	
3.9	Summary	
4	Results and Analysis	4-1
4.1	Introduction	
4.2	Accident Severity	
4.2.1	Degree of Injury/Illness Sensitivity	
4.2.2	Property/Equipment Damage Sensitivity	
4.2.3	Environmental Weight Sensitivity	
4.2.4	Other Mission Factors Sensitivity	
4.3	Accident Risk Ranking	

4.4	Hazard Severity Ranking	4-14
4.4.1	Sensitivity of Criteria Weights on Hazard Severity	4-19
4.5	Hazard Risk Ranking	
4.6	Summary	
5	Conclusions and Recommendations	5-1
5.1	Conclusions	5-1
5.2	Recommendations	5-3
5.2.1	Value Functions	5-3
5.2.2	Data Collection	5-4
5.2.3	Environmental Data	5-5
5.2.4	Hazards and Controls	5-6
5.3	Contributions	5-7
Appendic		
	x A: Accident and Hazard Codes	
Appendix	x B: Glossary of Safety Related Terms	B-1
Appendix	x C: Accident Classification and Investigations	C-1
Appendix	x D: Initial Data Set	D-1
Appendix	x E: Probabilities and Hazard Severity Calculations	E-1
Appendix	x F: Measure Scores	F-1
Appendix	x G: Criteria Scores	G-1
	x H: Sensitivity analysis Graphs	
Diblicare	aphy	Rih₋1
DIDHORIS	1U11Y	

List of Figures

	A Decision Analysis Process Flowchart (Clemen, 1996: 6)	
	Value Hierarchy (Kloeber, Parnell: VFT Brief)	
	Top Level Criteria of Value Hierarchy	
	Criteria: Degree of Injury or Illness	
	Criteria: Loss/Damage to Equipment/Property	
Figure 3-4	Criteria: Environmental Damage	.3-11
Figure 3-5	Criteria: Other Mission Impairing Factors	3-12
Figure 3-6	SDVF: Lives Lost	.3-17
	SDVF: Partial Disabilities	
Figure 3-9	SDVF: Days Hospitalized	3-19
Figure 3-10	SDVF: Injury Dollars	3-20
Figure 3-11	SDVF: Repair/Replace Dollars	3-21
Figure 3-12	SDVF: Fluid Spills	3-21
Figure 3-13	SDVF: Restricted Duty	3-22
Figure 3-14	SDVF: Lost Workdays	3-23
Figure 3-15	SDVF: Man-hours to Repair	3-24
Figure 3-16	SDVF: Total Loss	.3-24
Figure 3-17	Complete Hierarchy	3-25
	Relative Weight Assessment	
Figure 3-19	First Tier Weights	.3-28
	Weights: Degree Injury/Illness	
Figure 3-21	Weights: Damage to Property or Environment	3-29
Figure 3-22	Weights: Other Mission Impairing Factors	3-29
	Weights: Global	
Figure 3-24	Utility: Damage Cost	.3-33
Figure 3-25	Utility: Man-hours to Repair	3-33
	Utility: Injury Cost	
	Methodology Framework	
Figure 4-1	Accident Severity Chart	4-2
Figure 4-2	Accident Severity Composition	4-5
	Correlation Regression	
_	Accident Sensitivity: Injury Weight	
Figure 4-5	Accident Sensitivity: Property Damage Weight	.4-10
Figure 4-6	Accident Sensitivity: Environmental Weight	.4-12
Figure 4-7	Accident Sensitivity: Mission Factors Weight	4-14
Figure 4-8	Accident Severity versus Probability	4-16
Figure 4-9	Expected Hazard Severity	4-15
Figure 4-10	Hazard Sensitivity: Injury Weight	.4-19
Figure 4-11	Hazard Severity versus Probability	4-21
	Hazard Risk Ranking	
	Hazard Categories	
Figure 5-1	Environmental Damage Data	5-5

Figure H-1	Accident Sensitivity: Injury Weight	H-1
	Accident Sensitivity: Property Damage Weight	
•	Accident Sensitivity: Environment Weight	
	Accident Sensitivity: Other Mission Factors Weight	
_	Hazard Sensitivity: Injury Weight	
	Hazard Sensitivity: Property Damage Weight	
_	Hazard Sensitivity: Environment Weight	
_	Hazard Sensitivity: Other Mission Factors Weight	
1 15 410 11 0	Tidzaid Selisitivity. Suite intession in the	

List of Tables

Table 2-1	NASA's Objectives	2-9
Table 3-1	Lottery Questions	3-32
Table 3-2	Certainty Equivilant	3-32
Table 4-1	Accident Severity Scores	4-3
Table 4-2	Accident Severity (Top 13)	4-6
Table 4-3	Accident Risk Ranking	4-13
Table 4-4	Expected Hazard Scores	4-17
Table 4-5	Accident/Hazard Relationship	
Table 4-6	Hazard Risk	4-20
Table 4-7	Hazard Categories	4-23
Table 5-1	Top Ten Hazards	5-2
	•	

Abstract

The United States Army Safety Center is challenged with identifying the top ten most severe hazards in Army Aviation. This research utilizes value-focused thinking and multiattribute preference theory concepts to produce a decision analysis model designed to aid decision-makers in their analysis process. The severity model is based on the Army's Risk Management doctrinal manual and has been tailored specifically for aviation related accidents and hazards. The model determines the severity and risk ranking for 65 categories of accidents and 24 existing hazards. A sensitivity analysis is conducted to examine the effects of variations in the weights of the top-level criteria for accident and hazard severity. Recommendations are presented for ways to use the information contained in this report to assist in developing risk reduction controls focused on force protection. The model provides the decision-makers with a decision analysis methodology that is consistent with Army doctrine and the values of the current chain of command at the Army Safety Center. Furthermore the model can be adjusted for different leadership levels or situations.

A VALUE FOCUSED APPROACH TO DETERMINING THE TOP TEN HAZARDS IN ARMY AVIATION

1 Introduction

1.1 General Issue

Everyday as we respond to the nation's needs, we expose our soldiers to hazards in uncertain and complex environments. We do this with the full knowledge that there are inherent risks associated with any military operation. The nature of our profession will not allow for either complacency or a cavalier acceptance of risk.

General Dennis J. Reimer Chief of Staff, Army

Over the years Army aviation has evolved tremendously from artillery observation to an integrated part of nearly every military operation of the combined arms team. In the last 10 years, largely due to increased capabilities and new technology, the mission of Army aviation has become more complex. Today's operational demands require Army aviation to not only perform with their inherent risks, but to do this in a variety of environments which increases that risk. To maintain their outstanding safety record, save soldiers lives and protect our force requires constant vigilance and the application of sound safety management techniques. One of those safety management techniques used is risk management, a decision-making process designed to minimize the severity and risks of the hazards associated with current military operations.

The United States Army Safety Center (ASC) is the official repository for Army accident data. A difficult problem for the ASC is the identification and ranking of

present and future hazards in Army Aviation. The current analytical methodologies are limited in scope to basic statistical comparisons to identify major safety related hazards risks and controls (FY99 HQDA Army Study Program Proposal, 1998). This tends to lead to analysis and results that are reactive rather than proactive. While it is a fundamental principal of command that *every* soldier's life is valued decisions affecting doctrine implementation, policy changes and training are made based on this type of analysis. Army leadership needs a proactive process to evaluate hazards, risks and controls in order to effectively perform risk management at all levels of the Army (FY99 HQDA Army Study Program Proposal, 1998).

Currently, hazards are ranked by one or a few criteria. For instance, the current Army Aviation database, the Risk Management Information System (RMIS), ranks hazards by the number of accidents which are caused by that hazard, total cost of the accidents or a myriad of other categories taken singularly. This is an ineffective and inconsistent manner for ranking hazards. The current system does not provide decision-makers with enough information to make key, necessary tradeoffs for certain risk reduction decisions nor does it provide a baseline to make comparisons between different accidents or hazards. The current top hazards are based on which criteria are important at a given period of time. These critical criteria may change from month to month or year to year based on public opinion, needs of the Army or other operational factors. The unstable prioritization of the evaluation criteria leads to an inconsistent and possibly unsupportable decision-making process.

1.2 Background

While Army Field Manual 100-14, the army's risk management doctrine, outlines specific guidelines for determining the severity of a hazard, these guidelines are not consistently followed when analyzing hazards (Moon, 1998). Furthermore, the senior leadership of the Safety Center and the Army have expressed concerns that the current methodology does not provide senior decision-makers with an accurate, multi dimensional representation of the most severe hazards that plague the field of aviation. This study was conducted in cooperation with the Safety Center in order to provide commanders, at all levels, with an additional tool to help assess risk with greater accuracy. Although risk management is a command responsibility, commanders must be equipped with the proper tools to analyze and evaluate risks in order to make well-informed decisions. The goal is to make risk management a routine part of planning and executing all missions (Reimer, 1995).

To ensure the Safety Center's efforts to reduce risk remain correctly focused on aviation's most severe safety issues, the most problematic areas must be identified then their root causes addressed in order to decrease the associated risk. For the United States Army Safety Center hazards are the problematic areas. The senior leadership of the ASC has identified the need to develop a methodology to accurately rank the top hazards in the Army in order to allocate resources to the appropriate areas. The reduction or elimination of hazards falls under the umbrella of Risk Management. Army risk management applies across a wide range of military operations. Field Manual 100-14 explains the "principles, procedures and responsibilities to successfully apply the risk management process to conserve combat power and resources" (FM 100-14, 1998, pg. ii). Doctrinally, the risk

management process is incorporated into the planning of all military operations and training in order to assist in the identification and the assessment of hazards with greater precision. Traditionally, this process is implemented down the chain of command; yet, this process has not been adopted at some of the higher levels of decision-making and alternative evaluation (Warren, 1998). Specifically, the ASC does not account for the values discussed in FM 100-14 to incorporate the risk management process in their resource allocation procedures (Interview, Warren 1998). A result of an evaluation procedure consistent with the Army's values should lead to a more acceptable, consistent, and supportable ranking of hazards. Another application of these results may be a better methodology for allocating resources.

The process of identifying the objectives and associated measures involved an appropriate spectrum of people knowledgeable about Aviation hazards and resources available, including experts both inside and outside of the Army Safety Center. The output from this model is not limited to merely a list of hazards. The same value structure will be valuable for developing a portfolio of controls, designed to reduce hazard severity or risk, while limited by a budget. Several insights for the decision making process are available from the output of this model. The recommendations from this model do not take away from any decision-making authority from the Safety Center. In fact, the ASC's decisions will have a much stronger basis and authority (Keeney, 92) with the analysis actually being done up front. In addition, with "up front" analysis, decisions can be more quickly and more consistently with the values of the current chain of command and Army Doctrine.

1.3 Problem Statement

In order to integrate the Army's risk management process, as outlined the Army's field manual for risk management, and the Director of Army Safety's (DASAF) values into the Army Safety Center's resource allocation procedures, a methodology to more consistently evaluate Army Aviation hazards has been developed. Upon creating this rank order of hazards, resources may then be appropriately and optimally allocated.

1.4 Research Objectives

The objective of this research was to incorporate the values of the Army and its current decision-makers into a systematic, logical decision structure which analyzes existing hazards and develops a 'top ten" hazard recommendation list. A value hierarchy, discussed in Chapter Two, is the basis for developing alternatives and evaluating the worth of different solutions, such evaluation will facilitate making the tough tradeoffs by making them more explicit. Some of the associated sub-objectives are:

- 1) Structure a quantified model that represents Army Doctrine and the ASC's values with respect to aviation safety.
- 2) Identify the most severe aviation accidents.
- 3) Identify the highest risk accidents.
- 4) Prioritize by severity the hazards causing aviation accidents.

1.5 Research Approach

The foundation on which this research rests is the Director of Army Safety's FY98 Strategic Plan for the U.S. Army Safety Center. Specifically, objective number five: Develop a methodology and process for identifying and alerting the Army of the "top ten" hazards (FY98 Strategic Plan for the U.S. Army Safety Center, 1998).

Additionally, this analytical model incorporates the first three steps of the risk management process as outlined in Chapter Two of FM 100-14 (Risk Management).

Step 1. Identify hazards.

Step 2. Assess hazards to determine risks.

Note: The following steps will not be fully developed during this research project but they deserve to be mentioned here. Steps three and four will be addressed briefly and have been recommended as subjects for further development to the ASC. The methodology developed will promote improved controls and the generation of better controls. Controls are those steps taken or policies implemented to eliminate hazards or reduce their risk (FM 100-14, 1998).

Step 3. Develop controls and make risk decisions.

Step 4. Implement Controls (FM 100-14, 1998, p. 2-0)

Step 5. Supervise and Evaluate.

1.6 Scope of Problem

To accomplish the near term objectives of this study the scope of the research will be restricted in the following areas:

- 1. The study will be limited to analyzing hazards associated with rotary winged aircraft within Army Aviation.
- 2. Accident categories A, B and C will be the only accident categories used to gather data. Lower classes of accidents do not contain enough information to allow full evaluation.
- 3. Research will be limited to hazards which have produced mishaps, potential hazards will not be considered at this time.
- 4. The overall ranking of hazards will use data collected over the last eleven years. This time period best represents the tactics, techniques and aircraft types currently used in Army Aviation.

5. Currently, data is being transferred from the Aviation Safety

Management Information System (ASMIS) older database to a newer,
more user-friendly system the Risk Management Information System
(RMIS). At this time, the upgrade does not contain the data necessary
to complete this research; the research was therefore based on data
taken from the ASMIS database.

1.7 Overview

Chapter Two briefly covers some of the fundamentals of decision analysis that will be applied throughout this research effort and presents some of the current related literature. Chapter Three describes the methodology used to develop the value hierarchy, to include its associated measures, functions and weights, in addition to associating hazards with accidents to determine their severity. Chapter Four discusses the data used and the results obtained along with presenting a sensitivity analysis of the criteria in the value hierarchy. Chapter Five discusses overall conclusions and recommendations for follow-on-work to be conducted at the Army Safety Center. Data used and pertinent definitions are also provided in the enclosed appendices.

2 Literature Review

2.1 Introduction

Sizing up opponents to determine victory, assessing dangers and distances is the proper course of action for military leaders.

Sun Tzu, The Art of War

This chapter briefly introduces the reader to the decision analysis concepts used in this research. This discussion will include, at a minimum, the concepts and basis for value focused thinking which is used in this research extensively. Furthermore, some examples of literature that discuss the methods presented in this paper as applied to decision analysis problems in recent history will be presented.

2.2 Decision Analysis

While each individual decision has its own special set of issues, there are four basic sources of difficulty in making a decision. Decision analysis can help the decision-maker with all of them. A decision may be considered difficult due to:

- 1. Complexity.
- 2. Uncertainty in the situation.
- 3. The decision-maker may be working toward multiple objectives.
- 4. A situation where different perspectives may lead to different conclusions (Clemen, 1996: 3)

By using decision analysis and applying different techniques for different situations better decisions can be attained. Better decisions do not necessarily mean better outcomes; a well-structured and well thought out decision may lead to poor outcomes. Decision analysis provides "structure and guidance for systematic thinking in difficult

situations" (Clemen 1996: 4). Decision analysis is not designed to do the decision-maker's job for him or her, yet it should provide the necessary structure for a well-informed decision. Derek Bunn, author of <u>Applied Decision Analysis</u> writes:

[t]he basic presumption of decision analysis is not at all to replace the decision-maker's intuition, to relieve him or her of the obligations in facing the problem, or to be, worst of all a competitor to the decision maker's personal style of analysis, but to complement, augment, and generally work alongside the decision maker in exemplifying the nature of the problem. Ultimately, it is of most value if the decision-maker has actually learned something about the problem and his or her own decision-making attitude through the exercise (Bunn, 1984: 8).

Figure 2.1 depicts the systematic nature of the decision-making process.




Figure 2-1 A Decision Analysis Process Flowchart (Clemen, 1996: 6)

Once the decision situation is identified and the objectives are understood, the problem can be structured. There are a series of example questions that might be asked during the different phases of the process and some expected deliverables. These are depicted in Figure 2.1. Proper time and care should be given to the formulation of the

problem to ensure the necessary values and alternatives are identified. A deterministic and probabilistic analysis should be conducted along with a sensitivity analysis to determine the effect that uncertainty has on final recommendations. At this point, a solution may be recommended or further analysis may be deemed necessary (Clemen, 1996: 6).

The process of decision-making, when dealing with multi objective problems is indeed complicated. This is due to the inherent complexity of these problems and because humans commonly rely on intuition to solve problems and make decisions.

Intuition can fail when the decision-maker must make tradeoffs between conflicting objectives, account for uncertainties and dependencies between measures and possibly account for scaling problems within measures used (Kirkwood, 1997: 2). The Army places a great deal of confidence in the problem solving abilities of its senior decision-makers. These individuals regularly deal with complex multi-objective problems.

Intuition and past experience are used to balance choices, facts, available information and preferences to arrive at a logical decision for small or straightforward problems. As the problem and the decision context increase, certain decision-making theories and practices can assist these decision-makers in making logical and consistent decisions.

2.3 Value Focused Thinking

There are two basic thought processes that deal with the structure of decision analysis problems, these are alternative focused and value focused thinking. Alternative focused thinking, throughout the literature, has been deemed the traditional approach and is characterized as "reactive not proactive" (Keeney, 1992: 33). Alternative focused thinking develops alternatives to solve the problem by considering alternatives. Focusing

on the alternatives may sometimes cloud the issues at hand. A decision-maker expends his or her precious time evaluating alternatives rather than considering what is wanted, or "valued", from the decision. The focus remains on the choices not what the choices should be.

The second manner in which problems may be structured is value-focused thinking (Keeney: 1992). Value focused thinking provides the analyst with a means to present recommendations to a decision-maker that are logical and consistent with a certain set of values. That set of values should be based on the organization's or individual's goals and objectives. The set of values obtained is organized into a hierarchy with the overriding strategic objective, or goal, at the apex and supporting objectives (criteria), sub-objectives (sub-criteria) and measures of merit as depicted below.




Figure 2-2 Value Hierarchy (Kloeber, Parnell: VFT Brief)

This value hierarchy is usually obtained by one of two methods; the gold standard or the silver standard (Kloeber, Parnell, 1998: VFT Brief). The method used is not necessarily

a choice rather the decision context and information available guides you towards your technique. The development of a value hierarchy is summarized below:

- Identify sub-objectives required to achieve objectives
- Identify measures of merit that quantify the value of achieving sub-objectives
- Assign weights to the sub-objectives and objectives

"The desirable properties for a value hierarchy should be completeness, non-redundancy, decomposability, operability and small size" (Kirkwood, 1997: 16).

- Completeness: Each tier must adequately cover all concerns necessary to evaluate the overall objective.
- Nonredundancy: No two evaluation considerations, which are in the same tier, should overlap.
- Decomposability (Independence): The preference of one evaluation consideration should not depend on the level of another.
- Operability: The hierarchy must be understandable by the person or group that will use it.
- Small size: A small hierarchy is generally easier to use, this property should not interfere with maintaining the other properties.

The gold standard development is a deductive method that takes existing standards, visions, or objectives and expands them. These standards, visions, and objectives can be found in a variety of places. Steps certainly needed to be taken to develop the rest of the model, but receiving initial buy-in of the gold standard makes further development much easier to present to decision-makers. Each value will be clearly defined and broken down further until it is explicitly measurable.

This manner of developing a value model is not always possible. Military doctrine, standing procedures or an explicit vision statement may not exist for the

decision opportunity at hand. In such a case the silver standard development may be used. This is an inductive method where experts in the specific field under investigation develop a new value definition. This starts off with a brain storming session concentrating on the use verbs. This method provides new insights but requires many more participants and substantially more time to develop and establish support for. Once the brainstorming session is complete the experts form groups of like tasks and build their model from the bottom up instead of the top down (as in the gold standard development). The Air Force's 2025-value model was developed in this manner (AF 2020 An Operational Analysis, 1997)

The decision analysis cycle can be broken down into thee distinct phases:

deterministic, probabilistic, and informational phase as depicted in Figure 2.1. In the first phase, deterministic, we are primarily concerned with developing our problem and our model. Here uncertainty is disregarded. By simplifying the form of our input data we can ensure that the structure of our problem will provide the output we want. That is not to say that we either agree or disagree with that output, we are more concerned that the output is of the correct form and provides meaningful information to the decision at hand. To ensure that an accurate model is developed, the value model must have a solid base with measures be well defined. Furthermore, although the value hierarchy specifically represents either the organization's or an individual decision-maker's internalized values, the range and utility of each measure must be accounted for. This can be accomplished through a series of interviews with the decision-maker. Misrepresentation of the value or utility curves of individual measures will skew the overall results. The model will still be consistent, yet may not accurately portray the best options. The effect of slight changes

in measurements may or may not have a prominent effect on the outcome; this can be examined in detail during the information phase with sensitivity analysis.

The probabilistic phase accounts for the uncertainty in the influential variables of our problem. The importance of this phase varies from problem to problem. Obviously the more uncertainty that is actually in the problem the more important the probabilistic phase. Some decisions can actually be made, with confidence in the recommendations, without incorporating uncertainty. This phase also allows the analyst to account for the risk tolerance of the decision-maker. By incorporating the uncertainty a wide range of analysis is available that is not possible in a purely deterministic model.

The last phase is the informational phase. Once model development is complete and uncertainty is included, it is time to organize the output to provide meaningful recommendations to the decision-maker. Sensitivity analysis plays a major role in this phase. By varying measures, weights, distributions or other variables that might provide insight, we can determine where a change in the decision policy should occur.

Furthermore we can determine which measures the decision policy is sensitive to and decide which measures to gather more information on or probabilistically model. This becomes extremely valuable, especially if there is conflict surrounding the weighting of different values. In short, if the policy is not sensitive to a certain measure, the weight does not matter. Each one of these phases is used in this research and will be discussed in detail in Chapter Three.

2.4 Multiattribute Preference Theory

In order to compare alternatives using a value hierarchy (multiobjective value analysis) it is necessary to develop a model that combines all of the evaluation

considerations into on dimensionless score. Determining this model requires that single dimensional value functions be specified for each evaluation measure (Kirkwood, 1997: 53). These functions are determined through an interview with the decision-maker or his designated representative. The function should represent the way the decision-maker and/or the organization feels about different increments in value throughout the range of the evaluation measure. When incorporating uncertainty the functions are developed differently and are now referred to as utility functions. The difference in the formulation of the utility function is that the decision-maker now answers lottery type questions about each of the evaluation measures that contains uncertainty. The development of each of the functions for this research effort is discussed in Chapter Three.

The overall value function, which combines the values of all the single dimensional value functions, may be an additive value function. The additive value (or utility) function is a weighted average of all the single dimensional value (utility) functions within the value hierarchy (Kirkwood, 1997: 230,248).

2.5 Value Focused Thinking Application in Current Literature

This section provides some selected applications where value focused thinking was used to solve large-scale problems. Each problem is completely different in goals, stakeholders and specific problems. The common thread is that in each situation the fundamental objectives are identified and the decision analysis is not focused on the alternatives.

The National Aeronautics Space Administration was concerned with the selection of future space missions. The choice of space missions to accept is extremely complex.

There are numerous stakeholders involved with multiple uncertainties, competing objectives and numerous uncertainties. The foundation on which the mission selection process was developed was the objectives, or goals. NASA identified and prioritized their objectives as shown below.

Table 2-1 NASA's Objectives (Keeney, 1998)

Objective	Ranked	Relative
Enhance National Pride	1	100
Aid national defense	9	20
Promote international prestige	8	35
Foster international cooperation	7	40
Create economic benefits	5	50
Advance scientific knowledge	4	60
Promote education	6	45
Provide excitement and drama	2	90
Maintain fiscal responsibility	3	70

The possible mission alternatives were compared against the above criteria. The missions that were then ranked in priority order. Relative tradeoffs were discussed and paired comparisons were done between alternatives. One of the aspects of value focused thinking that was very valuable in this situation was how the multiple stakeholders were involved in the decisions. Furthermore, the stakeholders objectives were integrated into a combined hierarchy.

Multiattribute utility analysis has been used as a framework for public participation when dealing with environmental issues. In particular Sandia National Laboratories (SNL) used this approach to involve stakeholders within the local

community where a corrective action management unit (CAMU) was to be erected. The approach allowed technical experts to explain the essential technical considerations while allowing the local stakeholders to take part in establishing the value judgments made for the decision. This situation utilized a power-sharing concept and allowed free access to information. Furthermore this method was able to transfer technical competency to the public. The MUA approach enabled stake holders to participate effectively, even though they had limited understanding of all the technical details (Merkhofer, 1997: 838).

The Department of Energy has used value focused thinking extensively. Part of the Department of Energy's (DOE) program to evaluate alternatives for managing spent fuel was based on VFT (Keeney, 1998). Furthermore, in an AFIT thesis by Brian Grelk, *A CERCLA-Based Decision Support System For Environmental Remediation Strategy Selection*, the author develops a set CERCLA based evaluation measures and their corresponding single dimensional value functions to recommend spill remediation strategies. The uses of value focused thinking by the Department of Energy are clearly focused on public safety and regulations.

Numerous agencies throughout the Department of Defense have done quantitative and qualitative studies on the severity and probability of hazards and accidents. The ASMIS database was used by ANACAPA Sciences during a study of aircraft component failure. Analyses were conducted to determine the feasibility of extracting failure data from the existing database and calculating failure rates from that data. The analysis identified parts with relatively high failure rates. This data has been used to identify problematic components or parts, to monitor trends and to develop countermeasures to reverse part failure rates (ANACAPA, 1993:6).

The System Safety Risk Assessment Manual, developed at the Naval Safety

Center, was prepared to assist system safety managers in making informed risk

management decisions. The information was drawn from MIL-STD-882B, Navy Safety

School Course Material and other information sources. It compiled several of the more

common ways of defining safety risk. This report also introduced some new safety

management concepts referred to as relative worth index and a safety performance

baseline. The relative worth index takes five weighted factors to determine the relative

magnitude of risk (or impact on the Navy) from the loss of a certain aircraft. A

performance baseline establishes system and subsystem baselines, based on mishap rates.

The research described in this report seems to touch on some of the concepts of value

focused thinking but does not explain the theory behind its calculations nor does it cover

the development or support of the evaluation criteria. The intended users for this report

are the system safety and program managers (Kinzey, 1989:13, 24).

Based on the wide range of applications found in current literature, although no specific reference was found that explicitly describes the use of value focused thinking and multiattribute preference theory applied to aviation safety, the approach is certainly valid.

3 Methodology

3.1 Introduction

Risk Management is not an add-on feature to the decision-making process but rather a fully integrated element of planning and executing operations...Risk management helps us preserve combat power and retain the flexibility for bold and decisive action. Proper risk management is a combat multiplier that we can ill afford to squander.

General Dennis J. Reimer Chief of Staff, Army 27 July 1995

A value focused thinking and multi attribute value theory approach to decision analysis is applicable to a wide range of problems. This is a valuable and structured manner by which a decision-maker can deal with problems involving various stakeholders with multiple competing objectives that require tradeoffs. Decision analysis is commonly used to make better tactical and strategic decisions that are not merely routine. Examples include business decisions involving long term and short term financial tradeoffs, balancing the tradeoffs between the efficiency of a manufacturing process versus the impact on the environment and even personal decisions involving career opportunities, employment, or purchases. Better analysis can be done and better decisions can be made using value focused thinking and multi attribute value theory. Furthermore, the decision-maker can explain the reasons for the decision easier and in a more structured fashion (Kirkwood, 1997: 1).

After determining the exact nature of the U. S. Army Safety Center's decision context and problem, and examining the analysis techniques available, a value-focused approach to the multiattribute preference problem seemed the most logical technique to use. When

examining the hazards and accidents there was no clear "winner" or "loser". No one accident or hazard, nor group of hazards, was easy to label as the most severe. The tradeoffs involved were numerous. Some of the areas of concern included cost incurred. soldier and civilian's lives lost, training time lost, and maintenance time allocated. In addition to these competing objectives there are numerous stakeholders that are affected by this ranking of hazards; the soldiers flying the aircraft, the unit deploying to war and the leadership of the Safety Center trying to implement risk management policies throughout the Army to mention a few. There is currently no structured method in place used to analyze hazards based the multiple objectives and various stakeholders mentioned above. Value focused thinking provides a base of evaluation to enable the Safety Center to make logical and consistent assessments of hazards using the current values of the Army. Involving the stakeholders at risk, and using the current values and doctrine of the Army to balance the tradeoffs between the various competing objectives, will make it easier to succeed at getting every one involved working toward a common goal and attaining a consensus on the outcome of the research.

The research effort was broken into three distinct phases: the deterministic, probabilistic and informational. In the deterministic phase, the accident value model is developed, data is collected and manipulated, and a dry run of the model is performed to see if the output from the model is the type of output required. During the probabilistic phase, accidents are associated with hazard occurrences to determine hazard severity and accident/hazard risk. In the informational phase it is time to organize the output to provide meaningful recommendations to the decision-maker. Sensitivity analysis plays a major role in this phase.

This chapter will cover in depth the development of the accident value hierarchy to include the evaluation measures and single dimension value functions, the methods of assessing weights and the application of the additive value function and power additive utility function. Furthermore, the accident severity scores will be combined together with their associated probabilities to attain a hazard severity and a hazard risk score

3.2 Accident Model Value Hierarchy

A hazard is "any actual or potential condition that can cause injury, illness, or death of personnel, damage to or loss of equipment, property or mission degradation" (FM 101-14, 1998: G-1). A hazard may or may not produce an accident (or mishap). Commonly, if a hazard is present in an operation, goes unchecked, and does not cause an accident, that hazard will go unnoticed and unrecorded. The information available for this research purely dealt with hazards that have resulted in accidents, for which the Safety Center maintains detailed records as well as the frequency of those accidents. The basis for evaluating a hazard rests in the severity of the accidents it causes. Therefore, the severity of an accident must be assessed to determine the severity, and risk, of the hazard that caused that accident.

In order to avoid confusion, the following definitions are provided in this section (as well as Appendix A).

- 1) Severity: The expected consequence of an event (hazardous incident) in terms of degree of injury, property damage, or other mission impairing factors that could occur (FM 101-14, 1998: G-3).
- 2) Risk: Chance of hazard or bad consequences; the probability of exposure to chance of injury or loss from a hazard; risk level is expressed in terms of hazard probability and severity (FM 101-14, 1998: G-2).

- 3) Accident: An unplanned event that causes personal injury or illness, or property damage (Army Regulation 385-40).
- 4) Hazard: Any actual or potential condition that can cause injury, illness, or death of personnel, damage to or loss of equipment, property or mission degradation (FM 101-14, 1998: G-1).

Although the above definitions appear descriptive, during the development of this model there was much discussion with experts at the Safety Center concerning what constituted accidents and hazards. For the purpose of this study, "events" (hazardous incidents) that are contained in the Safety Center's current database are referred to as accidents and "system inadequacies" are referred to as hazards. Further research will be done to develop a better taxonomy to determine hazards.

In order to determine the severity of the accidents currently in the database, the attributes by which severity is measured needed to be determined. Value focused thinking is an organized and logical method to accomplish this and is the method used in this research. The general principle of value focused thinking is to discover all of the information useful in guiding one's decision" (Keeney, 1992: 23). A value hierarchy, developed properly, should "indicate everything [you] really care about in a decision context (Keeney, 1992: 23). The most preferred method of developing a value hierarchy is by utilizing a gold standard, if one exists. The gold standard utilizes existing values or standards of an organization and develops measures for those values in a top to bottom fashion. Army doctrine contains specific criteria by which the severity of a hazard should be assessed. FM 100-14 is the Army's official risk management manual and this set of criteria was established by the Safety Center as the standard criteria to be used to evaluate hazards. To use this set of criteria to determine hazard severity each category

had to be broken down into more explicit measurable parts. This was done by starting at the top objective and developing measures down to the lowest level. This method of moving from the top to the bottom is appropriate when the possible alternatives are unclear (Kirkwood, 1997: 21). In the case of this research, accidents, not alternatives, are evaluated. There is a wide range of accidents, the full range of which is unknown. A top down method is better suited for this type of situation. The Gold Standard method also makes attaining buy-in from the stakeholders in the organization much easier.

In the case of risk management, Army doctrine provides the gold standard. The U.S. Army relies on doctrine to set forth the standards and methods by which the officers and enlisted soldiers conduct their daily operations. The Field Manual 100-14: <u>Risk</u>

<u>Management</u> printed in April of 1998 is the Army's doctrinal manual concerning Risk

Management. This manual covers a wide range of Army operations and can be applied to almost all aspects of military life including Army Aviation. It explains the "principles, procedures, and responsibilities to successfully apply the risk management process to conserve combat power and resources"(FM 100-14, 1998: ii). This research focuses specifically on the second step of the risk management process; assess hazards to determine risks. FM 100-14 specifically outlines the terms in which the severity of an accident can be expressed:

- Degree of injury or illness
- Loss of or damage to equipment or property
- Environmental damage
- Other mission impairing factors such as loss of combat power

When assessing the degree of severity of an accident, doctrine confirms that the severity may be "based on knowledge of the results of similar past events" (FM 100-14, 1998: 2-9). This is the approach taken in this research effort. This set of criteria develops the first tier of the value hierarchy shown below.



Figure 3-1 Top Level Criteria of Value Hierarchy

The standards set forth in doctrine, interviews with risk management experts and accident investigation reports verified that these four criteria were collectively exhaustive and mutually exclusive. This means that the evaluation considerations in each layer, taken as a whole, include everything needed to evaluate each accident and nothing necessary to do the assessment are included in more than one criterion (Kirkwood, 1997: 17). Next, the evaluation criteria for each of the criteria needed to be developed. If there exists a good measure for the fundamental objective, that measure will be used.

Otherwise, the fundamental objective will need to be broken down into more explicit measurable parts.

3.3 Evaluation Measures

This section will introduce the reader to the development of the Accident Severity

Sub-Criteria and the metrics used to measure these sub-criteria. Some of the criteria, subcriteria, and measures are self-explanatory but they are all discussed below. The
evaluation considerations are broken down further into the metrics that will be used to

measure each of the areas of concern. Measures can be classified as either one of the scales below:

- Natural: In general use with a common interpretation by everyone.
- Constructed: Developed for a particular decision problem to measure the degree of attainment of an objective.

They are further classified as one of the following:

- Direct: Directly measures the degree of attainment of an objective.
- Proxy: Reflects the degree of attainment of an associated objective(Kirkwood, 1997: 24).

Assessment of the severity of an accident does not account for the probability of occurrence. This is merely the expected consequence of an accident in terms of degree of injury, property/environmental damage, or other mission impairing factors that could occur (FM 101-14, 1998: 2-7). The considerations below have been agreed upon within the Safety Center, and are supported by doctrine, as proxy measurements for accident severity. To determine the severity of each accident the evaluation criteria presented in the following sections was used.

3.3.1 Degree of injury or illness:




Figure 3-2 Criteria: Degree of Injury or Illness

This criterion is designed to measures the severity of the injuries that occur in each type of accident. The considerations that were taken into account for the severity on an injury were focused on the impact on the individual, the unit and the Army as a whole.

According to Army Regulation and Department of the Army Pamphlet 385-40, Field Manual 100-14, and the senior leadership of the USASC the evaluation considerations below adequately cover all the concerns necessary to evaluate the degree of the injury.

3.3.1.1 Loss of Life

This is a natural-direct measure scale that assesses the number of lives lost during an accident. All fatalities related to an accident are included, civilian and military personnel.

3.3.1.2 Permanent Disabilities

There are two categories of permanent disabilities accounted for in the ASMIS database and this study, they are discussed in the following two sections.

3.3.1.2.1 Total Disability

This is a natural-direct measure scale that assesses any nonfatal injury or occupational illness that, in the opinion of a competent medical authority, permanently and totally incapacitates a person to the extent that he or she cannot follow any gainful employment. (The loss or loss of use of both hands, feet, eyes, or any combination thereof as a result of a single accident will be considered as a permanent total disability (DA PAM 385-40, 1994: 143).

3.3.1.2.2 Partial Disability

This is a natural-direct measure scale that assesses any injury or occupational illness that does not result in death or permanent total disability but, in the opinion of competent medical authority, results in the loss or permanent impairment of any body part, with the following exceptions:

- 1 Loss of teeth.
- 2 Loss of fingernails or toes.
- 3 Loss of tip of fingers or tip of toe without bone involvement.
- 4 Inguinal hernia, if it is repaired.
- <u>5</u> Disfigurement.
- 6 Sprains or strains that do not cause permanent limitation of motion (DA PAM 385-40, 143).

3.3.1.3 Time Incapacitated

This is a natural-direct measure scale that assesses the number of days hospitalized, where hospitalization is defined as "admission to a hospital as an inpatient for medical treatment" (DA PAM 385-40, 1994: 143).

3.3.1.4 Injury Cost

This is a natural-direct measure scale that assesses the total cost of the injury to the government in dollars. An accident investigation board, in coordination with competent medical authority determines the cost. The cost determined by the board is the official and the only cost used for the accident investigation report. The cost figure

includes the cost of pay while away from work, medical treatment, hospitalization, dependent survival, unused training costs, gratuities, compensation, disability retirement, and burial (AR 385-40, 1994: 8).

3.3.2 Loss of or damage to equipment or property:




Figure 3-3 Criteria: Loss/Damage to Equipment/Property

There are some issues that need to be investigated further to determine whether the loss of secure equipment and certain types of equipment losses can be tracked and measured accurately. These proposed measures are presented at the conclusion of this paper. At this time this evaluation criteria contains only one measure that sufficiently represents the fundamental objective.

3.3.2.1 Repair/Replacement Cost

This is a natural-proxy measure scale that assesses the total cost of the accident with respect to equipment or property. This cost is determined by the accident investigation team and reported in an estimated cost of damage (ECOD) found on the final accident report. The cost computation criteria are found in Army Regulation 735-11 and include such things as actual costs of new or used parts or materials and labor costs (usually

estimated). When damaged equipment cannot be replaced, the cost reported will be the acquisition costs (AR 385-40, 8). The cost determined by the accident investigation board is the official and only cost used to determine the repair or replacement cost for Army equipment.

3.3.3 Environmental Damage




Figure 3-4 Criteria: Environmental Damage

This area of concern considers the severity of the damage to the environment. This is the only evaluation consideration for this criterion. Although the Army's Risk Management doctrinal manual includes environmental damage as one of the top four criteria for determining the severity of an accident, there is little data available to facilitate an accurate measure of the damage caused by an accident. For this criteria a proxy measure scale was developed that used available data to determine some type of rating system for damage to the environment. This criteria contains three measurements: gallons of oil spilled, gallons of fuel spilled, and gallons of hydraulic fluid spilled. At this time, the measures for the severity of environmental damage are not collectively exhaustive. This research has been conducted using data from the past ten years; no additional data

concerning environmental damage was collected. Different data collection procedures may be initiated in the future by the Safety Center to collect more detailed information concerning the environment. While this is an area for future research, it is beyond the scope of the current study.

3.3.4 Other Mission-Impairing Factors




Figure 3-5 Criteria: Other Mission Impairing Factors

This criteria was designed to give the planner, or the person assessing the risk of a certain mission, the latitude to tailor the assessment specifically towards his mission. Mission-impairing factors for an infantry squad might be different than those of an aviation brigade although some may be the same. For example, heavy ground fog or heavy flooding may impair an infantry squad's river crossing but not an aviation brigade's deep attack on an enemy communication's sight. On the other hand unit morale is an area of concern for all levels of military operations. Hence, ground conditions may be included in the infantry squad's mission impairing factors and not in the aviation brigades while unit morale would be included in both value hierarchies.

This research is limited to Army Aviation Rotary Winged accidents. Unit readiness is the overall criteria. Unit morale and equipment replacement time are the two sub-criteria that are a proxy for the level of unit readiness. These two criteria combined represent how well the unit will perform and how well their equipment is prepared. Throughout this report, when referring to unit readiness, the unit is a company size element. A Company element ranges from approximately forty soldiers and 8 aircraft in an AH-64 equipped Attack Company to 100 soldiers and 24 aircraft in a UH-60 equipped Assault Company. For a company size element, with the data available, this evaluation consideration is collectively exhaustive and mutually exclusive. Recommendations have been made for further research to further develop this area of concern. Most notably, the Safety Center is concerned with the loss of Special Mission Aircraft but there is currently no way to measure the impact on a specific unit that looses one of these aircraft.

3.3.4.1 Unit Morale

The morale of a unit, historically, is correlated to the performance of a unit and therefore, unit readiness. As a soldier's time on restricted duty and lost workdays increase, a strain is put on the other members of the unit. For a short period of time the other members of the company can compensate for the loss of an individual, but as time goes on and people become tasked with unfamiliar jobs along with their normal duties, morale will tend to decrease. This measure assumes that all jobs are equal. Obviously, the loss of a Company Commander or a Senior Instructor Pilot will have a greater affect on the unit than a newly assigned pilot. Personal experience and interviews with various commanders and the leadership at the ASC determined that the measures below cover the

concerns to adequately evaluate unit morale. There are other indicators of unit moral (i.e. mission rate, commander's performance) but these are not associated with this study.

3.3.4.1.1 Days of Restricted Duty

This is a natural-direct measure scale that assesses the number of days that an individual (or all individuals involved) are unable to perform their normal duties (i.e. light duty, profile, grounded from flight) (DA PAM 385-40, 142)

3.3.4.1.2 Lost Workdays

This is a natural-direct measure scale that assesses cases in which an accident results in Army personnel missing one or more days of work. Days away from work are those workdays (consecutive or not) on which Army personnel would have worked but could not because of injury, occupational illness, or job relates physical deficiencies detected during medical surveillance examinations. Excluded are days that Army personnel would not have worked even though able to work (i.e. weekends or holidays) and the day of the injury or onset of the occupational illness (DA PAM 385-40, 141).

3.3.4.2 Equipment Replacement Time

Equipment readiness is a large contributor to unit readiness. The two measures below represent the time the unit will be without a specific piece of equipment, in this case an aircraft.

3.3.4.2.1 Man-Hours to Repair

This measure assesses the direct man-hours required to restore the aircraft to serviceable condition if it is economically repairable. A unit's operational readiness rate is

measured partially by the down time of aircraft within the unit, man-hours to repair the equipment is a proxy measurement for down time. A proxy measurement is required because aircraft down time while recorded and maintained at the unit level, was unavailable for this research. The hours are originally estimated using technical manual estimates. When work is complete, they are reported back on an Equipment Inspection and Maintenance Worksheet (DA Form 2404). The direct man-hours are a summation of the following:

- <u>1</u> The cumulative (estimated) man-hours required to remove, repair, and replace damaged aircraft assemblies, subassemblies, or components.
- <u>2</u> Man-hours expended in removing and replacing undamaged aircraft components in order to remove, repair, or replace damaged components.
- 3 Man-hours required to remove and replace a part that is not economically repairable.
- 4 Man-hours expended to determine damage amount (AR 385-40, 8).

3.3.4.2.2 Aircraft Total Loss

If the aircraft is deemed not economically repairable, it is determined to be a total loss. Depending on the type of aircraft and the number of that specific aircraft available to the unit, it may or may not be replaced. Regardless of the outcome, both cases normally result in a large time delay with regards to returning an aircraft back to the unit in a fully operational condition.

Doctrine, Army regulations and the Operations Research/Statistics

(ORSA/STATS) Division of the Army Safety Center support each of the evaluation

considerations presented. Aside from some concerns that have been discussed above, the

evaluation considerations have been developed in sufficient detail, are mutually exclusive.

3.4 Single Dimensional Value Functions

The previous section presented a summary of each evaluation measure; this section will cover the procedure for determining the piecewise linear single dimension value functions developed in this study. The range specified for each measure represents the range of the expected values of all accidents for that measure. To determine the value functions, relative value increments needed to be specified between each of the possible evaluation measure scores (Kirkwood, 62). The severity functions were developed during an interview with LTC Oren Hunsaker, the Operations Research and Statistics Division Chief at the U.S. Army Safety Center. LTC Hunsaker is an Army Aviator with over 18 years experience in the field of Army Aviation.

3.4.1 Degree of injury or illness:

3.4.1.1 Loss of Life

The range of the number of lives lost across all accidents varies from 0 to 17. As soon as an accident causes 1 fatality the severity function increases to a severity of .5. After the first fatality the function becomes linear which represents that the severity increment of each additional life is equal. The decision-maker expressed a zero tolerance for loss of life. Still, he felt there should be a substantial increase in the degree of injury when one fatality versus zero fatalities occurs. Therefore the severity increment given to an accident when one fatality occurs is more drastic than when the number of fatalities increases from one to two.




Figure 3-6 SDVF: Lives Lost

3.4.1.2 Permanent Disabilities

Aside from a fatality, the most serious type of injury is a permanent disability (AR 385-40). There are only two classes of permanent disabilities tracked by the Safety Center these are partial and total. The greatest severity increment is associated with the first occurrence of a partial disability. As represented by the Figure 3.7 below, the severity increment from zero partial disabilities to one partial disability is .25. After this initial jump the severity increment stays linear throughout the remainder of the range.

Figure 3.8 represents the total disabilities. The maximum total disabilities caused by any one accident is two. The decision-maker indicated that the severity increment for the occurrence of the first total disability is three times as great as the second. This does not indicate that the first soldier injured is more important, rather this indicates that the severity of the accident being evaluated will increase greater with the first occurrence of a disability than it will the second.




Figure 3-7 SDVF: Partial Disabilities




Figure 3-8 SDVF: Total Disabilities

3.4.1.3 Time Incapacitated

Other than cost, days hospitalized is the last measure of the severity of an injury. The function below represents the number of days an individual involved in the accident was hospitalized, in accordance with the definition in section 3.3. The range of scores from the current database is from 0 to 248 days (the maximum amount of days an accident victim was hospitalized).

The consideration taken into account during the interview was the impact on both the individual and the organization. Based on the military experience of the Chief of the ORSA/STATS Division at the Safety Center, he felt that the first two weeks of hospitalization causes the greatest relative impact on the victim, the family, and the unit. After the first two weeks the function represents an equal increase in severity for each additional day hospitalized.




Figure 3-9 SDVF: Days Hospitalized

3.4.1.4 Injury Cost

The last metric used to determine the degree of injury is the cost of the injuries caused by the accident (AR 385-40, 4). The basis for the severity increments depicted in the function below are the monetary increases that contribute to the classification of an Army accident. For a discussion of the Army mishap classification system refer to Appendix C. The decision-maker felt the severity increment from going from a Class B accident to a Class A accident was 5 times greater than the value increment moving from

a class C, D or E to a Class B. As the dollar amount nears one of the thresholds the slope of the severity function begins to increase rapidly.

- a) The accident classification increased from Class E to a Class B (\$200,000- \$1 Million) or
- b) The accident classification increased from a Class B to a Class A (greater than \$1 Million)




Figure 3-10 SDVF: Injury Dollars

3.4.2 Loss of or damage to equipment or property

The severity function for the repair/replacement dollars was developed in a similar fashion to the injury cost above. The classification of accidents also depends on the cost of the damage as shown below:

1) <\$200,000: Class C and below

2) \$200,000-\$1 Million: Class B

3) Greater than \$1 Million: Class A

Due to the large range of damage cost, most of the thresholds occur near the lower end of the range but the severity continues to increase linearly as the cost increases once the Class A threshold has been surpassed. This linear increase enables the model to distinguish between different cost levels of Class A accidents.




Figure 3-11 SDVF: Repair/Replace Dollars

3.4.3 Environmental Damage

The Severity Function for gallons of fuel, oil, and hydraulic fluid spilled in an accident are all the same. The data available was categorized in bins:




Figure 3-12 SDVF: Fluid Spills

- 1) 0-1 gallons
- 2) >1-2 gallons
- 3) >2-10 gallons (at or below this level is unit level clean-up, minor spilled)
- 4) >10-20 gallons (Must be reported locally, local fire department clean-up; procedures vary depending on local Standing Operating Procedures)
- 5) >20 gallons (Intermediate to Major Spill, EPA involvement) (FM 20-401).

 The functions are based the level of involvement of outside agencies, the amount of clean up required and the category of the spill (i.e. minor, intermediate, major).

3.4.4 Other Mission Impairing Factors (Unit Readiness):

3.4.4.1 Unit Morale

3.4.4.1.1 Days with Restricted Duty




Figure 3-13 SDVF: Restricted Duty

The severity increments in this function were found by determining the impact on the organization when a soldier has restricted duties. Forty-five days is the mid-value, this is an aviation specific mid-value. The unit can usually compensate for a person on restricted duty for about two weeks. After two weeks the unit begins to suffer, and the severity increment starts to increase. Furthermore, many of the aviator currency requirements are 45 days, after which additional training is necessary and unit readiness begins to decline, therefore the slope of the function begins to increase.

3.4.4.1.2 Lost Workdays

The rationale for the severity increments for the number of days lost is basically the same as the restricted days. For the first two weeks, the unit can absorb the missing soldier's requirements by spreading out his tasks to other service members. After two weeks, unit morale, and therefore readiness begins to suffer.




Figure 3-14 SDVF: Lost Workdays

3.4.4.2 Equipment Replacement Time

3.4.4.2.1 Man-Hours to Repair

This severity measure focuses on the impact on maintenance and training. The range extends all the way to ten thousand man-hours. The decision-maker felt more

comfortable translating this range into a more useful scale. Therefore, to determine the severity increments, hours were converted to weeks using the following conversion:

100 man-hours = 1 week * 2 Maintenance Personnel * 50 Hours/week

In these terms, the effect on a unit is as follows:

- $\underline{1}$ from 0-400 hrs (30 days) the unit maintenance status report is affected, the other aircraft available in the unit should be able to absorb the extra hours they will be required to fly.
- 2 From 400 hrs 2400 hrs (6 months) the training of the unit starts to suffer in addition to the maintenance therefore, the slope of the function increases slightly.
- <u>3</u> After 6 months the organization's readiness continues to decline but at a slower rate, the unit will probably use outside aircraft support.




Figure 3-15 SDVF: Man-hours to Repair

3.4.4.2.2 Aircraft Total Loss





Figure 3-16 SDVF: Total Loss

The total loss of an aircraft is a binary severity function, either the aircraft s or is not a total loss.

Once all of the sub-criteria and measures were agreed upon and deemed complete (collectively exhaustive), non-redundant (mutually exclusive), independent, understandable and practical in size they can be formally presented as the approved severity hierarchy. Although there may be some additions and follow on research designed to improve some of the evaluation considerations, below is the complete, first-cut severity hierarchy developed with the information currently available.



As depicted above, the severity hierarchy consists of four accident severity criteria (the first tier), eight sub-criteria (second boxed tier) and thirteen measures. A "test for importance" (Kirkwood, 1997: p.19) is conducted during the sensitivity analysis. This

test indicates whether variations within the measure or evaluation consideration could change the preferred alternative.

3.5 Assessing Weights

Commonly, the single dimensional severity functions are designed so that each function equals zero for the least preferred level and one for the most preferred level (Kirkwood, 1997:68). This is not the case for the value functions described in this paper. By design, the accident that receives the highest score, when evaluated using this severity hierarchy, is the most severe. Therefore, the most severe, or the least preferred scores, will equal one and the most preferred will score zero.

Given these properties of the single dimensional value functions, "it follows that the weight for an evaluation measure is equal to the increment (or decrement) in value that is received from moving the score from its (most) preferred level to its (least) preferred level" (Kirkwood, 1997:68). This is the basis for determining the decision-maker's weights for each criterion using the swing weight method. The assessment of the weights took place during an interview with COL Warren, Deputy Commander of the Army Safety Center. The weights were assessed in two ways. The first tier was assessed using swing weighting and the second tier and measures were assessed directly.

During the swing weighting procedure a base criterion was established, one by which the other criteria would be compared. This base criterion was the loss or damage to equipment or property. This was the easiest and most logical because the criterion contained only one measure. The first step was to determine the weights of the other three criteria relative to the base criterion. This was done by comparing the value the decision-maker gained as one criterion increased from the lowest possible scores in each

of it's measures to the highest possible scores in each measure to the severity gained from the same swing (low to high) in scores of the base criteria. The relative weights are shown in the Figure 3-18. The notation should be read as follows: The decision maker felt that the severity increase from "degree of injury or illness" was two times as much as the severity increase from "the loss/damage to equipment/property" when their measures were increased from the lowest to the highest scores possible. Each of the relative criteria weights was assessed in the same manner.

It is important to note that the weighting process occurred after the range of each measure was determined. If the decision-maker does not know how the score of each measure may vary prior to determining weights, the weights may be meaningless. For example, if the damage cost across all accidents varied very little, the decision-maker may not want to weight it as high as if the cost varied from 0 to nearly \$25 million (as was the case in with this criterion). If the range of the measure is small it may have very little effect on the overall outcome and therefore, should be determined and considered before the weighting procedure.

During the interview with Deputy Commander of the Safety Center it was important to establish preferential independence between the criteria. Developing criteria that are preferentially independent ensures that the level of one criterion does not affect how the decision-maker feels about increases in the other (Kirkwood, 1997: p.238). This was the case with all the criteria established in this research. The relative weights that were assessed by COL Warren for the first tier (Severity Criteria) are shown in Figure 3-18. Once these relative weights were determined, and knowing that the weights must sum to one (Kirkwood, 1997:70), the following relationship was established:



Figure 3-18 Relative Weight Assessment

x = weight of Loss/damage to equip/property

$$2x + x + .5x + .75x = 1$$

$$4.25x = 1$$

therefore, x = .236

Hence,




Figure 3-19 First Tier Weights

The weights of the sub-criteria and the measures were assessed using a points available or a "marble technique" (Kloeber, Lecture 1998). The decision-maker was told

that he had one hundred marbles and had to divide them up between the sub-criteria with respect to their value. Each of the sub-criteria is presented below.




Figure 3-20 Weights: Degree Injury/Illness




Figure 3-21 Weights: Damage to Property or Environment




Figure 3-22 Weights: Other Mission Impairing Factors




Figure 3-23 Weights: Global

3.6 Converting Value (Severity) to Utility (Severity[U])

Although all of the measures contain uncertainty, there were three measures that the decision-maker felt contained a level of uncertainty that he was uncomfortable with and wished to account for. These measures are: Number of man-hours to repair, damage cost, cost of injury. To account for the uncertainty in these measures the value functions are converted to utility functions. Once this conversion is done, all the scores will be referred to as severity(u) scores. This conversion is accomplished by establishing the decision-maker's risk aversion for the attributes in question. During the interview with ORSA/STATS Division Chief it was established that his risk aversion could be assumed to be constant. Therefore, the severity(u) function can be developed by establishing his risk aversion constant, ρ_i and applying it to the exponential equation below:

$$U(x) = ((1 - \exp[-v(x)/\rho_i])/(1 - \exp(-1/\rho_i)), \text{ for } \rho_i \neq \text{Infinity (equation 1)}$$

$$U(x) = V(x), \qquad \text{for } \rho_i = \text{Otherwise (Kirkwood, 1997: p.164)}$$

The method that was used to establish the ρ_i was the "lottery question". The idea is to find a specific level that the decision-maker is indifferent about which side of the bet to take method (Clemen, 1996, p. 269). In order to do this the decision-maker was presented with a lottery that involved a 50% chance of receiving either the highest or the lowest score in each measure. The decision-maker then chose a value between those numbers that, if he was guaranteed to receive that value, he would be indifferent to the lottery or the guaranteed value. This value is referred to as the certainty equivalent (CE) or indifference point. The Table 2 represents the lottery questions asked to the decision-maker for each measure and his final certainty equivalent.

Table 3-1 Lottery Questions

	Man Hours to Repair	Repair/Replace Dollars	Injury Dollars
50% Chance Low	0	0 .	0
50% Chance High	10,400	24.6 Million	5.8 Million
100% Chance (CE)	2,400	6 Million	1 Million

Because the severity functions are not linear, once the CE is determined its value must be established using the severity functions developed earlier in the chapter. The converted certainty equivalents are given below:

Table 3-2 Certainty Equivalent

Measure	Raw Score (CE)	Severity (CE)	
Man-Hours	2,400	.5	
Damage Cost	\$ 6 Million	.5981	
Injury Cost	\$ 1 Million	.75	
	1		

This CE provides a third point to develop an exponential severity(u) curve for each of the evaluation considerations. As discussed in section 3.5, for the functions in this research, the most preferred levels receive a score of zero, the least preferred levels receive a score of one and now a level of indifference has been developed. Given three points, and assuming the decision-maker's risk aversion is constant, an exponential conversion function can be used to convert severity functions into utility functions that account for risk aversion. The equation for the exponential utility function depends on the range of the evaluation measure and a constant. The range for each measure has been converted to

a value between zero and one; the constant is the exponential constant, represented by the Greek letter ρ (rho). When ρ is very large the utility function becomes a straight line and V(x) equals U(x). The shape of the utility functions represents the decision-maker's risk attitude. A concave shape indicates a risk averse decision-maker, a convex shape indicates a risk seeker, and a straight line indicates risk neutrality (Kirkwood, 1997: 138).




Figure 3-24 Utility: Damage Cost




Figure 3-25 Utility: Man-hours to Repair




Figure 3-26 Utility: Injury Cost

The severity of each accident can now be established. The rating of the severity of an accident does not account for the probability of an accident occurring, rather this is a measure of the expected consequence of an accident should it occur.

3.7 Establishing Accident Risk

To assess the risk of an accident one must account for the severity and the probability of occurrence (FM 100-14, 1998: p. G-2). The database that was used contained thirteen hundred and fifty six events, these events were categorized into sixty-five types of accidents. During an accident sequence more than one type of accident may occur. For example, an aircraft may experience a loss of hydraulic power at a hover which may lead to a tree strike. In this case, two types of accidents occurred. The accident investigation team determines the primary, secondary and tertiary events in the accident sequence. Only the primary event was used for this study. Therefore, the probability of occurrence of an accident is given by the equation below.

This research assumes that an accident has occurred, therefore the probabilities that were used were conditional probabilities. These conditional probabilities are listed in Appendix E.

3.8 Hazard to Accident Association

Individual hazards can result in various types of accidents. In order to establish the severity of a hazard_i, the severity of all the accidents that were a result of hazard_i must be summed up in the following manner.

Severity of Hazardi =
$$\sum_{j=1}^{94} P(Accident_j \mid Hazardi) *Severity (Accident_j)$$

To determine the conditional probability that Accident_i occurred given that Hazard_j occurred, P(Accident_i I Hazard_j), the database had to be manipulated. A primary hazard was associated with each accident. Once the hazards and accidents were organized into a matrix format each conditional probability could be accessed. The law of total probability was used to confirm that these probabilities were correct. By viewing the sample space, S (Hazard_j), as a union of mutually exclusive subsets the law of total probability can be used:

 $S=B_1\cup B_2\cup...\cup B_k$ where $P(B_j)>0$, for i=1,2,...,k and $B_i\cap B_j=\varnothing$ for $i\neq j$. Then for any event A

$$P(A) = \sum_{j=1}^{k} P(B_j)P(A|B_j).$$
 (Wackerly, 1995; p.61)

Where,

 $P(A|B_i) = P(Accident_i | Hazard_i)$

 $P(Bi) = P(Hazard_i)$ (directly available from the database)

 $P(A) = P(Accident_i)$ (directly available from the database)

Example,

 $P(Accident_{94}) = \sum_{j=1}^{24} P(Accident_{94} \mid Hazard_j) P(Hazard_j) = (.015152)(.097345) = .00147497$

This number agrees with the actual probability of Accident (94)

Once these probabilities were confirmed the severity of each hazard could easily be computed. Utilizing the definition of risk as applied to hazards:

Hazard Risk = Hazard Severity * P(Hazard)

(FM 100-14, 1998; 1-1)

A score for the overall risk of each hazard was calculated.

3.9 Summary

The following diagram summarizes the methodology followed throughout this effort. Furthermore, it was used throughout the research process to update key stakeholders on their roles and responsibilities and the output that they would receive from.

Chapter Four presents the results of this methodology and an analysis of the results to include a sensitivity analysis of the hazard severity criteria.




Figure 3-27 Methodology Framework

4 Results and Analysis

4.1 Introduction

This chapter presents the results from the analysis of the deterministic and probabilistic model that was developed in Chapter Three. There were sixty-five categories of accidents analyzed using the value-focused model. The total scores and scores categorized by criteria are presented. The deterministic view indicated the pure severity of accidents and hazards. The probabilistic portion focuses on the drastic change in the ranking of accidents and hazards when the probability of occurrence is accounted for. Finally, the sensitivity of each of the top-level criteria in the value hierarchy is analyzed for its effect on both accidents and hazard severity.

4.2 Accident Severity

Each of the thirteen hundred and fifty six accidents was categorized into one of sixty-five types of accidents. These categories are defined by AR 385-40 and presented in Appendix A. There are two approaches for determining the severity of each accident. If all of the severity functions are linear, the severity can be assessed by taking the average raw scores in each category then determining the value of that score. The severity functions in this study were not linear. They were a combination of piecewise linear and exponential functions and therefore, averages could not be used. Each individual occurrence of an accident had to be scored separately. The expected value for the severity of each accident was determined by calculating the severity for each single dimensional severity function then multiplying the expected values by their corresponding weights and finally summing the results (Kirkwood, 1997: 158). Hence,

the total severity of each accident data point was calculated. This became the individual accident severity score (presented in Appendix F). All severities in the same accident category were then averaged giving the expected value. A graphic representation of the span of the severity scores and a table of results in descending order are presented below.




Figure 4-1 Accident Severity Chart

 Table 4-1
 Accident Severity Scores

		Normalized	Actual
Rank	Definition	Score	Score
1	SPIN/STALL	1.0000	0.3835
2	ELECTRICAL SYSTEM	0.8491	0.3256
3	INFLIGHT BREAKUP	0.8214	0.3150
4	INFLIGHT BREAKUP-MAST BUMPING	0.5341	0.2048
5	COLLISION WITH GROUND/WATER	0.5227	0.2004
6	ABANDONED AIRCRAFT	0.4752	0.1822
7	FIRE AND/OR EXPLOSION IN THE AIR	0.4492	0.1723
8	MULTIPLE AIRCRAFT EVENT	0.4100	0.1572
9	UNDERSHOOT	0.3601	0.1381
10	WIRE STRIKE	0.3523	0.1351
11	EXCESSIVE YAW/SPIN	0.3363	0.1290
12	BROWNOUT	0.3363	0.1290
13	FUEL STARVATION	0.3044	0.1167
14	MOC	0.1777	0.0681
15	ROTOR/PROP WASH	0.1572	0.0603
16	ENGINE FAILURE/OVERSPEED/OVERTEMP	0.1522	0.0584
17	FIRE AND/OR EXPLOSION ON THE GROUND	0.1520	0.0583
18	DITCHING	0.1491	0.0572
19	AIR TO GROUND COLLISION	0.1457	0.0559
20	FUEL EXHAUSTION	0.1276	0.0489
21	REFUELING OPERATIONS	0.1187	0.0455
22	POWER TRAIN	0.1129	0.0433
23	GROUND LOOP/SWERVE	0.1127	0.0432
24	AIRFRAME	0.1090	0.0418
25	INSTRUMENTS	0.0946	0.0363
26	PRECAUTIONARY LANDING	0.0921	0.0353
27	FORCED LANDING	0.0910	0.0349
28	WEAPONS RELATED	0.0812	0.0311
29	TREE STRIKE	0.0804	0.0308
30	ENGINE OVERTORQUE/OVERLOAD	0.0786	0.0301
31	OVERSTRESS	0.0769	0.0295
32	PERSONNEL HANDLING EVENT	0.0710	0.0272
33	HUMAN FACTOR EVENT	0.0617	0.0237

Rank	Definition	Normalized Score	Actual Score
34	FLIGHT RELATED	0.0614	0.0235
35	HELOCASTING	0.0597	0.0229
36	OTHER COLLISION	0.0563	0.0216
37	OBJECT STRIKE	0.0557	0.0214
38	WHEELS UP LANDING	0.0556	0.0213
39	EQUIPMENT LOSS/DROPPED OBJECT	0.0447	0.0172
40	AIRCRAFT GROUND ACCIDENT	0.0436	0.0167
41	ROTOR/PROPELLERS	0.0406	0.0156
42	HARD LANDING	0.0385	0.0148
43	DRIVE TRAIN (EXCEPT XMSN)	0.0346	0.0133
44	MISSING AIRCRAFT	0.0310	0.0119
45	PNEUMATIC SYSTEM	0.0291	0.0112
46	TIEDOWN STRIKE	0.0265	0.0102
47	ANTENNA STRIKE	0.0193	0.0074
48	TRANSMISSION FAILURE	0.0184	0.0071
49	CARGO EVENT	0.0128	0.0049
50	LANDING GEAR COLLAPSE/RETRACTION	0.0119	0.0046
51	LIGHTNING STRIKE	0.0105	0.0040
52	ANIMAL STRIKE	0.0059	0.0023
53	SPIKE KNOCK	0.0049	0.0019
54	ENGINE OVERSPEED/OVERTEMP	0.0036	0.0014
55	ROTOR OVERSPEED	0.0017	0.0007
56	UTILITY/ENVIROMENTAL CONTROL SYSTEM	0.0011	0.0004
57	ABORTED TAKEOFF	0.0009	0.0004
58	BIRD STRIKE	0.0006	0.0002
59	SINGLE ENG LANDING	0.0006	0.0002
60	CONTRACTOR AIRCRAFT ACCIDENT	0.0005	0.0002
61	TAIL BOOM STRIKE	0.0003	0.0001
62	EXTERNAL STORES EVENT	0.0002	0.0001
63	FLIGHT CONTROL	0.0000	0.0000
64	STRUCTURAL ICING	0.0000	0.0000
65	MAST BUMPING	0.0000	0.0000

The scores above represent the expected severity of an accident, should that accident occur. A description of each accident is provided in Appendix A. Note from Figure 1 and Table 1 that there is a large drop off in the severity score after the thirteenth ranked accident. The goal of this study is to determine the top ten hazards. Although the rankings will change when the probabilities of occurrence are applied, we will concentrate on the top thirteen accidents at this point to identify trends. The figure below depicts the contribution of each fundamental objective for each of the top thirteen accidents.




Figure 4-2 Accident Severity Composition

Table 4-2 Accident Severity (Top 13)

Rank	Description
1	SPIN/STALL
2	ELECTRICAL SYSTEM
3	INFLIGHT BREAKUP
4	INFLIGHT BREAKUP-MAST BUMPING
5	COLLISION WITH GROUND/WATER
6	ABANDONED AIRCRAFT
7	FIRE AND/OR EXPLOSION IN THE AIR
8	MULTIPLE AIRCRAFT EVENT
9	UNDERSHOOT
10	WIRE STRIKE
11	EXCESSIVE YAW/SPIN
12	BROWNOUT
13	FUEL STARVATION

Examining the breakdown of the scores, one will note the lack of contribution that the environment criterion lends to the ranking of accident severity. As more and different data collection procedures are done in the area of the environment, this may increase. Currently, fluid spills are the only measures used to determine the severity of environmental damage, as the measures increase the decision-maker may increase the weight of this criterion. The other three categories seem to contribute consistently throughout the range of accidents. There was initial concern from the Safety Center that there was a high degree of correlation between the level of equipment/property damage and the degree of injury. The results do not suggest that this is true. Figure 4-3 is a plot of degree of injury/illness versus damage to equipment or property. The resulting linear regression is a weak regression and indicates a lack of correlation between the two criteria.




Figure 4-3 Correlation Regression

Property Damage	Vs Injury/Illness
RSquare	0.266553
RSquare Adj	0.254911
Observations	65

		Analysis of	<u>Variance</u>		
Source Model Error C Total	DF 1 63 64	Sum of Squ 0.01825 0.05024 0.06850	5969 1324	1ean Square 0.018260 0.000798	F Ratio 22.8958 Prob>F <.0001
	F	Parameter E	<u>stimates</u>		
Term Intercept injury/illness	-	Estimate 0.0181226 0.5005116	Std Erro 0.00376 0.10460	1 4.82	Prob> t <.0001 <.0001

The R-Square value is low, the F- value is large along with the t-value. All these factors suggest that these two measures are probabilistically independent. The lack of correlation can also be seen by referring to Figure 4-2. The severity of accidents 52, 26, 39 and 48 (In-flight Breakup-Mast Bumping, Undershoot, Abandoned Aircraft and Brownout) are largely due to property damage and the degree of injury contributes almost

nothing while the severity of accidents 38 and 37 (Spin/Stall and In-flight Breakup) are the exact opposite.

4.2.1 Degree of Injury/Illness Sensitivity

Hazard severity is a linear combination of accident severities. Therefore, to conduct a quality sensitivity analysis for overall hazard severity it is necessary to conduct a sensitivity analysis on accident severity. This analysis will focus on fluctuations in the first tier criteria weights that were assigned by the decision-maker. The variation in accident severity was examined over the full range of possible weights (0-1) for each of the criteria; these results can be seen in Appendix H. The more important results are shown below. The weights for each criterion were varied throughout the feasible range. These feasible ranges of weights are the absolute minimum and maximum weights that the decision-maker would assign to each of the criteria. For example, although the degree of injury/illness was given a weight of .47 the decision-maker stated that he would never assign that criterion a weight of below .30 but he would also never go above .60. Therefore the feasible range for the degree of injury/illness is .30 to .60. As the weight of one measure decreases the others must increase to keep the same relative ratio between the other weights. As shown in the graph below, the overall severity score is relatively insensitive to fluctuations, within the feasible range, of the weight of degree of injury or illness.




Figure 4-4 Accident Sensitivity: Injury Weight

The minimum points in the range occur when the weight of this criterion is .3. At the highest points the weight is .6 and the mark in the middle is the severity value at the current weights. As can be seen by the chart in Figure 4-4, the top thirteen accidents remain the top thirteen. As the weight is increased or decreased from the original .47, some variations occur in the in the order of the top thirteen, but they remain clearly above the remainder of the accidents.

If an accident is sensitive to fluctuations in weight of a criterion this indicates that the severity of that accident is skewed heavily towards one or more criteria. For example, accidents 52, 39, 26 and 48 have the largest range in severity score when injury weight is varied. As depicted in Figure 4-2, these accidents are primarily composed of two criteria, damage to equipment/property and other mission factors. As the criterion weight is varied, the remaining criteria increase or decrease in order to maintain their initial weight ratio. This insight can be utilized when developing controls to reduce

accident severity. Controls directed towards the two criteria discussed above can drastically decrease the severity of those same accidents. An accident that remains constant throughout the weight fluctuations has an evenly distributed composition and may require a series of controls to significantly reduce its severity. The same four accidents react the same to fluctuations as each of the criterion weight is varied. These types of accidents will provide a large amount of reduction with controls focused on one area and may provide the "best bang for your buck".

4.2.2 Property/Equipment Damage Sensitivity

The weight of property/equipment damage was varied from 10 to 30, with the




Figure 4-5 Accident Sensitivity: Property Damage Weight

initial weight of .26. Once again we can see a drastic drop in the severity range after the thirteenth ranked accident. The same generalization can be made for fluctuations in the

weight of property damage. The top thirteen continue to remain the top thirteen, this indicates that these accidents are severe in each category.

4.2.3 Environmental Weight Sensitivity

The original weight for the environment was .117. The feasible range was determined to be 0 to .30. There is very little fluctuation in the overall severity within the feasible range of the weight for the environmental criterion.




Figure 4-6 Accident Sensitivity: Environmental Weight

4.2.4 Other Mission Factors Sensitivity

The initial weight of other mission factors, which concentrates on unit readiness, was .177. The weight was varied from .10 to .30, the results are shown in Figure 4-7. Once again, the overall severity of each accident is relatively insensitive to minor fluctuations in the weight of other mission factors. Although the ranks of different accidents may have minor changes, the sensitivity analysis presented above indicates a

stable rating system of accident severity. The following sections will develop the accident risk ranking and hazard severity and risk.




Figure 4-7 Accident Sensitivity: Mission Factors Weight

4.3 Accident Risk Ranking


After applying the probability of a specific accident occurring there is a drastic change in the top accidents. Table 6 represents the normalized risk score of the top twenty accidents. The scores for the risk assessment have been normalized, by dividing each risk score by the largest risk score, in order to maintain a consistent scale from zero to one. Upon comparing accident severity and accident risk a few observations can be made. Only 5 of the top ten accidents remained in the top ten once the probabilities were applied. Furthermore, only 11 of the top 20 remained in the top 20 and no accident maintained its initial ranking.

Table 4-3 Accident Risk Ranking

		Risk	Severity
<u>Event</u>	<u>Risk</u>	Rank	Rank
COLLISION WITH GROUND/WATER	1.0000	1	5
ENGINE FAILURE/OVERSPEED/OTEMP	0.3286	2	16
WIRE STRIKE	0.2968	3	10
TREE STRIKE	0.2567	4	29
MULTIPLE AIRCRAFT EVENT	0.2519	5	8
EXCESSIVE YAW/SPIN	0.1712	6	11
FUEL STARVATION	0.1175	7	13
SPIN/STALL	0.0878	8	1
ENGINE OVERTORQUE/OVERLOAD	0.0869	9	30
INFLIGHT BREAKUP	0.0865	10	3
FLIGHT RELATED	0.0851	11	34
OTHER COLLISION	0.0702	12	36
AIRCRAFT GROUND ACCIDENT	0.0681	13	40
FIRE AND/OR EXPLOSION IN THE AIR	0.0552	14	7
HARD LANDING	0.0507	15	42
EQUIPMENT LOSS/DROPPED OBJECT	0.0471	16	39
OBJECT STRIKE	0.0420	17	37
MOC	0.0405	18	14
ELECTRICAL SYSTEM	0.0298	19	2
BROWNOUT	0.0295	20	12

This indicates that although an accident may be severe, it may not be considered as great a risk to our soldiers if it occurs with a low probability. For example, an electrical system malfunction was clearly a severe accident (ranked number two in severity) yet over the last 11 years, given that an accident occurred, this type of malfunction occurred with a low probability of .001475. The ranking of this accident dropped drastically when probability was applied to determine the risk. Whereas the severity of a tree strike was ranked 29th out of 65 types of accidents yet, because tree strikes occurred with a probability of .134, it moved up to number four in the risk ranking. While all threats to our troops are important, a combination of severity and probability can help guide the

allocation of limited resources to attain the greatest effect. The results presented in this section stress the concept that risk is a combination of the severity of the consequences and probability of occurrence. The relationship of each accident's severity versus the probability is summarized in the following figure.



Accident Severity versus Probability Figure 4-8

The graph above is divided into four categories (A-D). Most of the accidents fall into the low-low category. The one accident that falls into the high-high category is Collision with Ground/Water, which is ranked number one in accident risk. This type of analysis can be used to direct efforts to reduce the risk of a certain accident, by either reducing the severity or the probability of occurrence.

Hazard Severity Ranking

Accident and risk have now been established. The remainder of this chapter focuses on hazard severity and risk. The calculations used to determine the severity and risk of a hazard do not directly include accident risk. Instead, each occurrence of an

accident is associated with the hazards that caused the accident. This results in a conditional probability that is necessary for severity calculations, this probability is P(Accident_i I Hazard_j contributed to an accident). Appendix E contains the probabilities and actual calculations that were used to establish the severity of each specific hazard. A discussion of the methodology used to determine the hazard severity is also contained in Section 3.8. The accident severities and associated conditional probabilities were combined using the following relationship:

Expected Severity of Hazardi =
$$\sum_{j=1}^{94} P(Accident_j \mid Hazardi) *Severity (Accident_j)$$

A graphic representation of the span of the expected hazard severity scores is shown in Figure 4-8 followed by a table of the results in descending order from the most severe to the least. In Table Four, the left column refers to system inadequacies as defined by AR 385-40. The system inadequacies represent hazards throughout this research effort, they are defined in numerical order in Appendix A. One of the system inadequacies described in Appendix A has been ignored through this paper. System Inadequacy 97 is insufficient information. This does not apply to the pilots flying the aircraft; this inadequacy comes from an accident investigation that concludes that there was insufficient information to determine the hazard that caused the accident. Figure 4-9 represents the percentage composition of each of the top ten hazards. This chart does not account for the probability of a hazard contributing to an accident, merely the severity of the consequences if it is a contributing factor.

Expected Hazard Severity




Figure 9 Expected Hazard Severity

Table 4-4 Expected Hazard Scores

TT .	5 A 1.	
Hazard	Definition	Severity
SI18	Inadequate Motivation/Mood	0.079702329
SI20	Effects of Alcohol, Drugs, Illness	0.078789787
SI15	Inadequate Composure	0.077007882
SI03	Inadequate/Improper Supervision by Unit Com	0.073625832
SI16	Overconfidence/Complacency	0.067180833
SI19	Fatigue	0.063986499
SI01	Inadequate/Improper Supervision by Higher	0.058769655
SI21	Environmental Conditions	0.058752913
SI13	Inadequate QC, Manuf, Assembly	0.056988794
SI02	Inadequate/Improper Supervision by Staff Off	0.056283277
SI06	Inadequate Unit Training	0.056052383
SI07	Inadequate Experience	0.054184297
SI04	Inadequate/Improper Supervision by Dir Supervisor	0.05118832
SI99	Inadequate Attention	0.050760243
SI05	Inadequate School Training	0.050032107
SI11	Material Improperly Designed	0.049974531
SI10	Inadequate Facilities/Services	0.049040987
SI09	Inadequate Written Procedure	0.047979915
SI14	Inadequate Maintenance Inspection	0.046927051
SI08	Habit Interference	0.043605339
SI12	Insufficient Number/type personnel	0.042368548
SI17	Lack of Confidence	0.038541656

Although when dealing with accidents, severity may be reduced significantly by focusing on one criterion, any control designed to significantly reduce the severity of a hazard may need to address all of the criteria. Because the severity of each hazard is a linear combination of all accident severities, the severity of individual accidents becomes convoluted in the overall hazard severity. The following table indicates the number of accidents that were involved in each of the ten most severe hazards.

Table 4-5 Accident/Hazard Relationship

Hazard	Definition	# Accidents
SI18	Inadequate Motivation/Mood	28
SI20	Effects of Alcohol, Drugs, Illness	7
SI15	Inadequate Composure	17
SI03	Inadequate/Improper Supervision by Unit Com	20
SI16	Overconfidence/Complacency	38
SI19	Fatigue	21
SI01	Inadequate/Improper Supervision by Higher	11
SI21	Environmental Conditions	34
SI13	Inadequate QC,Manuf, Assembly	22
SI02	Inadequate/Improper Supervision by Staff Off	10

Due to the wide range of accidents involved in each hazard, controls designed to reduce the severity of specific accidents may have little effect on a specific hazard's severity. No single accident occurred in all ten of the most severe hazards and only three accidents were involved in nine of the ten. These accidents are:

- 1) Collision with Ground/Water
- 2) Other Collision
- 3) Tree Strike

If a commonality could be identified between these types of accidents or other groups that occur often throughout the most severe hazards controls could be developed that might reduce severity in groups of hazards, not just one. Section 4.5 applies the probability of occurrence to the severities listed above. A different set of controls may be developed to reduce the probability of occurrence of hazard instead of the severity. The effectiveness of this type of control is discussed in Section 4.5.

4.4.1 Sensitivity of Criteria Weights on Hazard Severity

As seen in Section 4.2, as the weight of the criteria is varied some of the accidents increase in severity while some decrease. An individual hazard severity is a linear combination of all of the possible accidents that could have been caused by that hazard. The Figure 4-10 represents the range of hazard scores due to varying the weight of the degree of injury/illness. The X-axis contains the hazards ranked from most severe to least severe and the y-axis represents the severity of each hazard feasible range, the highest scores contain the minimum weight. The weight was only varied inside the feasible range for each criterion.




Figure 4-10 Hazard Sensitivity: Injury Weight

It is clear from the sensitivity graph above that the hazard ranking is insensitive to the weight of the degree of injury or illness within its feasible range. Out of the top ten hazards, hazard seven was the only one to change in rank order throughout the feasible range, and only changed from number seven to number eight. The other three criteria's

sensitivity graphs closely resemble this criterion, these additional graphs are presented in Appendix G: Sensitivity Analysis.

4.5 Hazard Risk Ranking

Whether a hazard has occurred cannot be tracked accurately. There are, most likely, numerous instances when hazards occur and do not cause accidents. The data used for this research assumes that a hazard has occurred and has contributed to an accident. It is logical to assume that the more accidents that have resulted from a particular hazard, the more likely that hazard has occurred.

Table 4-6 Hazard Risk

Hazard	Definition	Severity	P(Hazard)	Hazard Risk	Normalized
SI16	Overconfidence/Complacency (5)	0.06718	0.20501	0.01377	1.00000
S199	Inadequate Attention (14)	0.05076	0.22345	0.01134	0.82352
SI21	Environmental Conditions (8)	0.05875	0.14454	0.00849	0.61659
SI18	Inadequate Motivation/Mood (1)	0.07970	0.10103	0.00805	0.58466
SI07	Inadequate Experience(12)	0.05418	0.13864	0.00751	0.54543
S106	Inadequate Unit Training (11)	0.05605	0.11209	0.00628	0.45619
SI09	Inadequate Written Procedure (18)	0.04798	0.12463	0.00598	0.43417
SI04	Inadequate/Improper Supervision by Direct Supervisor (13)	0.05119	0.10619	0.00544	0.39468
SI11	Material Improperly Designed (16)	0.04997	0.09735	0.00486	0.35321
SI13	Inadequate Quality Control, Manufactur, Assembly (9)	0.05699	0.04867	0.00277	0.20139
SI15	Inadequate Composure(3)	0.07701	0.03540	0.00273	0.19792
SI14	Inadequate Maintenance Inspection (15)	0.04693	0.05678	0.00266	0.19347
SI19	Fatigue(6)	0.06399	0.03761	0.00241	0.17473
S103	Inadequate/Improper Supervision by Unit Com (4)	0.07363	0.03171	0.00233	0.16952
SI10	Inadequate Facilities/Services (17)	0.04904	0.02876	0.00141	0.10241
S108	Habit Interference (20)	0.04361	0.02729	0.00119	0.08639
S105	Inadequate School Training (13)	0.05003	0.02286	0.00114	0.08305
SI02	Inadequate/Improper Supervision by Staff Off (10)	0.05628	0.01549	0.00087	0.06329
SI17	Lack of Confidence (22)	0.03854	0.01622	0.00063	0.04540
SI01	Inadequate/Improper Supervision Higher (7)	0.05877	0.01032	0.00061	0.04405
SI20	Effects of Alcohol, Drugs, Illness (2)	0.07879	0.00664	0.00052	0.03797
SI12	Insufficient Number/type personnel (21)	0.04237	0.00664	0.00028	0.02042

The probabilities used to compute the hazard risk scores Table 4 are the probabilities, in the last eleven years, that hazard_i was a contributing factor to an accident. Note that the sum of all P(hazard_i) does not equal one. More than one hazard can be determined to be a contributing factor to an accident. For this specific set of data there are 2,398 hazard occurrences with only 1,356 accidents, this is an average of 1.8 hazards contributing to each accident. In Table Four the previous ranking of the hazard's severity is shown in parenthesis in the Hazard description column. Only four of the top ten severe accidents stayed in the top ten when the probabilities were considered. Figure 4-11 depicts hazard severity versus the probability of occurrence.





Figure 4-11 Hazard Severity versus Probability

This chart is divided into four regions. These regions are a quick reference to the distribution of risk when broken down into components of severity and probability. Hazards with the greatest risk are found around the outskirts of the chart. This is where the hazard is composed of a high severity, a high probability, or both. The data points of

the four most severe hazards are labeled. The distribution of the scores of the top ten hazards is depicted below in the Figure 4-12.



The categories of hazards (system inadequacies) are shown in Appendix A. The ten most sever hazards are categorized below.



Figure 4-13 Hazard Categories

Table 4-7 Hazard Categories

Category	Percentage	Hazard
Individual Failure	40	Overconfidence/Complacency
		Poor Motivation/Mood
		Inadequate Attention
(Environmental Conditions
Training Failure	20	Unit Training
		Inadequate Experience
Support Failure	20	Material Design
		Inadequate Quality Control
Leader Failure	10	Direct Supervisor
Standards Failure	10	Inadequate Written Procedures

4.6 Summary

This chapter has presented the results of this research effort and a one-way sensitivity analysis of the weights of the major criteria. The goal of this project was to determine the top ten hazards, while accomplishing this goal other additional information was obtained. Accident and hazard severity and risk have been presented and the relationship between severity and risk has been discussed. The development of risk from severity is the first step in reducing the risk of accidents and hazards.

If the information presented here is used to allocate resources, a portfolio analysis is recommended to determine which of the hazards can be reduced or managed with the resources available. The model developed is not restricted to the hazards in this paper yet it is susceptible to the accuracy of the data and assumptions. These assumptions are not limited to the research in this paper the accuracy of the data is also dependent on the quality of the investigation done by the accident investigation team.

5 Conclusions and Recommendations

5.1 Conclusions

Determining the severity and risk of hazards in Army Aviation is a complicated process. Although there are army regulations, doctrine and technical experts energized towards a common goal of reducing severity and risk of such hazards there is currently no consistent methodology for accomplishing this. Investigation into the relevant doctrine, careful delineation of the terms involved, and value focused thinking provide the basis for developing and consistently using a structured methodology to assist decision-makers in making logical decisions concerning the allocation of resources for risk management. Identifying the underlying values of the Army Safety Center and Army doctrine will also assist the risk management experts in developing alternatives in order to reduce that risk.

The methodology presented in this paper is theoretically sound and a method of modeling supported by multi-attribute preference theory. The model developed through this research is however, heavily dependent upon data collection procedures and safety investigation results. The hazards (System Inadequacies) and accidents (events) used in this research were agreed upon as data that would be useful to (1) validate the concept of using value focused thinking to rank accidents and hazards and (2) develop the cornerstone for a research effort to be continued at the Army Safety Center for a proposed five year plan. The continuation of the research will continue to improve the model by developing a better taxonomy to identify the existing hazards in Army Aviation and furthermore to incorporate ground-related accidents and hazards.

The ten hazards with the highest risk rating are:

Table 5-1 Top Ten Hazards

Hazard	Definition	Severity	P(Hazard)	Hazard
				Risk
SI16	Overconfidence/Complacency (5)	0.0671	0.205	0.0137
SI99	Inadequate Attention (14)	0.0507	0.223	0.0113
SI21	Environmental Conditions (8)	0.0587	0.144	0.0084
SI18	Inadequate Motivation/Mood (1)	0.0797	0.101	0.0080
SI07	Inadequate Experience(12)	0.0541	0.138	0.0075
SI06	Inadequate Unit Training (11)	0.0560	0.112	0.0062
SI09	Inadequate Written Procedure (18)	0.0479	0.124	0.0059
SI04	Inadequate/Improper Supervision by	0.0511	0.106	0.0054
	Direct Supervisor (13)			
SIII	Material Improperly Designed (16)	0.0499	0.097	0.0048
SI13	Inadequate Quality Control,	0.0569	0.048	0.0027
	Manufacturing, Assembly (9)			

The risk score can be reduced by either decreasing the severity of the hazard or by reducing the probability of occurrence. As shown in Section 4.4, the most direct approach to reducing the severity of a specific hazard is to reduce the probability of occurrence. This method may be more direct yet more difficult. There are some critical unknowns present when dealing with the probability or hazards specifically, how many times does a hazard occur before it produces an accident? Further research should be conducted to determine the actual probability of a hazard occurring, regardless of whether it contributed to an accident or not.

Figures 4-8 and 4-13 represent accident/hazard severity versus the probability of occurrences. The obvious accidents and hazards to focus on are the ones in area C, high severity and high probability. Others can also be reduced but this area is high severity and high probability. The most efficient way to reduce hazards is to take steps towards

reducing their probability. This will consequently reduce the probability of individual accidents occurring. When attempting to reduce accident risk controls should be developed to reduce their severity. These may be two drastically different approaches. To reduce the severity of an accident the senior leadership might look at more protection in the cockpit of the aircraft while to reduce the probability of occurrence of a hazard they would turn towards the pilot training program. For instance, the to hazard risk is overconfidence/complacency of the pilot. A chief contribution is the hazard's correlation with the severity of tree strikes. The probability that a tree strike occurred, given that the accident was caused partially by overconfidence or complacency, is slightly over 19%. Therefore, we can reduce the risk of this hazard by additional training in an attempt to reduce the probability of the occurrence of the hazard or possibly install a proximity-warning device to reduce the number of tree strikes. Both of these methods would reduce the overall risk of this hazard.

5.2 Recommendations

5.2.1 Value Functions

The severity functions developed in this research were developed over an eightmonth period in conjunction with the Army Safety Center and other safety experts. To
expand this model for Army use, the single dimensional value functions may need to be
adjusted in order to represent decision- maker's views at different command levels. For
this research, experts in the field of aviation, maintenance, personnel and safety were
used to develop the value functions. For future use this list of experts may have to be
expanded down to the field units. Some of the concerns involve the preferences of senior

leadership of the Army on dollars expended and lives. Furthermore, the Safety Center is trying to initiate a program, based on value focused thinking to change the way the Army manages risk. This model is based on a gold standard taken from Army doctrine and developed with the Safety Center. In order to change the way risk management is performed; doctrine may have to be rewritten necessitating a change in the value hierarchy. At that time, a gold standard may not be the best method. A silver standard, bottom up approach, may be the appropriate methodology by establishing a new standard by involving experts from different facets of military life and developing a new hierarchy for the severity of accidents. Such a visionary style of leadership usually requires other methods of building value models, a silver standard is one and an (Platinum) interview method is another (Parnell, 1997).

5.2.2 Data Collection

The span of years over which data was collected for this project (11 years) was chosen in order to gather as much data as possible without incorporating data that may be outdated due to changes in tactics, techniques and procedures in Army Aviation. This represents a period of time when the Army introduced three relatively new aircraft into various units in the Army: the AH-64, the UH-60, and the OH-58 D. This was a time period where trends were set and tactics and techniques were being developed. The problem with this time period is that there were a number of accident types that had only one occurrence while other accidents occurred over 150 times. Using older data may lead to erroneous results. If the data collection period is too small the amount of data may not be sufficient and also lead to ill-conceived conclusions.

Given only one occurrence of an accident, there was not enough information to generalize results of similar accidents in the future. No standard deviation could be developed nor could a range be established. In order to alleviate this problem some of the accident categories may be able to be combined or associated with a like group of accidents. In that manner conclusions can be drawn with less uncertainty about a group of accidents as opposed to relying on one, or very few data points.

5.2.3 Environmental Data

Although Army safety doctrine dictates that one of the four criteria for establishing the severity of an accident or a hazard is the damage to the environment, there has been very little data collected on the environment during the accident investigation. Figure 5-1 represents some of the environmental areas that are represented




Figure 5-1 Environmental Damage Data

in the environmental protection matrix outlined in FM 20-400 / MCRP 4-11B, the *Military Environmental Protection Manual*. Further investigation could be conducted to establish measures that could adequately describe each of the evaluation considerations depicted in the dashed boxes below.

Currently the only information that accurately records damage to the environment in the database at the Safety Center is gallons of oil, fuel and hydraulic fluid spilled at the sight. Other factors such as fire and chemicals present are tracked but their effect on the environment cannot be derived. The database is built from the accident investigation forms that are filled out by a board assigned to the accident. More extensive guidelines could be established for the collection of data concerning the environment. Although it would take years to establish a meaningful database, adequate measures for the areas of concern mentioned above could be attained by the investigation board at the accident sight. Some example questions that could be asked at the sight are given below.

- 1) If a fire was present what was the extent of damage to the surrounding area?
- 2) If the accident occurred overseas was there damage to civilian property, what type and how much?
- 3) What clean up was required by the local unit or civilian agency?
- 4) Was the accident near a water source?

5.2.4 Hazards and Controls

One of the problems encountered during this research was establishing what constituted a hazard. The Army Safety Center has taken the steps necessary to continue the work in the area of hazard severity, one of the major goals of their efforts is to develop a better hazard classification system and controls classification system. The

areas of concern and the measures used in this research should assist in that effort. The value hierarchy established here should be particularly helpful in developing controls to reduce the severity of accidents and hazards.

By Identifying the accident severity criteria that contributed the greatest to the severity of an accident or hazard, risk managers can focus their efforts to reduce those specific effects. Furthermore, if experts deem that the efforts required to reduce the severity are not feasible they can chose to focus on reducing the probability of the event occurring and therefore reducing the risk. In this manner, resources expended towards the reduction of risk can be directed more efficiently and effectively.

In addition to establishing controls, the approach used in this research to determine hazard severity can be used to identify those combinations of hazards that drastically increase risk. The following equation can be used to determine those combinations of hazards with the largest severities:

Severity of Hazard Combination_{jk} =
$$\sum_{i=1}^{65} P(Accident_i \mid Hazard_{jk}) * Severity (Accident_i)$$

5.3 Contributions

The consequences of an accurate hazard severity ranking and appropriate allocation of resources include effects on soldier's lives, unit morale, scientific advancement, and technological progress, as well economic costs and benefits. A careful analysis of each hazard has high potential payoff for the Army safety Center, Aviation, and the Department of the Army as a whole. The benefits that will be derived are; lives saved due to the identification and remediation of the correct hazards and the possibility

of optimal resource allocation within a given budget. In addition, the methodology can be applied to other safety settings and issues.

Aside from identifying hazard severity and risk, the same measures were established for specific accidents. This type of information is valuable at the tactical level. Certain hazards are unavoidable do to mission requirements. If tactical commanders know the correlation of certain accidents to existing hazards they can take steps to reduce the chance or severity of those specific accidents.

The proposal, projected benefits and a summarized methodology for this research was submitted to the Department of the Army Studies Program. The research effort was selected and awarded \$98,000 for continued research in coordination with the Safety Center. A statement of work has since been developed to expand the scope of the project. The overriding goal is to revamp the manner in which hazards are identified and ranked and how controls are developed and implemented to reduce the severity and risk of hazards and accidents. The study will initially be centered on the Army Safety Center but will be developed for field unit implementation over a five-year period. A description of the continuation of work will be resubmitted each year to the studies program for additional funding.

Appendix A: Accident/Incident Event and System Inadequacies Codes Associated with **Aircraft Accidents**

A.1 Accident/Event Codes.

The following codes and explanations below are provided to categorize aviation

accidents by the type of event(s) involved.

Code: 01 Title: Precautionary landing (PL).

Explanation: A landing resulting from unplanned events, occurring while the aircraft is

in flight that makes further flight inadvisable. This event is to be used for PLs where no

other event applies or in conjunction with other materiel failure events.

Code: 02 Title: Forced landing (FL).

Explanation: A landing caused by failure or malfunction of engines, systems, or

components that makes continued flight impossible. This event is to be used in

conjunction with other materiel failure/malfunction events.

Code: 03 **Title:** Aborted takeoff.

Explanation: An unplanned event that occurs before liftoff that interrupts a planned

flight. This event is to be used for aborted takeoffs where no other event applies or in

conjunction with other materiel failure events.

Code: 04 **Title:** Human factor event.

Explanation: A psychological, physiological, or pathological condition that occurs to

personnel when intent for flight exists and results in interference with a crewmember's

duties during aircraft operations or mission being delayed, diverted, or aborted.

A-1

Code: 05 Title: Cargo event.

Explanation: Injury or property damage resulting from cargo- related accident/incident; intentional or unintentional jettisoning of cargo hook load.

Code: 06 **Title:** Personnel handling event.

Explanation: Injury or property damage involving personnel handling errors or personnel handling.

Code: 07 Title: External stores event.

Explanation: Injury or property damage resulting from external stores handling errors or equipment failures.

Code: 08 Title: Multiple aircraft event.

Explanation: Injury or property damage resulting from the interactions of two or more aircraft. To qualify as a multiple aircraft event, two or more aircraft, with engines running, must be involved.

Code: 09 **Title:** Misappropriated aircraft.

Explanation: An aircraft accident that occurs during the operation of an Army aircraft that has been misappropriated, regardless of aircrew designation. Intent for flight must exist.

Code: 10 Title: Drone aircraft.

Explanation: Drone aircraft are identified by "Q" designator, and may be flown or operated by rated or nonrated personnel, or by remote control. When manned, they will be regarded as aircraft and reported accordingly. When unmanned, and operated by remote control, the accident will be reported using DA Form 285.

Code: 11 Title: Contractor aircraft accident.

Explanation: An aircraft accident that occurs as a result of a government contractor's operation in which there is damage to Army property or injury to Army personnel. Included is non-delivered equipment for which the Army has assumed responsibility.

Code: 12 Title: Aircraft ground accident.

Explanation: Injury or property damage involving an Army aircraft in which no intent for flight exists and the engines are in operation.

Code: 13 Title: Laser-induced/related.

Explanation: Property damage or personnel injury resulting from laser operations created. May be used in conjunction with other events.

Code: 14 Title: Fratricide.

Explanation: Persons killed or wounded, or equipment damaged, in military action, mistakenly or accidentally, by friendly forces actively engaged with the enemy, who are directing fire at hostile force or what is thought to be a hostile force.

Code: 15-19 (Reserved for future additions.)

Code: 20 Title: Refueling Accident.

Explanation: Damage incurred during refueling operations on the ground or in-flight.

Code: 21 **Title:** Midair Collision.

Explanation: Those accidents in which more than one aircraft collide in flight. Hover is considered in flight. Damage does not have to be done to both aircraft (will be used in addition to "08 multiple aircraft event").

Code: 22 Title: Helo-casting.

Explanation: Property damage or personnel injury occurring during helo-casting operations.

Code: 23 Title: Hard Landing.

Explanation: Damage incurred due to excessive sink rate on landing touchdown. Includes auto-rotation landings when skids are damaged; main rotor blade flexing into tail boom; tire blowing on touchdown; landing gear driven into fuselage; fuselage, wing, etc., buckling. Note: The landing area must be suitable for a probable successful landing.

Code: 24 Title: Wheels-Up Landing.

Explanation: Aircraft equipped with retractable landing gear in the wells. Includes intentional gear-up landings; crew forgetting to lower gear; gear does not extend when gear handle placed down.

Code: 25 Title: Landing Gear Collapse/Retraction.

Explanation: During takeoff, landing, or taxi, the gear collapses for any reason or the crew inadvertently retracts or retracts too soon on takeoff (does not include gear shearing due too hard landing).

Code: 26 Title: Undershoot.

Explanation: When an approach is being made to a prepared area of field and the aircraft touches down short of the suitable landing surface. (Does not include striking wires, trees, etc., on approach except an aircraft striking an airport boundary fence.)

Code: 27 Title: Overshoot or Overrun.

Explanation: Landing in which the aircraft runs off the end of the runway because of touchdown speed, too-short runway, touching down too long, or failure of brakes.

Code: 28 Title: Ditching.

Explanation: Landing in a controlled attitude in water. (Does not include creeks, streams, etc., or those landings to ships or barges in which the aircraft crashes in the water.)

Code: 29 Title: Ground Loop/Swerve.

Explanation: When aircraft damage is incurred because absolute directional control is not maintained (intentional or unintentional). Includes F/W ground loops; R/W autorotational landings; R/W running landings due to antitorque failures; aircraft running off side of runway.

Code: 30 Title: Collision with Ground/Water.

Explanation: Those accidents in which the aircraft strikes the ground or water unintentionally. Includes crashing into a mountain under IFR, IMC, or night; inadvertent flying into the ground or water, such as making a gun run and failing to pull up; low-level flight resulting in striking ground or water.

Code: 31 **Title:** Aircraft Collisions on the Ground.

Explanation: Accidents in which two or more aircraft collide on the ground. None of the aircraft can be in flight. (used in addition to '08' multiple aircraft event).

Code: 32 **Title:** Other Collisions.

Explanation: Accidents when an aircraft collides with something not accounted for by other type events listed.

Code: 33 Title: Rotor overspeed.

Explanation: Main rotor RPM exceeding the allowable limits for continued flight.

Code: 34 **Title:** Fire and/or Explosion on the Ground.

Explanation: Accidents that are initiated by a fire or explosion. The damage incurred must be prior to lift-off and/or after touchdown.

Code: 35 **Title:** Fire and/or Explosion in the Air.

Explanation: Same as on the ground except damage must be after lift-off and before touchdown.

Code: 36 Title: Equipment Loss or Dropped Object.

Explanation: Accidents in which some part of the aircraft or attached equipment is lost in flight, other than cargo and external stores.

Code: 37 Title: In-flight Breakup.

Explanation: Accidents in which aircraft begins to break up in flight. In these accidents, any type of landing is not expected. Includes loss of main rotor blades; loss of wing.

Code: 38 Title: Spin or Stall.

Explanation: Fixed wing aircraft type accidents resulting in stalling and/or spinning due of loss of airspeed or excessive angle of attack.

Code: 39 Title: Abandoned Aircraft.

Explanation: Accidents in which all flight crew eject or parachute.

Code: 40 Title: Flight-Related Accident.

Explanation: Damage to property or injury to personnel without damage to aircraft.

Code: 41 Title: Instrument Meteorological Condition (IMC).

Explanation: Aircraft must be in IMC conditions when the accident/ emergency occurs. This is a condition event and should not be used in the first position.

Code: 42 Title: Rappelling.

Explanation: Property damage or personnel injury occurring during rappelling operations.

Code: 43 Title: STABO.

Explanation: Property damage or personnel injury occurring during STABO operations.

Code: 44 Title: Overstress.

Explanation: Stress damage to aircraft as a result of operating aircraft outside the design limitations.

Code: 45 Title: Foreign Object Damage (FOD) Incident.

Explanation: Internal or external FOD damage confined to aircraft turbine engines only.

Code: 46 Title: Rotor/Prop Wash.

Explanation: Property damage or personnel injury resulting from rotor/prop wash (does not include damage incurred by event 75).

Code: 47 Title: Engine Overspeed/Overtemp.

Explanation: Engine RPM or temperature exceeding the allowable limits for continued operations.

Code: 48 Title: Brownout.

Explanation: Loss of visual reference to the ground or horizon caused by rotor wash swirling dust around the aircraft. This is a condition event and should not be used in the first position.

Code: 49 Title: Bird Strike.

Explanation: Accidents in which any part of the aircraft collides with a bird while in flight.

Code: 50 Title: Tree Strike.

Explanation: Accidents as a result of aircraft striking vegetation during any phase of flight.

Code: 51 Title: Wire Strike.

Explanation: Accidents as a result of the aircraft striking any kind of wires during any phase of flight.

Code: 52 Title: In-flight Breakup due to mast bumping.

Explanation: Accidents in which the main rotor separates as result of mast bumping.

Code: 53 Title: Missing Aircraft.

Explanation: Used when an aircraft does not return from a flight and is presumed to have crashed.

Code: 54 Title: FOD.

Explanation: Accident in which foreign object damage is the only damage incurred.

Code: 55 Title: Dynamic Rollover.

Explanation: Accident in which the main rotor blades strike the terrain as a result of exceeding the lateral CG limits, while the aircraft structure is still intact.

Code: 56 Title: Maintenance Operational Check (MOC).

Explanation: Accidents that occur during an MOC while the engine(s) is (are) in operation and/or rotors turning.

Code: 57 Title: Weapons Related.

Explanation: Accidents that result in property damage or injury to personnel.

Code: 58 **Title:** Lightning Strike.

Explanation: Damage to aircraft/injury to occupant because of lightning strike(s).

Code: 59 Title: Rescue operations.

Explanation: Property damage or personnel injury occurring during rescue operations.

Code: 60 Title: Object Strike.

Explanation: Aircraft/aircraft component struck objects other than ground, trees, or objects included in other events.

Code: 61 Title: Air to Ground Collision.

Explanation: Aircraft in the air collides with or strikes aircraft on the ground.

Code: 62 Title: Stump Strike.

Explanation: Aircraft contacts stump during routine landing.

Code: 63 Title: Antenna Strike.

Explanation: Aircraft damage caused by contact with an antenna.

Code: 64 Title: Engine Overtorque/Overload.

Explanation: Engines that have been subjected to torque loads beyond power limits specified, or engine loses rpm because of overload of aircraft for density altitude.

Code: 65 Title: Whiteout.

Explanation: Loss of visual reference to the ground or horizon caused by rotor wash swirling snow around the aircraft. This is a condition event and should not be used in the first position.

Code: 66 Title: Tiedown Strike.

Explanation: Damage to the aircraft caused by main rotor tiedown device attached to M/R rotor during engine start.

Code: 67 Title: Parachute.

Explanation: Accidents involving paradrop operations inside or still attached to the aircraft.

Code: 68 Title: Mast Bumping.

Explanation: Damage resulting from contact between the main rotor and mast but not resulting in rotor separation.

Code: 69 Title: Structural Icing.

Explanation: The formation of ice on aircraft structures to include the rotor systems. Does not include carburetor, induction, or pitot static system icing.

Code: 70 Title: Engine Failure.

Explanation: Engine fails to develop sufficient power to maintain flight or internal failure of power plant. Excludes fuel starvation or fuel exhaustion and FOD.

Code: 71 Title: Transmission Failure.

Explanation: Internal failure of a main transmission.

Code: 72 Title: Vertical Fin Strike.

Explanation: Damage caused by the tail rotor blades coming in contract with the vertical fin on single rotor helicopters.

Code: 73 Title: Spike Knock.

Explanation: Damage occurred when the transmission spike contacts the striker plate with sufficient force to cause damage.

Code: 74 Title: Seatbelt/Restraint Harness Strike.

Explanation: Damage caused by unsecured seatbelts/restraint harnesses.

Code: 75 Title: Blade Flapping.

Explanation: Damage resulting from wind or rotor wash from other aircraft that causes the M/R blades to flap to the extent that damage occurs.

Code: 76 Title: Fuel Exhaustion.

Explanation: Power loss resulting from using all usable fuel aboard an aircraft.

Code: 77 Title: Fuel Starvation.

Explanation: The result of fuel ceasing to flow to the power plant while fuel is still on board the aircraft. Example: The pilot fails to switch tanks when one runs dry or blockage of fuel lines occurs because of contamination.

Code: 78 Title: Animal Strike.

Explanation: During takeoff, landing, etc., an animal is struck by any part of the aircraft.

Code: 79 **Title:** Battery Fire/Overheat.

Explanation: A fire in the battery compartment or overheated battery, usually resulting in electrical failure.

Code: 80 Title: Excessive Yaw/Spin.

Explanation: May occur on the ground or in the air (helicopter only). A maneuver where the aircraft yaws excessively or spins when power is added without adequate antitorque input or a loss of antitorque control occurs.

Code: 81 Title: Tail Boom Strike.

Explanation: Main rotor contacts tail boom on the ground due to wind conditions.

Excludes hard landings and damage caused by rotor wash.

In addition to events 70 and 71 listed above the following events are used to categorize materiel factor related mishap events. The event applies regardless of the cause of the failure/malfunction (FWT, maintenance, design or manufacture).

Code: 82 Title: Airframe.

Explanation: Failure/malfunction of any airframe structure to include doors windows, fairings, canopies, etc to include hardware.

Code: 83 Title: Landing Gear.

Explanation: Failure/malfunction of any landing gear part exclusive of the hydraulics.

Code: 84 Title: Power train.

Explanation: Failure/malfunction of any part/component of the power train except when events 47 or 70 applies.

Code: 85 Title: Drive Train.

Explanation: Failure/malfunction of any part/component of the drive train except when events 86 and 71 applies.

Code: 86 **Title:** Rotor/Propellers.

Explanation: Failure/malfunction of rotor/prop assemblies, hubs, blades, etc. Excludes other drive train part failures; e.g. gearboxes, mast etc.

Code: 87 **Title:** Hydraulics System.

Explanation: Failure/malfunction of any hydraulic part. The failure of other systems resulting from hydraulic initiated failures will be coded as hydraulic.

Code: 88 Title: Pneumatic System.

Explanation: Failure/malfunction of any pneumatic part. The failure of any other system resulting from pneumatic initiated failures will be coded as pneumatic.

Code: 89 Title: Instruments.

Explanation: Failure/malfunction of any part of the instrument system that results in a faulty instrument indication.

Code: 90 Title: Warning System.

Explanation: Failure/malfunction of any part of the warning system that results in an false indication of a failure/malfunction. Includes electrical components of the warning system.

Code: 91 Title: Electrical System.

Explanation: Failure/Malfunction of any part of the AC or DC electrical systems. Includes current producing, transforming, converting and amplifying parts e.g. battery, generator, alternator, relay etc.

Code: 92 Title: Fuel System.

Explanation: Failure of any part of the fuel system. Does not include the fuel metering/fuel control unit that will be reported as part of the engine.

Code: 93 Title: Flight Control.

Explanation: Failure/malfunction of any part of the system. Excludes hydraulic part failures.

Code: 94 **Title:** Utility/Environmental Control System.

Explanation: Failure/malfunction of any part of the system.

Code: 95 Title: Avionics.

Explanation: Failure of any part of the radio navigation/communication equipment.

Code: 96 Title: Cargo Handling Equipment.

Explanation: Failure of the cargo handling equipment attached to the aircraft only.

Code: 97 Title: Armament.

Explanation: Failure of any part to include the aiming/firing system.

A.2 System Inadequacies/Hazards.

A. LEADER FAILURE

Code: 01 Title: Inadequate/improper supervision by higher command.

Code: 02 Title: Inadequate/improper supervision by staff officer.

Code: 03 **Title:** Inadequate/improper supervision by unit command.

Code: 04 **Title:** Inadequate/improper supervision by direct supervisor/noncommissioned officer in charge/platoon leader/instructor.

Explanation: NOTE: Inadequate supervision becomes a root cause when it leads to accident-causing personnel mistakes or materiel failure/malfunctions. Inadequate supervision is more clearly identifiable at the immediate-supervisor level.

B. TRAINING FAILURE

Code: 05 **Title:** Inadequate school training.

Explanation: School training becomes a root cause when people make accident-causing mistakes because the school training was inadequate in content or amount.

Code: 06 Title: Inadequate unit/on-the-job training.

Explanation: Unit/on-the-job training becomes a root cause when people make accident-causing mistakes because the training provided was inadequate in content or amount.

Code: 07 Title: Inadequate experience.

Explanation: Supervised on-the-job experience is the follow-up to school and unit training programs. Experience becomes a root cause when people make accident-causing mistakes because the experience provided was inadequate in content or amount.

Code: 08 Title: Habit interference.

Explanation: Habit interference becomes a root cause when a person makes an accident-

causing error because task performance was interfered with either the way he usually

performs similar tasks, or the way he usually performs the same task under different

conditions or with different equipment.

C. STANDARDS FAILURE

Code: 09 Title: Inadequate written procedures for operation under normal or

abnormal/emergency conditions.

Explanation: Inadequate written procedures (AR, TM, FM, SOP, written directives)

become the root causes when they lead to accident-causing mistakes or materiel

failures/malfunctions.

D. SUPPORT FAILURE

Code: 10 Title: Inadequate facilities/services.

Explanation: Inadequate facilities or services become root causes when the maintenance,

space and/or support provided for personnel and materiel to accomplish their functions

cause mistakes or failures/malfunctions that lead to accidents. (Examples of facilities or

services are recreation areas, POL services, housing, medical clinics/hospitals, weather

services, storage areas, maintenance facilities, and property disposal.)

Code: 11 Title: Inadequate/improper equipment design or equipment not provided.

Explanation: Improperly designed equipment and materiel or lack of equipment/materiel

become root causes when the design or lack of equipment leads to accident-causing

personnel errors or materiel failures/malfunctions.

A-15

Code: 12 Title: Insufficient number or type of personnel.

Explanation: Insufficient number or type of personnel becomes a root cause when people make accident-causing mistakes or materiel fails/malfunctions because the number or type of personnel provided was insufficient.

Code: 13 Title: Inadequate quality control, manufacture, packaging, or assembly.

Explanation: The inadequate manufacture, assembly, packaging, or quality control of materiel becomes a root cause when it leads to accident-causing personnel errors or materiel failures/malfunctions. (Note: Includes original manufacture and rebuild.)

Code: 14 Title: Inadequate maintenance.

Explanation: Inadequate maintenance (inspection, installation, troubleshooting, recordkeeping, etc.) becomes a root cause when it leads to accident-causing personnel errors or materiel failures/malfunctions.

E. INDIVIDUAL FAILURE

Code: 15 **Title:** Fear/Excitement/Anger (inadequate composure).

Explanation: Each person is a part of the system. Therefore, his state of mind is a system element. Inadequate composure is a temporary state of mind that becomes a root cause when a person makes an accident-causing error because of fear, excitement, or some related emotional factor made clear, rational thought impossible.

Code: 16 **Title:** Overconfidence/complacency in abilities.

Explanation: Overconfidence is a temporary state of mind that becomes a root cause when an accident is caused by a person's unwarranted reliance on: his own ability to perform a task, the ability of someone else to perform a task, the performance capabilities of equipment or other materiel.

Code: 17 Title: Lack of confidence.

Explanation: Lack of confidence is a temporary state of mind that becomes a root cause when an accident is caused by a person's unwarranted lack of reliance on; his own ability to perform the task, the ability of someone else to perform the task, the performance capabilities of equipment or other materiel.

Code: 18 **Title:** Haste/Attitude (poor motivation).

Explanation: Haste/attitude (poor motivation) is a temporary state of mind that becomes a root cause when a person makes an accident-causing mistake because he/she is in a hurry (haste), or has a poor/bad attitude.

Code: 19 Title: Fatigue (self-induced).

Explanation: Fatigue is a temporary physical and/or mental state that becomes a root cause when a person makes an accident-causing error because of reduced physical or mental capabilities resulting from previous activity and/or lack or rest.

Code: 20 Title: Effects of alcohol, drugs, illness.

Explanation: The temporary effects of alcohol, drugs, or illness become a root causes when a person makes an accident-causing error because of reduced physical or mental capabilities resulting from one or more of these effects.

Code: 21 **Title:** Environment conditions.

Explanation: Unknown or unavoidable conditions, which result in material failure or induce human error.

Code: 97 **Title:** Insufficient information to determine system inadequacy/cause.

Appendix B: Glossary of Safety Related Terms

Aborted takeoff

An unplanned event that occurs before intent for flight exists, with engine(s) running, that interrupts a planned flight (except for maintenance test flights and factory acceptance flights).

Accident

An unplanned event that causes personal injury or illness, or property damage.

Active Army personnel

Members of the Army on full-time duty in active military service, including cadets at the U.S. Military Academy.

Aircraft

A manned weight carrying structure for navigation of the air that is supported by its own buoyancy or the dynamic action of the air against its surfaces.

Aircraft ground accident

Injury or property damage accidents involving Army aircraft in which no intent for flight exists, and the engine(s) is/are in operation.

Army accident

An accident that results in injury/illness to either Army or non-Army personnel, and/or damage to Army or non-Army property as a result of Army operations (caused by the Army).

Army civilian personnel

a. Senior Executive Service, General Management, General Schedule, and Federal Wage System employees.

- b. Corps of Engineer Civil Works employees.
- c. Army National Guard and Army Reserve technicians.
- d. Nonappropriated fund employees (excluding part-time military).
- e. Youth/Student Assistance and Temporary Program employees; Peace Corps and Volunteers in Service to America (VISTA) volunteers; Job Corps, Neighborhood Youth Corps, and Youth Conservation Corps Volunteers; Family Support Program volunteers.

Commander

An individual that exercises authority and responsibility over subordinates by virtue of rank or position. The purpose of that authority and responsibility is to effectively use available resources and plan the employment of, organize, direct, coordinate and control the actions of an Army organization for the purpose of successful mission accomplishment. Examples of commanders are as follows:

- a. Commander of a major Army command, CONUS and OCONUS.
- b. The Chief of Engineers (civil and military works).
- c. Commander, U.S. Army Space and Strategic Defense Command.
- d. The Chief, Army National Guard Bureau.
- e. Commander, U.S. Army Medical Research and Development Command.
- f. Commanders of Army installations with a full-time safety professional. This includes posts, camps, stations, and military communities.
- g. State adjutants general (ARNG).
- h. Commanders of Army Reserve organizations with a full-time safety professional.
- i. Commanders of medical treatment facilities.
- j. Commanders in direct support of general support maintenance units.

- k. Director of Facilities Engineering.
- 1. Provost Marshal/Law Enforcement Commander.
- m. Director of Industrial Operations.
- n. U.S. Army Plant Representative Office.
- o. Commander of TOE, MTOE, or TDA organization.

Competent medical authority

Any duly qualified physician (Government or private), who is approved by the Office of Workman's Compensation to render treatment. "Competent medical authority" includes surgeons, podiatrists, dentists, clinical psychologists, optometrists, chiropractors, and osteopathic practitioners.

Contractor accident

An accident that occurs as a result of a Government contractor's operations in which there is damage to U.S. Government or Army property or equipment, injury or occupational illness to Army personnel, or other reportable event.

Destroyed aircraft

An aircraft is considered destroyed/total loss when the estimated cost to repair exceeds the current full-up replacement cost.

Drone aircraft

Those serial vehicles having a "Q" designator and which can be flown or operated by rated or non-rated personnel, or which can be flown or operated in the remote control configuration.

Emergency

An event for which an individual perceives that a response is essential to prevent or reduce injury or property damage.

Environmental factors

Environmental conditions that had, or could have had an adverse effect on the individual's actions or the performance of equipment.

Fair wear and tear

Damage to time-between-overhaul (TBO) items such as gearboxes, tires, and other items that deteriorate with use. (Hot starts, overspeeds, and overtorques are not considered fair wear and tear.)

Flight crew

Personnel on flight pay who are involved in operation of the aircraft.

Forced landing

A landing caused by failure or malfunction of engines, systems, or components that makes continued flight impossible.

Foreign object damage (FOD)

Damage to Army vehicle/equipment/property as a result of objects alien to the vehicle/equipment damaged. Excludes aircraft turbine engine(s) defined as a FOD incident.

Fratricide/Friendly Fire (FF)

A circumstance applicable to persons killed or wounded, or equipment damaged, in military action, mistakenly or accidentally, by friendly forces actively engaged with the

enemy, who are directing fire at a hostile force or what is thought to be a hostile force.

Fratricide/FF incidents will be primarily investigated and reported under DODI 6055.7.

Ground accident

Any accident exclusive of aviation (flight/flight related) (for example, AMV, ACV, POV, marine.)

Hospitalization

Admission to a hospital as an inpatient for medical treatment.

Human error

Human performance that deviated from that required by the operational standards or situation. Human error in accidents can be attributed to a system inadequacy/root cause in training, standard, leader, individual, or support failure indicated below:

Human factors

Human interactions (man, machine, and/or environment) in a sequence of events that were influenced by, or the lack of human activity, which resulted or could result in an Army accident.

Individual failure

Soldier knows and is trained to standard but elects not to follow standard (self-discipline-mistake due to own personal factors).

Initial Denial Authority

The official at HQDA-level with the authority to deny release of a document, in whole or in part, under the Freedom of Information Act.

Injury

A traumatic wound or other condition of the body caused by external force, including stress or strain. The injury is identifiable as to time and place of occurrence and member or function of the body affected, and is caused by a specific event or incident or series of events or incidents within a single day or work shift.

Installation-level safety manager

a. The senior full-time safety professional responsible for providing safety support to Army installations, including camps, stations, military communities, and USAR organizations.

b. State Safety Manager or Specialist (ARNG).

Intent for flight

Intent for flight begins when aircraft power is applied, or brakes released, to move the aircraft under its own power with an authorized crew. Intent for flight ends when the aircraft is at a full stop and power is completely reduced.

Investigation

A systematic study of an accident, incident, injury, or occupational illness circumstances.

Lost-time case

A nonfatal traumatic injury that causes any loss of time from work beyond the day or shift in which it occurred or a nonfatal non-traumatic illness/disease that causes disability at any time. This definition will be used when computing civilian lost-time frequencies for DOL reporting.

Lost-workday case involving days away from work

Cases in which an accident results in Army personnel missing one or more days of work.

Days away from work are those workdays (consecutive or not) on which Army personnel would have worked but could not because of injury, occupational illness, or job-related physical deficiencies detected during medical surveillance examinations. Excluded are days that Army personnel would not have worked even though able to work (for example, weekends or holidays) and the day of the injury or onset of occupational illness.

Materiel factors

When materiel elements become inadequate or counter-productive to the operation of the vehicle/equipment/system.

Medical treatment

Any treatment (other than first aid) administered by a physician or by registered professional medical personnel under the orders of a physician.

Nonappropriated fund (NAF) employees

Employees paid from nonappropriated funds, including summer and winter hires and special NAF program employees. Military personnel working part-time in NAF employment are excluded.

Nonfatal case without lost workdays

Cases other than lost-workday cases where Army military or civilian personnel, because of an injury or occupational illness, experienced one or more of the following:

- a. Permanent transfer to another job or termination.
- b. Medical treatment greater than first aid.
- c. Loss of consciousness.

- d. Restricted work activity or profile.
- e. Diagnosis as having an occupational illness that did not result in a fatality or lost-workday case. This includes newly diagnosed occupational illnesses detected on routine physical examinations.

Occupational illness

Non-traumatic physiological harm or loss of capacity produced by systemic infection; continued or repeated stress or strain; for example, exposure to toxins, poisons, fumes; or other continued and repeated exposures to conditions of the work environment over a long period of time. Includes any abnormal physical or psychological condition or disorder resulting from an injury, caused by long- or short-term exposure to chemical, biological, or physical agents associated with the occupational environment. For practical purposes, an occupational illness is any reported condition that does not meet the definition of an injury.

Occupational injury

A wound or other condition of the body caused by external force, including stress or strain. The injury is identifiable as to time and place of the occurrence and a member or function of the body affected, and is caused by a specific event or incident or series of events or incidents within a single day or work shift.

Off-duty

Army personnel are off-duty when they:

- a. Are not in an on-duty status, whether on or off Army installations.
- b. Have departed official duty station, temporary duty station, or ship at termination of normal work schedule.

- c. Are on leave and/or liberty.
- d. Are traveling before and after official duties, such as driving to and from work.
- e. Are participating in voluntary and/or installation team sports.
- f. Are on permissive (no cost to Government other than pay) temporary duty.
- g. Are on lunch or other rest break engaged in activities unrelated to eating or resting.

On-duty

Army personnel are on-duty when they are:

- a. Physically present at any location where they are to perform their officially assigned work. (This includes those activities incident to normal work activities that occur on Army installations, such as lunch, coffee, or rest breaks, and all activities aboard vessels.
- b. Being transported by DOD or commercial conveyance for the purpose of performing officially assigned work. (This includes reimbursable travel in POVs for performing TDY, but not routine travel to and from work.)
- c. Participants in compulsory physical training activities (including compulsory sports).

Permanent total disability

Any nonfatal injury or occupational illness that, in the opinion of competent medical authority, permanently and totally incapacitates a person to the extent that he or she cannot follow any gainful employment. (The loss or loss of use of both hands, feet, eyes, or any combination thereof as a result of a single accident will be considered as permanent total disability.)

Permanent partial disability

Any injury or occupational illness that does not result in death or permanent total disability but, in the opinion of competent medical authority, results in the loss or

permanent impairment of any part of the body, with the following exceptions:

- a. Loss of teeth.
- b. Loss of fingernails or toenails.
- c. Loss of tip of fingers or tip of toe without bone involvement.
- d. Inguinal hernia, if it is repaired.
- e. Disfigurement.
- f. Sprains or strains that do not cause permanent limitation of motion.

Precautionary landing

A landing resulting from unplanned events that makes continued flight inadvisable.

Preexisting physical condition

A medical condition that existed prior to the occurrence of the accident.

Recommendations

Those actions recommended to the command to correct system inadequacies that caused, contributed, or could cause or contribute to an Army accident. Also referred to in this pamphlet as corrective action, remedial measures and/or countermeasures.

Recordable

Reportable accident that meets the minimum criteria stated in the regulation for Class A-D accidents and Class E and FOD incidents.

Reportable

All occurrences that cause injury, illness, or property damage of any kind must be reported to the soldier's/employee's/unit's servicing/ supporting safety office.

Restricted work activity

Individual's injury is such that they are unable to perform their normal duties (for example, light-duty, profile).

ROTC personnel

- a. Members of the ROTC during periods of basic or advanced training at premises owned or under the control of the Army whether on or off duty.
- b. Cadets performing professional enrichment training while under Army supervision and directed by competent orders, regardless of the location of the training site. Regular training on

campus is excluded; that is, weekly drill and classroom instruction.

- c. Cadets involved in rifle and pistol marksmanship training under Army supervision on any firing range.
- d. Cadets undergoing ROTC flight instruction.

Standards failure

Standards/procedures not clear or practical, or do not exist)

Support Failure

Inadequate equipment/facilities/services in type, design, availability, or condition, or insufficient number/type of personnel, which influenced human error, resulting in an army accident.

System inadequacy

A tangible or intangible element that did not operate to standards, resulting in human error or materiel failure. Also referred to in this pamphlet as causes, readiness shortcomings and/or root causes.

Training failure

Soldier/individual not trained to known standard (insufficient, incorrect or no training on task--insufficient in content or amount)

Appendix C: Army Accident Classification and Investigation

A.1 General

Army accident classes are used to determine the appropriate investigative and reporting procedures. The same classification system is used for accidents that occur in the air or on the ground. The classification definitions below are from Army Regulation 385-40 Accident Reporting and Records, which prescribes policy on accident reporting and recordkeeping procedures for the Army. This updated publication was extensively revised in early 1994 and released in November of 1994. Due to the extensive revisions, the changed portions of the regulation were not highlighted. This is the most current regulation update and is currently used in the U.S. Army Safety Center. AR 385-40 applies to the Active Army, the Army National Guard, the U.S. Army Reserve, and Army appropriated fund employees. This regulation is also applicable during full mobilization. This covers the spectrum of personnel involved in the accidents in this research and anything reported during the conflict in the Middle East.

A.2 Accident Classifications

Accident classes are as follows:

- (1) **Class A accident:** An Army accident in which the resulting total cost of property damage is \$1,000,000 or more; an Army aircraft or missile is destroyed, missing, or abandoned; or an injury and/or occupational illness results in a fatality or permanent total disability.
- (2) Class B accident: An Army accident in which the resulting total cost of property damage is \$200,000 or more, but less than \$1,000,000; an injury and/or occupational illness results in permanent partial disability, or when five or more personnel are hospitalized as inpatients as the result of a single occurrence.

- (3) Class C accident: An Army accident in which the resulting total cost of property damage is \$10,000 or more, but less than \$200,000; a nonfatal injury that causes any loss of time from work beyond the day or shift on which it occurred; or a nonfatal occupational illness that causes loss of time from work (for example, 1 work day) or disability at any time (lost time case).
- (4) Class D accident: An Army accident in which the resulting total cost of property damage is \$2,000 or more but less than \$10,000.

Note. Nonfatal injuries/illnesses (restricted work activity, light duty, or profile) will only be recorded in ASMIS in conjunction with recordable property damage accidents.

- (5) Class E aviation incident: An Army incident in which the resulting damage cost and injury severity do not meet the criteria for a Class A-D accident (\$2,000 or more damage; lost time/restricted activity case). A Class E aviation incident is recordable when the mission (either operational or maintenance) is interrupted or not completed. Intent for flight may or may not exist. An example of a recordable Class E incident is: during maintenance operational check (MOC) the engine quits. Examples of nonrecordable Class E incidents are: chip detector light illumination and the component is not replaced; mission interrupted/aborted because of weather, unless mission is canceled; failure of Fair Wear and Tear (FWT) items found on pre- or post-flight inspection; radio failure where radio is replaced; closing a door found open in flight.
- (6) Foreign Object Damage (FOD) aviation incident (Also known as Class F incident):

 Recordable incidents confined to aircraft turbine engine damage (does not include installed aircraft Auxiliary Power Units (APU)) as a result of internal or external FOD, where that is the only damage.

A.3 Accident Investigation Boards

There are different investigation procedures for different classes of accidents, these are described below.

- (1) The following accidents will be investigated by a board consisting of a minimum of three members. The members should be officers, warrant officers, or DA safety and occupational health specialists/managers/engineers, GS-018/803-11/12/13/14.
 - (a) All Class A and B accidents, except those involving off-duty military fatalities/injuries not involving military operations.
 - (b) Any accident, regardless of class, that an appointing authority believes may involve a potential hazard serious enough to warrant investigation by a multimember board.
- (2) Class C aircraft accidents (flight, flight related, or aircraft ground) will be investigated by a board of at least one officer, warrant officer, or DA safety and occupational health specialists/managers/engineers, GS-018/803-9/11/12/13/14 (DA safety professional must directly manage an aviation safety program).
- (3) When an accident involves Army property and another U.S. Military Service's property, a single joint board may be convened. Board members may be from the two Services involved. Appointment of the members and identification of a senior member as president will be made by mutual agreement between the commanders of the two Safety Centers. For uniform reporting within each service, the board's proceedings will be recorded in the format required by each service.
- (4) The following accidents will be investigated by one or more officers, warrant officers, safety officers/NCOs, supervisors, or DA safety and occupational health specialist/manager/engineer, GS-018/803-9/11/12/13/14:

- (a) Class C accidents.
- (b) Class D accidents, Class E, and FOD incidents.

Appendix D: Accident Severity Data

General: This data set was generated in cooperation with the Operations Research & Systems Analysis / Statistics Division of the U. S. Army Safety Center. The data was extracted from the Aviation Safety Management Information System (ASMIS) database. The information in this spreadsheet depicts the Class a through C accidents that occurred from November 1987 to October 1998. The measures across the top of the spreadsheet represent the measures that were developed to determine accident severity. Each line represents a single accident. These are the raw scores that were input into the value functions described in Chapter Three.

HYSPL	000		000	000	000	000
OLSPL	000	000	000	000	000	000
FLSPL	000	000	000	000	000	000
DAYREST 0 0 0	00000	00000	000000	8 8 8 8	000000000	400404m o
DAYLOST 2 0 0 0	0 11 0 11 0	00000	000000	25 25 25 25 25 26	m o o o o o m o m +	-00+0+0 0
DAYHOSP 0 0 0	0000	00000		5 5 5 5 5	-00000-0-0	0088085 0
PART DIS 0 0 0 0	00000		000000	00000		0000000
0 0 0 0 0	00000	00000	000000	00000	000000000	0000000
101F1L 0 0 0	0000	00000	000000	00000	000000000	0000000
INJCOST 340 0 0 0	0 340 0 340 68	00000	000000	13885 13885 13885 13885 13885	755 0 0 0 0 0 755 755 7268333333	820 0 15844 15844 15846 6554,666667
DAMCOST 0 11523 30206 12440	59688 59688 0 113857 22771.4	248086 248086 248086 248086 248086	125256 120685 14640 125256 14640 260581 86860,33333	10697 10697 10697 10697	0 24179 55563 121923 10000 54053 121923 0 265718	0 15853 190817 190817 0 0 206870 68890 29850
EVENT1 01 01 01	01 Max 01 Max 01 Min 01 Total 01 Average 0.003687316	02 02 Max 02 Min 02 Total 02 Average 0.000737463	03 03 03 03 Max 03 Min 03 Total 03 Average 0.002212389	04 04 Max 04 Min 04 Total 04 Average 0.000737463	05 05 05 05 05 05 05 05 Max 05 Min 05 Averal 05 Averal 05 Averal	06 06 06 06 Max 06 Min 06 Total 06 Average 0.002212389
COUNT	5 01 Count	1 02 Count	3 03 Count	1 04 Count	6 05 Count	

HYSPL 0 0		w 4	· -	-					ო	4		ć	n m	þ		2	•		-		-	•								4	← (87	2.153846154			,	0 0	> C	Þ
OLSPL 0		w 4	· 	-				•	⊢ α) 4		,	ന ന	o		ო	е	m			ო	ო								4	← }	88	2.714285714			,	0 0	-	Þ
FLSPL 0 0		so so	9 0	-					•			•	m m	,		ĸ					2	2								5	- ;	28	3.11111111				0 0	> C	o
DAYREST 0 0 0	Þ	0 0	0	← (o c	0	0	0 (o c	, 1	0	0 (0 m	0	0	0	0 (D (o c	0	09	0	00	0	0	0	392	<u>.</u>								0	0 (.	0 0
DAYLOST 0 0 0	Þ	00	0	4 (φς	0	0	0 (o c	0	0	0 (o 6	9 0	0	0	0 (0 0	o c	0	82	0	0 0	0	0	0	156	<u>}</u> c	0	180	0	583	14	0	0	0	0 (> 0	0 0
DAYHOSP 0 0 0	5	00	00	e -	c	0	0	0 ;	081 0	0	0	0 '	5	3 0	0	0	0 (0 0	o c	0	80	0	0 0	0 0	, 0	0	78	<u>8</u> c	0	180	0 }	. 4 91	44	0	0	0	0 (5 6	00
PART DIS	>	00	0	0 (0 0	0	0	o ·	- c	0	0	0 (0 -	- 0	0	0	0 (0 (o c	0	0	-	0 0	0 0	0	0	0 0	o c	. 0	-	0 1	က	0	0		0	0 (-	00
TOT DIS	>	00	0	0 (00	0 0	0	0 (o c	0	0	0 1	0 0	0	0	0	0	0 0	- -	0	0	0	0 0	0 0	0	0	← 0		0	-	0	-	0	0	0	0	0 (> 0	00
TOTFTL 0 0 0	>	17	0	0 (0 0		0	← (o c	0	0	0	0 0	. 0	0	7	0 1	0 0	o c	0	ις	0	00	0	, m	0	တ ဇ	o c	0	17	0 ;	34	0.971428571	0	0	0	0 (> 0	00
INJCOST 0 0 0	>	1092000	0	2065	2716	0	0	0	1310000	1680	0	0	2330	0	0	2200000	0 (0 0	o c	. 0	1415778	2585000	00		2200000	1100000	1018238	1690001	0	2585000	0	16023058	457801.6571	0	0	0	0 (> 0	00
DAMCOST 15881 29850 15881 45731	6.2862.5	4618000	4600000	4600000	1256406	19388	177237	446373	92290 576137	778527	13134	13134	10219706	370111	199458	3697532	1041616	922704	922/04 11496	11432	922704	922704	84443	38474	6459168	6453598	6615873	000000	200000	10219706	0	78972527	2256357.914	14539	34966	23342	34966	14539	7,2847 24282.33333
EVENT1 07 07 Max 07 Min 07 Total	0.001474926	80 80 80 80 80 80 80 80 80 80 80 80 80	88	80	88	8 8	80	80	8 8	88	80	80	8 8	8 8	. 88	80	80	8 8	8 8	80	88	80	88	8 8	88	80	80 8	8 8	88	08 Max	08 Min	08 Total	08 Average 0.025811209	1	7	7	11 Max	11 Min	11 lotal 11 Average
COUNT	2 07 Count																																35 08 Count						ю

HYSPL	
OLSPL	-
FLSPL	Ν
DAYREST	
DAYLOST	002000000000000000000000000000000000000
DAYHOSP	000000000000000000000000000000000000000
PART DIS	000000000000000000000000000000000000000
TOT DIS	
TOTFTL	
INJCOST	17500000
DAMCOST	63822 14912 0 17626 40005 40005 40005 40005 40005 40000 92731 10193 92125 91830 103424 123104 238012 87301 4710137 375360 10000 24433 30226 86753 10000 24433 33899 33899 33899 33895 14727 10000 10000 114202 114202 116000 1000
EVENT1 0.002212389	44444444444444444444444444444444444444
COUNT 11 Count	

HYSPL	000 000 00	, 0
OLSPL 4	4 t n u, 000 00	. 0
FISPL	000 00	0
DAYREST 4 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00000 00000	0
DAYLOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	27 0 11 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	, 9g 9g
DAYHOSP \$ \$ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		, 23
PART DS C C C C C C C C C C C C C C C C C C		, 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		· o
L C C C C C C C C C C C C C C C C C C C	0.033707865) O
INJCOST 1878 0 0 0 0 0 0 0 0 0 1200 1200 0 0 0 0 0 0	1370000 0 2474278 27800.8764 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 23752	23752
DAMCOST 35438 85846 85846 85846 85846 85846 85846 33477 55140 63409 27640 63409 27640 83503 45503 45503 45705 44771 85413 178240 10197 56113 178240 10197 56113 178240 10197 56113 178240 10197 56113 178240 10197 56113 178240 10197 56113 178240 10197 56113 178240 10197 56113 178240 10197 56113 178240 10197 56113 178240 10197 56113 10000 520000 520000 520000 10000 10200 102	10000 15905010 0 380053734 427907.1236 23190 10000 23190 10595 60309 4720000 50773 4720000	4831082
D	12 Max 12 Max 12 Min 12 Total 12 Average 0.065634218 15 Min 15 Min 15 Min 15 Total 15 Average 0.001474926 20 20 20 20 20 20 20 Average 20 20 20 Min	20 Total
COUNT	89 12 Count 2 15 Count	

HYSPL	000	-		w
OLSPL	000	.	-	
FLSPL	000	-		
DAYREST 0	00000	000000000000	000000000000000000000000000000000000000	00000400000
DAYLOST 12	00000	000000000000	000000000000000000	
DAYHOSP 7	0000		0000000400000000000	
PART DIS 0	0000	00000000000	000000000000000000000000000000000000000	
TOT DIS	0000	000000000000	000000000000000000000000000000000000000	
TOTFTL 0	0000	00000000000	000000000000000000000000000000000000000	
INJCOST 7917.333333	0000	000000000000	000000478000000000000000000000000000000	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
DAMCOST 1610360.667	289019 289019 289019 289019 289019	33499 152675 81957 287387 19810 18246 53215 246415 76000 73183 28303 15415 98490	190817 341141 117432 10000 55366 41669 167819 37085 92290 51909 161709 83868 14720 93472 25504 19132 362114 46318 133281 3433389	76674 103285 106917 272407 19753 10680000 92110 38020 15872 45822 332668 277856
EVENT1 20 Average	22 22 22 Max 22 Min 22 Total 22 Average 0.000737463	888888888888888	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	222222222222222222222222222222222222222
COUNT	22 Count			

HYSPL										က																				ო	-	6	1.8																0	0 (0	
OLSPL						7														-										က	-	10	1.428571429																0	0 1	0	
FLSPL																														_	-	ო	_																0	0	0	
DAYREST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	50	0	24	0		0	0	0	o	0	0	0	0	0	0 (0	0	0	0	0	0	0 (0
DAYLOST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0 (0	0	0	0	0	0	0 (o
DAYHOSP	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0	4	0		0	0	0	0	0	0	0	0	0	0 (0	0	0	0	0	0	0 (0
PART DIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0 (0	0	0	0	0	0	0 (0
TOT DIS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	O		0	0	0	0	0	0	0	0	0	0 (0	0	0	0	0	0	0 (0
TOTFTL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0 (0	0	0	0	0	0	0 1	9
INJCOST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4264	0	4744	63.2533333		0	0	0	0	0	0	0	0	0	0 1	0	0	0	0	0	0	0 (0
DAMCOST	57222	29635	151269	396000	18305	98026	11890	271582	73214	296726	99620	78791	49111	11878	73123	162679	85825	15154	76401	446882	108623	122198	133886	16000	10000	10000	10000	26000	200000	10680000	10000	18615827	248211.0267		83314	100000	09889	20702	40000	150000	250727	64351	101089	34569	274608	5879892	20572	153049	5879892	20572	7241733	517266.6429
EVENT1	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23	23 Max	23 Min	23 Total	23 Average	0.055309735	24	24	24	24	24	24	24	24	24	24	54	24	24	24	24 Max	24 Min	24 Total	24 Average 0.010324484
COUNT																																	75	23 Count																	:	14 24 Count

HYSPL	2																			2	-	က	1.5			0	0	0				0	0	0				-								- -	-	. .	- -	
OLSPL																				0	0	0				0	0	0				0	0	0			-	-								-	-	7	-	
FLSPL	ო				ო						•	4		•	5					4	2	12	ო			0	0	0				0	0	0				ß							ı	ഗ	ın ı	ıc ı	တ	
DAYREST	0	0	0	0	0	0 (.	-		-	5 0	э (э (o (0	0	0	0	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	7	0	7	0	٠,	-	
DAYLOST	0	0	0	0	0	0 (.			> 0		5 (ɔ (0 (0 '	0	0	0	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 (0	
DAYHOSP	0	0	0	0	0	0 (o (> C		-	> 0	o (0 (0 (0	0	0	0	0	0	0	0	0		0	0	0	. 0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 (0	
PART DIS	0	0	0	0	0	0 1	o (- 0		- 0	> (5 1	o (o 1	0	0	0	0	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 (0	
TOT DIS	0	0	0	0	0	0 1	Э (- c		5 6	> (o 1	o (o (0	0	0	0	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 (0	
TOTETL	0	0	0	0	0	0 (э (> c		> 6	> 0	э (ɔ (o (0	0	0	0	0	0	0	0	0		0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 (0	
INJCOST	0	0	0	0	0	0 ()	> c		> 0	> (э (၁ (o (0	0	0	0	0	0	0	0	0		Ó	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	840	0	840	0	840	84	
DAMCOST	96492	28527	56394	140418	27301	30204	59402	7,595	20232	42618	/0/01	128491	14232	56/55	22600	115304	35863	67456	10000	140418	10000	1114711	58669		922704	922704	922704	922704	922704		811211	811211	811211	811211	811211	52502	472200	6551892	404698	23929	59928	187237	171623	412461	379377	6551892	23929	8715847	871584.7	
EVENT1	25	25	25	25	25	25	8 8	52 52	8 8	52	8 8	ç;	52	25	25	52	52	25	25	25 Max	25 Min	25 Total	25 Average	0.014011799	26	26 Max	26 Min	26 Total	26 Average	0.000737463	28	28 Max	28 Min	28 Total	28 Average 0.000737463	59	59	29	59	59	59	59	59	53	53	29 Max	29 Min	29 Total	29 Average	0.00/3/4031
COUNT																								25 Count					-	26 Count					1 28 Count													;	10	29 Count

HYSPL 1	-	←,		c	n	7			•				m +	-	က	8 .	4 ,		. 2	7	S		2	-				-		-										
OLSPL 1	ო	← (N 60	c	າ	-			•				ന ന	þ		თ .	4 (N 69) -		٠ <u>ۍ</u>		-	_		-				-										
FLSPL 4	-		-	U	ი			5			2		uo u	ò		က၊	ທີ່	oνo)	-	5		-		,	m		2	m	က										
DAYREST 14 0	705	8 (o 8	0 1	° 0	189	- er	0	0 (0 ~	. 0	0	0 0	5 28	0	9 4	0 (o c	0	10	73	00	0	0	o :	14	60	0	0 0	0	0	42	0 (-	0	21	0 (> C	0	0
DAYLOST 21 0	o 23 c	200	o 7	0 (0	33	o c	0	0 0	0 4	: o	0	1,	0	0	0	0 (> C	0	5	7	00	0	90	0	0 0	Ô	0	0 0		0	0	0 (00	· -	0	0 (o c	0	0
DAYHOSP 5 0	37.0	. 20	ə 6	0 (0 0	S C	o c	0	0 (o 0	10	0	0 0	0	0	0	0 (o c	0	ო	က	0 0	0	10	0	0 7	<u> </u>	0	00	0	0	4	m (> c	4	0	0 (> C	0	0
PART DIS	000	001	00	0 (0	0 1	- c	0	0 (0 0	0	0	0 0	0	0	0	0 1	0 0	0	0	0	0 0	0	0	0	0 0	0	0	0 0	0	0	0	0 (o c	0	0	0 (-	0	0
TOT DIS	000	00	00	0 (0 0	0 (o c	0 0	0 (- c	. 0	0	0 0	0	0	0	0 1	o c	0	0	0	0 0	0	0	0	0 0	0	0	0 0		0	0	0 (5 C	o 0	-	0 (o c	0	0
TOTFTL 0 0	000	70	0 ←	0 (0 0	0 (o c	· -	0 (.	ဟ	0	യ ന	, 0	0	0	4 (N O	0	0	က	0 0	7 0	0	0	0 0	0	က	- c	νm	0	-	O (-	0 0	-	0 (o c	0 0	0
INJCOST 85595 0	432000 24655 480000	16990	0 341330	0	3/20 0	37385	350	460000	0 (1301772	2845000	0	5776375	3360	0	2160	2740000	3365000	0	4473	1650908	0000000	0	27160	0	1680	0	2470000	460000	2470000	0	295544	1398	o c	2289	2402520	0 (> C	0	0
DAMCOST 922704 1156512	198221 922704 4674249	948158	349382 244479	17026	932653 27660	581216	922704	5879892	392231	19531 / 92290	922704	16987	4778060	5023882	922704	13005000	5308397	100026	933961	7500000	10907500	3756000	962367	190817	89952	3756000	11973	956192	969772	932835	10000	4691994	10000000	20000	3697532	948158	3442062	150000	15694	14700
EVENT1 30 30	S S S	9 S	30	30	g g	30	, ,	30	8	e e	8 8	93	8 8	8 8	8	30	္က	8 8	8 8	8	30	e 8	8 8	8	30	စ္က ႏ	8 8	30	8 8	8 8	8 8	30	30	S 8	8 8	30	30	S 6	8 8	30

COUNT

HYSPL	7		~ - c		. ~~	a		בר רדמר ט
OLSPL	м	w	თ თ <i>⊢</i> ი	o - 0	F	00 F00 .	- 0-	N - 0
FLSPL		- 0	עס ע	വാധവാ വ	1	— v v	-	ט אים ט
DAYREST 0 0 17	0000	o 0,000	. 2. o o 85 o	84006	; , , ,	00400082	0000700	7,0000000000000000000000000000000000000
DAYLOST 0 0 0 17	0 0 0 0 0	0 6 0 6 0	00000	, C o o o <u>7</u>	, 0 0 0 8 0	000000000	0000000	000000000000000000000000000000000000000
DAYHOSP 0 0 0 0	0 0 0 1 0 0 0 0	၁၈ဝ ၈ (54000	0 0 0 0 ¢	300040	, , , , , , , , , , , , , , , , , , ,	000000	000000000000000000000000000000000000000
PART DIS 0 0 0	0000	0000		00000		0000000	0 0 0 0 0 0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
SIG TOT 0 0 0	0000	0000	00000	00000	10000	0000000		000000000000000000000000000000000000000
TOTFTL 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	000+		100001	,0000	1000070	0-000-0	o n o o o o o o o o n o
1NJCOST 3405000 0 0 0 9265	4/532 2740000 1370000 2643880	15228 1370000 0	2200000 4384 0 0 0 0	220000 8542 480 2870000 1225000	30074 30074 1370000	2200000 2200000 480 0 0 0 1251010	1520000 12325 0 0 460000	1495000 0 0 0 2200000 0 0 0 0 0 1100000 2470000 5776375
DAMCOST 11500000 225014 850000 3756000	1900000 5200000 190817 1021305 3756000	73056 922704 221402 10680000	3/6/666 3831672 91468 231746 10680000	238224 2322539 123890 123890	20000 200000 521025 105306 10683045 295408	259405 328828 922704 10680000 139509 1932271 1853065 92290	165964 6600500 3577325 335195 348976 850000	934704 99277 99277 95628 153918 501533 15539000 67724 157773 21421 850000 6600000
EVENT1 30 30 30	S S S S S	8 8 8 8	8 8 8 8 8	3 8 8 8 8	3 8 8 8 8 8	3 8 8 8 8 8 8	8 8 8 8 8 8	30 30 30 30 Wax

COUNT

HYSPL. 1 70 1.489361702	-	-	
OLSPL 1 89 1.893617021	-	-	
FLSPL 1 128 3.55555556			-
DAYREST 0 1525 14	000000000000000000000000000000000000000	000000	0000000002000
DAYLOST 0 1090 10	000000000000000000000000000000000000000		00000000000000
DAYHOSP 0 697 6	000000000000000000000000000000000000000	000000	000000000000000000000000000000000000000
PART DIS 0 4		000000	000000000000000
TOT DIS 0 4		000000	00000000000000
TOTFTL 0 108 0.990825688	000000000000000000000000000000000000000	000000	-000000000
INJCOST 0 74288316 681544.1835	000000000000000000000000000000000000000	0000000	1100832 0 0 0 0 0 0 0 0 0 0 0 0 0
DAMCOST 0 253884605 2329216.56	27833 70350 42246 71053 59460 15686 79926 18122 38793 33798 16885 23217 48610 104030 311252 91994 74000 61108 15519 15519 15519 15519 15731 11287 11287	15788 149905 238244 43458 129126 83802 882327	10730030 48884 15156 35115 190817 75227 622607 12899 30037 35461 13500000 105955 4644 10000 20647
EVENT1 30 Min 30 Total 30 Average 0.080383481		888888888	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
COUNT 109 30 Count			

HYSPL	2 2	0 0 0 0 0 0	0 0
JASTO	0 0-0;	7: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	m m
FLSPL	w w-4	, O O O O	ശ ശ
DAYREST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 0 0 0 0 5 4 0 5 5 v	- 0000000000000	0.7000000000000000000000000000000000000
DAYLOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000		00000000000
DAYHOSP 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000404	- 0000000000000	37
PART DIS 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00000000		00000000-0-
101 DT 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000		00000000000
107FTL	207000000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
INJCOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	120 0 0 0 0 0 1100932 0 1592839	22434.38211 0 0 0 0 0 0 0 0 0 0 0	19762 0 0 0 0 0 0 0 0 0 234780 234780
DAMCOST 30711 37306 88812 24820 130499 14377 27861 10000 25064 717567 48288 268662 22919 6026 33683	1437384 14048 10000 40575 13404 10000 13500000 6026 31556385	444456.26/6 11495 49053 65970 33768 136222 136222 28280 45166 168191 27614 168191 11495 673611	10247128 22902 98937 1500000 79240 64978 189315 100170 78067 10918530
EVENT 32 32 32 32 32 32 32 32 32 32 32 32 32	32 32 32 32 32 32 32 32 32 Max 32 Min 32 Total	32 Average 0.052359882 33 33 33 33 33 33 33 33 33 33 33 33 33	0.007374631 34 34 34 34 34 34 34 34 34 34 34 34 34 3
COUNT		32 Count	33 Count

HYSPL 2 2 2	4 - 4-	ις <mark>(2</mark> ο	м
OLSPL 3 3	ω - ω-	ω ω	м
FLSPL 5 5 5	ש מ מ מ	4.33333333	-
DAYREST 0 111	000200020	5- 0%000000000000000000	000000000000000000000000000000000000000
DAYLOST 0 0 0	00000000	00 050000005000000000000000000000000000	o % o o o o o o o o o o o o
DAYHOSP 0 67 6	000400040	4- 02000000200000000000	200000000000000
PART DIS 0 0	00000000	00 000000000000000000000000000000000000	
0 0 0 0	00000000	00 000000000000000000000000000000000000	
TOTFTL 0 0 0	w 0 0 0 0 0 0 w 0	5 0.714285714 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
		2013064 430437.7143 0 18300 0 0 0 1177361 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
DAMCOST 22902 23426381 2129671		_	105588 11493 115148 10966 51758 16851 45279 25357 11825 11825 11809 63559 31074
EVENT1 34 Min 34 Total 34 Average 0.008112094	35 35 35 35 35 35 35 35 35 35 35 35 35 3	35 Total 35 Average 36 Average 36 36 36 36 36 36 36 36 36 36 36 36 36 36 3	9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
COUNT 11 34 Count		7 35 Count	

HYSPL 8 8 8 9	2 666666667	5 2 7 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	00
OLSPL 44	3.5 3.5 5.5 6.7 10 3.3333333333333333333333333333333333	დ დ − დ დ σ − c.c. c.c. c.c. c.c. c.c. c.c. c.c.	00
FLSPL	6 4 M W M M M M M M M M M M M M M M M M M		00
DAYREST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 500000505%	1 00 % 00 % 0 % w	000
DAYLOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ru: 500000505 <i>0</i>	120 0 120 120 120 0 0 0	000
DAYHOSP 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	- 000000000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N 00 0
PART DIS 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 000000000	00-00-0-0	000
20 TOT SIGNATURE	0 00000000		000
101 00 00 00 00 00 00 00 00 00 00 00 00	0.016666667 0 2 2 2 2 5 5 1 11 11 11 183333333333333333333333	2 2 3 3 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	000
INJCOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	20502.01667 3090 480000 0 395000 0 3010000 3018090 648015	2740000 275522 2020000 2200000 274000 0 0 723522 1446504.4	932 932 932
DAMCOST 22317 44078 19494 14148 88739 88739 14532 11255 11255 11255 17133 45321 59539 16226 99300 37024 196895 28180 1016028 11265 451480 32066 10112506 10112506	266490.6333 140450 140450 922704 922704 1130143 15107563 15107563 140450 28535714 475465 333	104093 6911210 348844 3650593 17010160 17010160 1704093 27024990 5404980	5879892 5879892 5879892
EVENT1 36 36 36 36 36 36 36 36 36 36 36 36 36	36 Average 0.044247788 37 37 37 37 37 37 37 37 37 37 37 37 42 42 42 42 42 42 42 42 42 42 42 42 42	20.004424779 0.004424779 38 38 38 38 38 38 Max 38 Min 38 Total 38 Average 0.003687316	39 Max 39 Min
COUNT	96 60 36 Count	37 Count 5 5 38 Count	

O O		
0 OLSPL		
FLSPL 0	•	
DAYREST 0 0	000000000000000000000000000000000000000	00000000000000000000000000000000000000
DAYLOST 0 0	000000000000000000000000000000000000000	00000825000000804100080009
DAYHOSP 2 2	0000000000402000000000000	970000000000000000000000000000000000000
PART DIS . 0	000000000000000000000000000000000000000	> 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
TOT DIS 0 0	000000000000000000000000000000000000000	
TOTFTL 0 0	000000000000000000000000000000000000000	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
INJCOST 932 932	125000 125000 1090 1100000 7456 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	270000 0 0 0 0 0 0 13955 3918 0 0 0 0 0 115000 7203 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DAMCOST 5879892 5879892	31523 21885 152855 31504 17077 94945 77597 25000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	98056 20000 0 428657 47276 21370 0 0 17134 46000 20232 1018 28725 0 0 67239 358128 22459 0 376000 39860 0 0
EVENT1 39 Total 39 Average 0.000737463	66 67 67 67 67 67 67 67 67 67 67 67 67 6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
COUNT 1 39 Count		

HYSPL	000 000 000
OLSPL	000 000
FLSPL	000 000
DAYREST 243 243 243 243 243 243 243 243 243 243	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DAYLOST 13 13 147 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	04.04.00000000000000000000000000000000
AYHOSP 56 60 60 60 60 60 60 60 60 60 60 60 60 60	04052 0000000000000000000000000000000000
PART O O O O O O O O O O O O O O O O O O O	3-0-0 0000000000 000000
SIG 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	D-0-0 0000000000 000000
TOTFT.	0.088607595 0.088607595 0 0 0 0 0 0 0 0 0 0
INJCOST 41491 41491 0 0 0 0 127330 2895 0 0 0 0 0 0 0 0 0 0 0 0 0	1100000 0 0 0 2762939 34973.91139 0 0 0 1680 0 1680 0 1680 0 1680 0 1680 0 1680 0 1680 0 1680 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DAMCOST 0 240024 106791 0 133737 4765 0 0 229766 0 0 1236 12108 58309 62576 0 0 75848 19283 619283 619283 619933 70000 10000 220755 169535 0 0 10000	19000 1973901 0 6914071 87519.88608 512578 25145 84578 145135 23790 401290 11600000 11600000 12782516 12762516 1476210 12743 1476210 12743 1428653 714476.5
EV F F F F F F F F F F F F F F F F F F F	40 Abx 40 Min 40 Total 40 Average 0.058259587 44 44 44 44 44 44 Min 41 Total 46 Ab Min 46 Abarage 0.005162242 46 46 46 46 46 46 46 46 46 46 46 46 46
COUNT	7 7 44 Count 4 Count 2 46 Count

HYSPL 1	0000-
OLSPL	0 0 0 1 1,333,333,333
PLSP.	
DAYREST	0 0 12 12 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DAYLOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00000 000000000000000000000000000000000
DAYHOSP 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00000 40004000 00000
A 전 전 전 전 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
20 TOT 80	
10TPD 00000000000000000000000000000000000	
	3664 0 0 0 7902 7902 7902 0 0 19188 3837.6
DAMCOST 18840 69042 70434 71459 17458 16306 78328 16306 78328 11660 78450 88765 24299 111848 43138 53045 83619 111214 4338 11214 43000 10000 10000 26737 30887 10245 116413	70302 568210 10000 2003730 60719.09091 1148885 398053 92380 4691994 398053 8083496 166699.2 13592 17770 18499 25160
EVENT1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	47 Max 47 Max 47 Min 47 Average 0.024336283 48 48 48 48 48 48 Min 48 Notal 48 Average 0.003887316 49 49
COUNT	33 47 Count 5 48 Count

HYSPL 0 0	0		п	-		-	m	- M -
OUSPL 0	0		м	8	Ν			ω α
FLSPL 0 0	0		ശ	2			4	4 n
DAYREST 0 0 0 0	00	000000	00000	00800	, , , , , , , , , , , , , , , , , , ,	0 5 0 0 0 0 0		410 0 59 0 0 0 0
DAYLOST 0 0 0 0 0	00	0 0 0 0 0 0	00000	00800	0000	0 6 0 0 0 0		27 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DAYHOSP 0 0 0 0 0	00	000000	00000	00800	00000	0 % 0 0 0 0 0		000000000000000000000000000000000000000
PART DIS 0 0 0 0 0	00	0-0000	00000	00-00		000000	000000	0000000000
O DIS	00	000000	00000	0000	00000	000000		
101FTL 0 0 0 0	00	0-00000	00000	00-00		000000	000000	0000000000
INJCOST 0 0 0 0	00	43000 0 0 0 0	00000	0 0 127000 0	24201 0 0 0	0 75526 0 0 0	000000	135844 0 0 210000 0 0 0 0 0 0
DAMCOST 20000 10508 16399 60000 10508	181928 22741	30031 923874 43437 43507 28576 10918 349309	23709 1708759 231904 20550 28100	24278 926784 103289 11276	29003 1500000 15510 29853 69759 11502	66149 999275 49138 11086 32126 23641	24030 10000000 32211 71883 200000 101462 253060	3756000 227400 28612 150000 39988 35919 266031 10546 16854 29396 29396
EVENT1 49 49 49 Max 49 Min	49 Total 49 Average 0.005899705	9	50 00 00 00 00 00 00 00 00 00 00 00 00 0	50 50 50 50 50 50	20 20 20 20 30	2 2 2 2 2 2 2	2 2 2 2 2 2	20 20 20 20 20 20 20 20 20 20 20 20 20 2
COUNT	8 49 Count							

HYSPL	-	-
OLSPL	-	N
FLSPL		4
DAYREST	000000000000000000000000000000000000000	80000000000
DAYLOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	25 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DAYHOSP 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	
PART 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	
101 000 000 000 000 000 000 000 000 000	000000000000000000000000000000000000000	
TOTFTL 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	0-00000000
INJCOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		20532 1100000 0 0 0 0 0 0 0 0 0
DAMCOST 40148 31081 40036 277348 12500 14237 23944 359312 14205 5368 5368 5368 14205 162344 4869 1122607 101254 101254 122607	13664 177525 97409 36997 163227 460995 520197 25295 26974 90415 44606 23064 32612 130965 130965 133840 43451 33840 4320 13380 14320 14320 16800 168000 168000 168000 168000 168000 168000 168000 168000 168000 168000 168000 168000 168000 168000 168000 168000 168000 16800 168000 168000 168	1078504 254416 58830 107865 41793 17196 17386 133815 93988 266079 64258
EVENT1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 & & & & & & & & & & & & & & & & & & &
COUNT		

HYSP 1
Table 1
FLSPL
DAYREST CONTRACTOR OF CONTRACT
DAYLOST O O O O O O O O O O O O O O O O O O O
DAYHOSP 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전 전
INJCOST INJCOST NACOST NAC
2006 51422 34064 487794 11277 98938 26139 17292 109393 56007 30978 148976 177920 42762 30521 17760 117920 42762 30521 17760 1177
EVENT1 EVENT1
COUNT

HYSPL	- 0	- ° - 5	1,428571429 1 1 2 2 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1
OLSPL	0 0	t 6-2	1.Cl — w w — w w w w w w
FLSPL	മ	т и х	6. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
DAYREST 0 0 0 0 0 0 0	o 8 o o o o o o o	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
DAYLOST		, , , , , , , , , , , , , , , , , , ,	g.w
DAYHOSP 0 0 0 0 0 0 0 0	o - o o o o o o o	, ,	g- 00%0000%00000400000
PART DIS 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		200000000000	40 000000000000000000000000000000000000
SIG TOT			
101F1L	o – ∞ o o o o o o	20000000002	0.0065934066
LSOOFN	1104066 4215000 0 0 0 0	0 0 0 0 0 0 4215000 0 7.151452	39293.69231 0 762000 163855 0 2470000 0 0 0 0 0 0 0 0 0 0 0 0
DAMCOST 28031 360643 40346 139725 1196722 46764 149457 152560	1/219 6498665 6874690 16422 160152 179000 10000 14140	10000 292475 168544 10000 10000 27000 27000 93000 15539000 10000	124.205 124.295 966.744 141740 88390 984138 192260 37734 19377 430865 25878 430865 25878 430865 25878 430800 1937 274755 97290 29303 94588 10035286
EVENT1 50 50 50 50 50 50 50 50 50	20 00 00 00 00 00 00 00 00 00 00 00 00 0	50 50 50 50 50 50 50 50 50 50 50 70 70 70	50 Avenue 0.134218289 0.134218289 51 51 51 51 51 51 51 51 51 51
COUNT			182 50 Count

HYSPL 3	3 1 1,625	000
0LSPL 3 2	4 2 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	000
FLSPL 5	5 5 3 3 5 60 3,52941765	000
DAVREST 93 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 810 0 1244 26	~~~~ 000000000000000000000000000000000000
DAYLOST 83 80 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 8 0 0 0 0 0 0 0 0 0 0 0	nn nn nn 00000000000000000000000000000
DAYHOSP 22 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00000 000000000000000000000000000000000
PART DIS 0 0 0 0 0 0 0 0 0 0	000000000000000	00000 000000000000000000000000000000000
20 TOT 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000	00000 000000000000000000000000000000000
TOTFTL 0 0 2 0 0 0 1 1 0 0 0 0	0 0 0 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00000 000000000000000000000000000000000
INJCOST 52537 0 0 0 0 0 0 111248 0 0 1518	2740000 0 0 11000000 0 0 0 0 2740000 0 2740000 0 19962861 415892.9375	2965 2965 2965 2965 0 0 0 0 0 0 0 0 0 0 0 0 0
DAMCOST 6751771 22676 158398 256004 640072 49096 113438 191822 434736 355477 203293 102154	171669 10098317 137683 8497802 851000 19633 2018973 38039 568094 3883699 6656970 10000 103000000 10300000 10300000 10300000	10683000 10683000 10683000 10683000 10683000 10683000 42690 6423 67023 1100000 23104 14001 16818 25247 38007 37453 17512 17512 17512 17509 11300 44657 17309
EVENT	51 51 51 51 51 51 Max 51 Max 51 Max 51 Average	52 Max 52 Max 52 Max 52 Min 52 Average 54 54 54 54 54 54 54 54 54 54 54 54 54 54 54 54 54 54 55 54
COUNT	84	52 Count

HYSPL 0 0		
0 0 0	- 6 6 4 - 1 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
FLSPL 0 0	ro ← ro ← σ σ	000
DAYREST 0 0 0 0 0 0	000000040404	%
DAYLOST 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	\$0000000000000000000000000000000000000
DAYHOSP 0 0 0 0 0 0 0	000000000000000	000000000000000000000000000000000000000
PART DIS 0 0 0 0 0 0 0	000000000000000	
20 TOT DIS	0000000000000000	000000000000000000000000000000000000000
TOTFTL 0 0 0 0 0 0		000000000000000000000000000000000000000
INJOOST 0 0 0 0 0 0	0 0 0 0 0 5040 0 600 0 5040 0 5040 0 540 433.8461538	4930 0 0 0 0 4930 4930 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DAMCOST 17064 16157 10000 110000 1675511 83775.55	190817 407568 56115 92290 84192 1500000 1200000 92790 92735 250820 607309 1500000 56115 4758216	1532658 28476 22037 1342 41327 19077 1532658 1352658 153264 276219.5 276219.5 2771 20134 43670 23013 23013 23013 23013 23013 24250 17684 603109 472177
EVENT1 54 54 54 54 Max 54 Min 54 Total 54 Average 0.014749263	55 55 55 55 55 55 55 55 55 55 55 55 55	57 57 57 57 57 57 57 Max 57 Min 57 Total 57 Total 57 Average 0.004424779 58 58 58 58 58 58 58 58 58 58 58 58 58
COUNT 20 54 Count	13 55 Count	6 57 Count

HYSPL	000
OLSPL	000 +
FLSPL	000 -
DAYREST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
DAYLOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0000 0000000000000000000000000000000000
DAYHOSP 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0000 0000000000000000000000000000000000
PART DIS	
LF 101	00000 000000000000000000000000000000000
NOOSAT	11080 11080 1682 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DAMCOST 12/1744 55392 49985 34160 10000 85000 10000 10000 16541 135417 53394 43561 165090 53320 52399 62376 107820 50575 59942 200000 69751 10000 175992 10000	8296.40909 10000 38296.40909 52680 167072 673718 122829 18148 256393 35208 92290 184452 110026 10000000 70379 266077 114490 124782 103178 259476 114195 124782
EVENT EV	58 Max 58 Min 58 Total 58 Average 0.032448378 60 60 60 60 60 60 60 60 60 60 60 60 60
COUNT	58 Count

HYSPL	Ψ-																							-		. ო	-		-				-	-	-	-				0	0	0								
OLSPL	τ-																							-		. 2	ι τ-		7				2	7	2	7				0	0	0								
FLSPL																											-		Ŋ		က		ß	ო	σ	4				0	0	0			က					5
DAYREST	۰ ۵	- (0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0	0	0	0	0	0	348	2 0	418	10		63	0	0	0	83	0	æ	91	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DAYLOST	0 (5 (0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	9	2 0	21	i o		17	0	0	0	17	0	17	4	0	0	0	0	0	0	0	0	9	0	0	0	0	0
DAYHOSP	7	> (0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0	0		0	0	. 0	0	7	. c	, E	: o		4	0	0	0	4	0	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PART DIS	0 (o (0	0	0	0	0	0	0	0	0	0	0	0	0	C	. 0	0	0	0	0	0	0	•	- с) (-	. 0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	0	0	0	0
TOT DIS	0	5 (0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	c	o c	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	τ	0	0	0	0	0
TOTFTL	0 (5 (0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	rc) 4	0.093023256		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
INJCOST	11662	o (0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2855000	0	2879424	66963.34884		12270	0	0	0	12270	0	12270	3067.5	0	0	0	0	0	0	0	0	531120	0	0	0	0	0
DAMCOST	92290	13597	10000	159725	158454	39113	34564	81644	655500	62465	23448	10000	10000	200000	187436	23384	168724	158798	177081	122584	100759	200000	200000	1000000	10000	15803817	367530.6279		998503	98718	468945	192735	998503	98718	1758901	439725.25	21000	263089	31409	263089	21000	315498	105166	72575	924766	67507	44518	18841	61536	2857048
EVENT1	09	g (09	09	9	9	9	9	09	8	09	9	09	09	09	. 09	9	90	09	09	9	9	09	SO Max	60 Min	60 Total	60 Average	0.031710914	19	19	61	19	61 Max	61 Min	61 Total	61 Average 0.002949853	63	63	83	63 Max	63 Min	63 Totaí	63 Average 0.002212389	64	64	64	64	49	64	64
COUNT																											43	60 Count								4 61 Count							3 63 Count							

HYSPL		-		
OLSPL	N	Ν	٠	-
FLSPL	4	ი ი 4	u	
DAYREST 0 0 0 0 0 0 0 0 0 0 0 1 187	o G o o o o o o	3 9 - 0 0 0 0 0 0	000000000000000000000000000000000000000	000000004
DAYLOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 8 0 0 0 0 0 0 0 0	,	0000800000	000000000000000000000000000000000000000
DAYHOSP 0 0 0 0 0 0 0 0 0 0 0	o £ o o o o 0 0 o	o 6 o o o o o o - o	000008000000	000000000000000
PART OIS 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0000000			00000000000
20 TOT SIGN OF	00000000			
TOTFTL 0 0 0 0 0 0 0 0 0 0	0000000	0000000000		000000000000
INJCOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	38190 0 0 0 0 0 0 17410	420000 120 0 0 0 0 0 0 0 0 0 0	3800 3800 0 0 0 0 0 0	78002 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DAMCOST 32823 78858 98037 51124 15381 10000 140118 4255 59266 52728 67566 49094 27986	136551 1068000 38847 11631 54257 11126 13061 374451 35233	35253 1934172 948158 24830 17988 27431 43304 14044 100943	16919 10000 320611 326426 454266 53410 67021 14086 14086	1181928 47515 45381 14594 14594 39746 30192 10000 922704 68357 72762 18086 14500
EVENT:	2 2 2 2 2 2 2 2 2 2 2	2	2 4 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
COUNT				

HYSPL 1		000	000	4	8
OLSPL 2 1 6 6 1.5	000	000	000	и и м	ო
FLSPL 5 2 27 3.857142867	000	000	000	ഗ ഗ ഗ	ĸ
DAYREST 0 360 0 912 14	00000000	00000	0000	w o o o o o o o o o o o o o o o o o o o	39
DAYLOST 51 300 0 598 9	00000000	00000	0000	0000040000000000000	0 00 0
DAYHOSP 0 60 0 131 2	00000000	00000	00000	\$0000000000000000000000000000000000000	2100
PART DIS 0 0 0	00000000	00000	00000	w-000000000000000000000000000000000000	000
TOT DIS 0 1 0	00000000	00000	00000	000000000000000000000000000000000000000	000
TOTFTL 2 2 2 0 0 2 0.031746032	00000000	00000	00000	2-000000000000000	000
INJCOST 20825 531120 0 1101942 17491.14286	00000000	00000	0000	2460040 373000 0 0 14650 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 2506966 0
DAMCOST 1000000 10680000 10000 24228840 384584.7619	13354 11424 22713 11154 13093 22713 11154 71738	67171 20662 67171 20662 87833 43916.5	73474 73474 73474 73474 73474	5694993 189679 370000 370450 67795 925919 74351 80630 81828 40124 80647 179690 64601 67300 6424 77819	92990 934482 20532
EVENT1 64 64 Max 64 Min 64 Total 64 Average 0.046460177	66 66 66 66 66 66 66 Max 66 Min 67 Total 66 Average 0.003687316	68 68 68 Max 68 Min 68 Total 68 Average 0.001474926	69 69 Max 69 Min 69 Total 69 Average 0.000737463	222222222222222222222222222222222222222	0 0 0 0 0 0
COUNT 63 64 Count	6 66 Count	2 68 Count	1 69 Count		

HYSPL	ю	- 0	o,	~
OLSPL 1	-	0 -	м	-
FLSPL		so	ω	м
DAYREST 0 0 70 10 468 0 0 0 0 0	0087040000000	, o t o o o o o t o o o t o o o c o o o o	0000000000	000000
DAVLOST 0 0 57 141 0 0 0 0 0 0 0	0 0 1 8 0 0 0 0 2 8 7 0 0 0 0	00	0000000000	0000006
DAVHOSP 0 0 0 0 0 0 0 0 0 0	000-0000000	500000000000000000000000000000000000000	0000000000	000004
PART DIS 0 0 1 0 0 0 0 0 0 0	0000000000000		00000000000	000000
101 DIS 0 0 0 0 0 0 0 0	0000000000000		0000000000	000000
101717 0 0 0 0 0 0 0 0	0000000000000		000000000	000000
INJCOST 0 0 239128 0 4723 151793 0 0 0 0 32331	2825 2825 3061 0 1680 0 2825 34425 7225 0	5380 4775 0 0 0 0 0 24574 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2200000	240 0 0 0 0 75474
DAMCOST 237884 64610 92290 426698 316236 7216000 113678 86318 62076 3483	92290 59988 100770 10000000 112843 928064 190817 922704 785000 23263 176956 126900	922704 10720425 46275 87225 156000 79049 22753 6103081 34885 127668 92290 40191 88736	77097 26839 17982 140263 89760 3713739 83580 123252 154624 89784	50404 50109 189626 653901 93347 53937
EVENT1 70 70 70 70 70 70 70 70	222222 222222 -	222222222222222222222222222222222222222	222222222222	5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5
COUNT				

HYSPL 1	0 T T	1 4 4 1 25 1.66666667	
OLSPL 1	ო ი	2 2 1 1 34 34 1.8888888899	-
FLSPL 4	ധ ന ന	5 5 3 4,461538462	
DAYREST 3 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	.000000002000		. 0
DAYLOST 30 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,		, 0
DAVHOSP 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		986 000000000000000000000000000000000000	, 0
PART DIS 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		000000000000000000000000000000000000000	, 0
20 TOT 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00000000000000	0000-0000000000000000000000000000000000	, 0
10171 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0040000000000	1 0 0 0 0 0 10 10 25 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	, 0
INJCOST 14042 0 0 0 0 0 720 720 0 0 0 0 0 0 0 0 0 0	2740000 2740000 1370000 0 0 0 0 0 0 2530	1213788 0 0 0 0 0 0 0 0 0 0 0 0 0 13585954 110454.9106	, 0
DAMCOST 152600 85388 72056 72381 73281 73265 119024 59086 55662 78305 112791 28314 56455 383681 303754 153154 998981 128172 28314 128172 28314 128172 28314 998981 110000 110498	577509 577509 6723508 122329 6755253 675129 100568 109008 67576 301625 50522	37844 952428 922704 109911 937404 193000 66875 344498 75630 10720425 3483 82542687 671078.7561	207727
EVENT1 CVENT1 CVENT1		70 70 70 70 70 70 70 70 70 70 70 70 70 7	71
COUNT		123 70 Count	

HYSPL 0 0	000	N	0000	m -	.	4 4
OLSPL			000	м		4 4-
FLSPL 0 0	000		000	ທ	г и	ውው ውው←
DAYREST 0 0 0 0	000000	519 0 0 0 0 0	8 519 0 587 65	770 90 90 0 0 0	000004040	180 28 0 0 0 7 7 0
DAYLOST 0 0 0 0 0 0 0	000000	۲۰۰۰۰۰۰	0 0 0 8	88 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000	08 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DAYHOSP 0 0 0 0 0	000000	26 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3 3 0 2 9 0	110 37 0 0 0 0	0000020%0	4
PART DIS 0 0 0 0 0	000000	0000000	0000	0-00000	00000-0	00000-0
101 DIS 0 0 0 0	000000	0000000	0000	0000000	00000000	0000000
TOTFTL 0 0 0 0	000000	0000000	00000	,	0000000	0000000
TSOOLNI 0 0 0 0	000000	48915 0 0 0 7666 0	960 48915 0 57541 6393,44444	94830 255620 4635 0 720 0 23341	0 0 0 44465 0 213078	118604 5142 2200000 0 0 0 2200000
DAMCOST 58000 207727 58000 559860 139965	38106 2293 12865 38106 12865 73964 24654,66667	922704 68412 64245 689600 2131785 18411 56671	125718 2131785 18411 4128956 458772.8889	4204192 190817 4601000 171863 251756 102242 187792	190817 29526 190817 190817 145709 1306000 3771069	190817 1220841 190817 6143967 169973 3769775 6143967 29526
EVENT1 71 71 Max 71 Min 71 Total 71 Average 0.002949853	73 73 73 73 Max 73 Min 73 Total 73 Average 0.002212389	. 76 76 76 76 76 76	76 76 Max 76 Min 76 Total 76 Average 0.006637168	11111111	:::::::::::::::::::::::::::::::::::::::	77 77 77 77 77 77 Max
COUNT 4 71 Count	3 73 Count		9 76 Count			

HYSPL 13 1.625	000	£. 8	-	0-0 - 0	n ~ 5	<u> </u>
OLSPL 10 2	000	ო ოო c	1 ←	ପ ପ ଜ	o 00-7	4,4,000
FLSPL 26 4.333333333	000	ט ט	vo	ro —	ω ω ←{	26 4.333333333 0 0 0
DAYREST 1275 58	0000000	- t 0 0 5 8 0 0 0	0 445	0040097%	3 0 0 0 0 0 0 84 0 0 0 0 0 0 0 0 0 0 0 0	727.7 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DAYLOST 446 20	0000000	- 0 0 0 0 0 C C C C C C C C C C C C C C	00800	000000	000000000000000000000000000000000000000	255 77 00000
DAYHOSP 207 9	0000000	O & O O & & O O O	248	000000	546000000000000000000000000000000000000	0000 25
PART DIS 2 0	0000000	0000000	00000	000000		00000
101 DIS 0	0000000	00000-000	00-00	0000000	000000000000	00000
TOTFTL 2. 0.090909091	0000000	0-000-00	- 0 10 0	0400000	o o o o o o o o o o o	12 0.413793103 0 0 0 0
INJCOST 2960435 134565.2273	0000000	0 1104130 0 0 89890 783358 0	1100000 0 1780315 0	2885000 480 0 0 0 4800 840	3600 0 0 0 0 0 92886 1125 0 2865000	7856424 269876.6897 0 0 0 0
DAMCOST 31145781 1415717.318	41580 20104 81986 163319 163319 20104 306989 76747.25	43107 3442062 192316 54249 969196 4600000 140686 187616	1500000 34101 6298517 31615	25209 981812 92290 948158 744544 10000000 247853	967146 11212 25348 12552 138471 23742 54067 16632795 6604397 16632795 11212	5656599 1915710.31 60000 60000 60000 60000
EVENT1 77 Total 77 Average 0.016224189	78 78 78 78 Max 78 Min 78 Total 78 Average 0,002949853	8 8 8 8 8 8 8	08 8 8 8	8 8 8 8 8 8 8	80 80 80 80 80 80 80 80 80 80 Max 80 Min	80 Total 80 Average 0.021386431 81 Max 81 Min 81 Total 81 Average 0.000737463
COUNT 22 77 Count	4 78 Count					29 80 Count 1 81 Count

HYSPL	-			000	000
OLSPL	m	ოოო	000		- 000
FLSPL	w	വവവ	000	000	000
DAYREST	000000000	0000	337 0 0 0 0 0 0 0 0 337 56	00000000000	
DAYLOST	000000000	0000	5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000	0 0000000
DAYHOSP		0000	° 5000000000000000000000000000000000000	000000000000	0 0000000
PART DIS	00000000	0000	000000000		0 0000000
TOT DIS	000000000	0000	000000000	000000000000	0 0000000
TOTFTL	000000000	0 2 0 0 2 0 0 2 0	000000000	000000000000	0 0000000
INJCOST	220000 0 0 0 0 0 0 0 0	2200000 0 2200000 220000	80635 0 0 0 0 0 0 80635 13439,16667		0 0000000
DAMCOST	11410 16696 13534 20609 13807 968233 91868 64067	10000 968233 10000 1226538	10202757 37500 128956 29817 106740 10000 10202757 10500 1752628,333	325000 30522 74356 21008 353870 69647 900752 10000 65771 900752 10000	192062.6 105302 49970 150000 99348 150000 49970 404620 101155
EVENT1	3 25 25 25 25 25 25 25 25 25 25 25 25 25	82 Max 82 Min 82 Min 82 Total 82 Average 0.007374631	84 84 84 84 84 84 84 Max 84 Min 84 Averagal	0.004424779 85 85 85 85 85 85 85 85 85 85 85 85 85	85 Average 0.007374631 86 86 86 86 86 86 86 Max 86 Min 86 Total 86 Average 0.002949853
COUNT		10 82 Count	ω	84 Count	10 85 Count 4 86 Count

HYSPL	00	. 0			0	C	. 0)		4		4	4	4	4				c	o c	o c	•				0	0	0			1.616766467 270	i	-	ις.
OLSPL	00	. 0			0	· C		,		S		2	S	2	· co				c			,				0	0	0			2.098837209 361		↽	νς
FLSPL	00	00			0		· c	•		S		50	ιΩ	co.	s,				c	· c	o c	,				0	0	0			3.693430657 506		-	ĸ
DAYREST 0	00	00	0	0	0	· c) C		Þ	0	0	0	0	0	0		0	c	· c	o c	o c		5	o	0	0	0	0	0		9.718289086 13178		0	1411
DAYLOST 0	. 0 0	0	0	0	C	c	o c		>	0	0	0	0	0	0		0	c		o c	o c		5	0	0	0	0	0	0		4.544247788 6162		0	300
DAYHOSP	00	0 0	0	0	c	. c		, c	>	0	0	0	0	0	0		0	c	o c	o c	o c		>	0	0	0	0	0	0		2.277286136 3088		0	248
PART DIS	. 0 0	0	0	0	· C		· c	o c	Þ	0	0	0	0	0	0		0	c	o c		o c		5	0	0	0	0	0	0		0.022123894	1	0	ıc
TOT DIS	. 0 0	0	0	o	c		· c		,	0	0	0	0	0	0		0	c	o c	o c	o c		0	0	0	0	0	0	0		0.008849558	!	0	7
TOTFTL		. 0	0	0		· c			Þ	S	0	co.	0	5	2.5		0	c		o c	o c		0	0	0	0	0	0	0		0.204277286	i	0	17
INJCOST	000	0	0	0		· c	o c		Þ	3840000	0	3840000	0	3840000	1920000		0	c	o c		o c		>	0	0	0	0	0	0		128701.9336 174519822		0	5776375
DAMCOST 193731	193731	193731	193731	594009	594009	594009	594009	60400		26478835	10000	26478835	10000	26488835	13244417.5		16540	131025	131025	18540	147565	200767	73/82.5	52876	128686	128686	52876	181562	90781		810960.9425 1099663038		0	26478835
EVENT1	88 Max	88 Total	88 Average 0.000737463	5	89 Max	80 Min	89 Total	90 00000	0.000737463	9	9	91 Max	91 Min	91 Total	91 Average	0.001474926	93	8	03 Max	Oo Min	03 Total	20 100	93 Average 0.001474926	96	94	94 Max	94 Min	94 Total	94 Average	0.001474926	Grand Average Grand Total		Grand Min	Grand Max
COUNT			1 88 Count					•	89 Count						2	91 Count						ď	2 93 Count						2	94 Count				

Appendix E: Hazard Severity Calculations

General: This appendix displays the data used for the hazard severity calculations described in Chapter Three and Presented in Chapter Four. In order to establish the severity of a hazard_i, the severities of all the accidents that were a result of hazard_i were summed up in the following manner.

Severity of Hazard_i =
$$\sum_{j=1}^{94} P(Accident_j | Hazard_i) * Severity (Accident_j)$$

To determine the conditional probability that Accident_i occurred given that Hazard_j occurred, P(Accident_i | Hazard_j), the database had to be manipulated. A primary hazard was associated with each accident. Once the hazards and accidents were organized into a matrix format each conditional probability could be accessed. To verify that these probabilities were correct the law of total probability was. By viewing the sample space, S (Hazard_i), as a union of mutually exclusive subsets the law of total probability states:

 $S=B_1\cup B_2\cup...\cup B_k \text{ where } P(B_j)>0, \text{ for } i=1,2,...,k \text{ and } B_i\cap B_j=\varnothing \text{ for } i\neq j.$ Then for any event A

$$P(A) = \sum_{i=1}^{k} P(B_i)P(A|B_i).$$
 (Wackerly, 1995; p.61)

Where,

 $P(A|B_i) = P(Accident_i | Hazard_i)$

 $P(Bi) = P(Hazard_i)$ (directly available from the database)

P(A) = P(Accident_i) (directly available from the database)

Once these probabilities were confirmed the severity of each hazard was computed as shown in this appendix.

The table below represents Pfaccident I occurred | hazard j was a contributing factor to an accident)= # times hazard St contributed to event xi # times hazard St contributed to any accident

umber S101	5102	5103	5104	505	90/5	2107	200	5109	Site	SIII	5112	5113	5114	5115	Sile	5117	SUS	\$119	5120	512.1	2615	S13	6615	Score
event(01)	0.0476	9 0 0 2 3 2 5 6	•	0	0 006579	0 005319	0 027027	0 011834	0	0	0	0 030303	0	0	0	0	007299 0	019608	0	0	0	0	0 006601	0 035312
	0	0	0	0	0	0	٥	0	0	0	0	0.015152	0	0	0	0	0	0	0	0	o	0	0	0 034894
03) 0	0		0	0		0	0	a	0	0	0	0	0	0	٥.	0	0 1	0 1	0	0.005102 0	0 004348	0 1	0	0 0000359
		~ '	0 006944	0	0 006579	0		0	0 1		0 0	0 0	0 0		0	0	0 0	0 6		0 8	0 5	0 0	0.0033	0.023696
					9 6	6166000	0 0	/160000						ء د	/65500.0	> 0	.		-	70,000,0	9590		9	0.071700
			-			•	7007000			2257000						, ,					0.004348		0.0033	9.7F.05
		9202000	2			0.005310		1522100		707000					1769500			0010608			0.004348		0016502	0.157206
		0 000000	0.006944	•	0.006579	0.0000				0		· c	• •			, 0	0.007299				0.004348	0	0	ŏ
	0.04761	9 0.046512	, ,	0.064516		0.058511	0.054054	0.12426	0.051282	0 505	200000	0.045455 (3116883	0.020833	0.057554			0.058824 0	11111		0.095652		0.033003	0.016706
				0	0	9				•	0	0	0		0				0		0	0	0 0033	0 000242
				٥	0	0.010638		0.011834		0.015152	0	0	٥	0	0	0	0	0 019608	0	0	0 004348	0	0.0033	0.045518
				٥	0.006579	¢		0	0	0	0	o	0		0 003597	0	0	0	0		0	0	0	0 022893
		0 0 0 46512	0	0 12903			0.054054	0.04142		0.030303	0				0 053957 0	81818	0 0043796 0	0.058824			0.052174	0	0 049505	0 01 4764
	, .		0.000833	2						0015152			0.038961					0019608			0.004348		0 029703	0 021326
			•	0.06451	•	0010638		0.01751		0.060606			0.051948			0.045455	. 0	٥			0.021739		0 00000	0 004565
						c		c		¢	0	0	٥			•	0	٥			٥		0	0 138056
					0	¢				c		0.015152	o	0	0	0	0	0	0	0	0	٥	0	0.057155
	0 0.04761	20000	577700		0.026316		0.054054	0.011834		2515100		c	c			0 606060 0	0.007299	0		0.015306.0	969800 0		1066000	0 043216
		0 0093023		0.0322	0.0086			0.047337		0 060606 0	111111	0.015152	0.038961		0111511 0			0 08039 0			0.03913		0.085809	0 20041
	9 0.04761	9 0.069767									22222		0.012987					a	11111	0	0.043478	0	0.072607	0 021594
		0	0.013889	0.032258							0	0	1012987								0 008696	0.5	0.013201	0 000664
					0	0	0	٥		9/5/00 (0.045455 0	0 025974	0	0 007194	0	0 007299	0	0	0	0.017391	٥	0 006601	0.058256
				0	0	0	0	٥		0.015152		0.045455 (0.012987	0	0	0	0	o	0	0	0 013043	0	0	0 17223
			0.013889	0.064516	0.006579	0.015957		0 047337	0	0 113636			155844	0	0.014388	0	0.007299	0		0.005102 0	0.056522	0	0 009901	0.017149
			•	0	0	•	0	0 005917	0	9727000	0	0	0.012987	0	o	0	0	0 019608	0	0	0 013043	0	•	0 314912
			0.006944	0.032258	0	0 005319	0	0	0	0	0	0	0		0 010791	0	0 007299 0	019608		0	969900 0	0	0 0033	0 383426
				0				0	0	0					0			0	0	0.005102	0	0	0	0 182182
			8	0.064516	0.098684	0 047872		0 106509	0.025641 0	0 128788		0 075758 0	0.051948 0		0 021583		0.043796 0	0 039216 0			0.052174	0	0 039604	0 023543
			0 00694	0 032258	0			0	٥	0		0.015152	0	0	0 010791	0	0		0	0	0	0	0 0033	0 029496
		0 0023256		0	0	0		0 011834		0	0		0	0			0		9 1	0.010204	0	0 0	9	0.00029
	0 0476	6	8	0	0.026316	0 015957	0 027027	0 035503	0	0.022727	0		0.025974	0.0625		0 6060600			,		516500	9 6	0033003	2,5000
			90700	0.032258	6/59000	21200	a 6	116600.0		۰ د	- 0	- (0 0		600/38	- -	0.000	9096100	> 6	0				260210
		0.0000	0 150310	0.36.50	0 107256	000000	0 1631 0	2 25 25 20 20	0 130407	0 025250	בבננננט		20073007			0.01010	0 5051510	•	, ,,,,,,,		20000		00.1787.0	10000
	0 0142857	7 0.069767				0.037234					0	, .	0					•	0	0	0.026067	0	0 039604	0 135081
		0 0023256	٥	0	0.006579	0.005319	0	0		0	0	0	0		0 003597	0	0	0			0		0	0 204771
		0	0	٥		0.010638	0 027027	0.029586	0 051282 0	0 925200 0	11111	0.015152 0	051948	0	0.003597	0	007299	0			969800 0		0 019802	0.011873
	9 0 04761		0		0.013158	0 026596	0			0	0		0.012987	0	0 021583	0	0.021898	0	0	0.005102 0	0.004348	0	0.013201	0.068102
	6	9	0			0 005319	0 027027	0.017751	0	0	0		0	0	0	0	0	0			969800 0		0 0033	0 031136
		0 0		٥	0	0	0			0.007576	0		0		0 003597			0	0	0 142857	0	0	0	0 004016
		0 0046512	0	0 032258	0.019737	0.058511	0.054054	0 04142		0 030303	0				0.057554	0		0.019608	0		0 030435	0	0.046205	0 021356
	0 004751.	9 0 0 46512	0 00694	0 032258	0.006579	0.015957	0	0	0.025641	0	o	0		0 020833	0.007194	0	0	0 0119608 0	11111	0.005102 0	0 008696	0	0 000601	0.055882
		0		0 032258	0		0			0	0	0		0				0	0		٥	0	0 006601	0 007395
	9 0 0 4 7 6 1	9 0 069767	0.069444	0 032258	0.092105		0.027027	0 035503 (0.051282	0 022727	0			0 020833			0 10219 0	0.019608	6	0.045918 0	0 030435		0.059406	0 03014
			0 006944	0	0	0	0 027027	0		0	0	0	0 1	0 1	16/0100	0	0 021898 0	019608	0 1		0 004348		1066000	0010166
			-	0	0 (0 1	0 1	0	0 (0.007576	0 0	0 0		0 6	0 10000		657/00	- 0	- 6	0.005102	•	9 0	SCOLO	3 38E-06
			5 6	0.032258			0 :			0.0.0.								0 1000	- 0	0.003102			00000	2000
		×25200 0	0.020833	0	0.032895	0.021200	40000		7871500	2121210		303636	0.14265/	100	0.000	0.045455	0.045/540.0	9175500	,		100000	•	2016200	20000
			00000		•		1002000	000100		0052121		5050500			0.003597								200	7,4100
			3		000000	0.010636	201700	0 00000			> 0	0 0 0 0 0			000000			90100			9757000		3 6	0.000
		0.046617	000000		9010100	2724000	70.700		0 000000	0282500		0.010102	0.051948		16/0100	, ,	0014599				0.034783		0.016502	0 116685
			,		3										0		٥				0	0.5	٥	0 00226
	9 0 0 9523		0.02083	0.032258	0.026316	0.031915	0	0.017751		0.007576	0	0 000000	0 038961 0	0 020833	0.017986	0	0.007299	0	111111 0		0.034783	0	0 000001	0 12894
	_	0	0	٥	0	٥	0	0	0	0	0		0	0	0		0	0	0	0	0	0	0	0.000118
		0	0	0	0.006579	0	0	0	0	0	0		0.012987	0	0		0 007299	o	0		0.025087	0	0 0033	0.041793
	· C	0	0 006944	0	0	0	0	0		0.015152	0	0 030303 0	0.012987 0	0 020833	0.003597	0	014599	0	0		0	0	0	0 04329
	Ē	0		0	0	0	0	0 005917	0	С	0	0 030303	0 025974	0	0	0	0	019608	0		969800 0	0	0.0033	0.01325
		0 0	0	0	0	0	0	0	0	0	0	0	0.025974	0	0	0	007299	0	0		0 004348	0	0	0.01556
		0	0	0	0		0	0	0	0 1	0	0 1	0 (0 10	0 0	5 (0 0	0 0		0	0 0	0 0	511150
	0 4		-	0 6	0 0	0005319		0 0000	0 6	0		۰ د	- 0	5 0	7655000		> 0	> 0	5 6	0 00	0.004346		> 0	70000
		0 0023256	-	0	0	0	0	16000	0	9/5/000	0	0	>		/Accono	5	5	>	0	20102	0		2	
				•											•	•			,		- 000000			705

This chart is Placcident I occurred | hazard j was a contributing factor to an accident)* Accident Severity Each column is added to give the total Hazard Severity in the bottom row.

Event Number SI01	2015	SNS.		í	ALA				•										•		
event(01)	0 0001682	0 000821201	00	00	0 00023231 0	0 00018783 0	0009544 6	0004179	ه د	0	00	0 00052869		, 0		, 0	0	0	0	0	٥
event(03)	. 0	0 0	0		0	0	0	0	0	٥	0	0 1	0 (0 0	0 0	00	_	0 0	0 0	1 82947E-06	1 55903E-06
event(04)	0 (0 0	2E-04	0 0	0 00015591	0 251051	00	0 894F 05	0 0	00		00	- 0		1 75926E 05	. 0				2 49527E-05	2 1264E-05
event(05)		0 0	0			0		0	0	0	0	0	0	0	0	0	•	0 (0 0	0 (0 20000 0
((07)	0	0	0	0	0					6 96683E-07	0	Q ·	0	0 (0	20	0.004600016	5 575		0.0012008257	0.000683498
event(08)	0			0	0.00206848 0.00083619		0.0042488 0	0.0027906 0	0.008061773	0.003572831	0 0	cc	0 0	-	0.005654641	, 0	1 330/36-06			9 30151E-07	7 9265E-07
event(11)	0		90	0	1 1994E-06 9 6973E-07		0	0	0 0000000000000000000000000000000000000	O STATE OF THE PERSON OF THE P	7122175000	0.000759358	0.001952635	0 000348039	0.000961489	. 0	0 000609704	0 000982699	0.001856208	0	0 001597953
event(12)	96/00000	810///0000		8//0000	0.00034354				4 0		0	0	0	0	0	•	0	0	0	0	0
even(15)		> 0	0			0 00048424	0	0 0005387	0	0 000689672	0	0	0	0	0			0 000892516	0	0	0 000197906
evern(20)			0	0	0.00015061	0	0	0	0	0	0	ø	0					٥	0 1	0	0
1731 0 001055	0 55	0 000686682	0.002	0.00190499	0.00126268 0.00180619		0 0000798 0		0.001135667 (0 000447384	0	0		0.002153035		0.002684304	1 0 000646584	0.000968451	P (0.0008265/3	0.000770278
event(24)	0		Æ:04		0 0 00014032 0 00011345	0 00011345	0	0 0002524	0	0 000323153	0	0 000646306		0 (0.000306879			0.000418198	,	4.658076.05	9 27308E-03
event(25)	0	6	0	0 00029451	٥	4 R563E-05	9	8 1036-05	0	0 000276661	0 0	6 91653E-05	0 000237138	0 0	3.28411E-U5	0.00020/496				0	0
event(26)	0	0	0	0	0	0	0 1	0 1	0 0	0 (0 0	0 000000000	9 0	9 6					. 0	. 0	0
1(28)		0		0	0			0	, ,	0	0	0 (2000)			0.000777777	0.003928763	0.000315448	0	. 0	0 000661475	0 000375795
	0 0 002058	0 001005032	000	۰:	0.00113727 0.00022987				0 911911910		0.077357771	D CONTREGUE	0.0072008163	0.050102376				0.019647991	0.044535445		0.007842111
00143	s ·		0014	0.00646482	210885100 627776100		0.00162494 0	0.00340000	2 5		0.004798694	0							0 002399347	0 002644178	0 000938875
event(32) 0 001542	42 0 001 028	0.001506567	0 002	0.00278634	0.0012/86 0.0018080					-								1 30201E-05	۰	3 38789E-06	5 77414E-06
1(33)	0			2 142E-U3	2 1043E-03	0 TOT I		25.75		FFF1840000		0.002647999					0 000425226	0	•	0	0.001013148
eveni(34)		•				, <	· c			0.002609552	0	0.007828656		٥				0	0	0	0 002246484
even((35) 0.001225	, k	•	2F.04	0 0011064	0 00011282 0 00027366	0 00027366	0	0 00008118	0	0 001948775	0	0 00077951		0	0.000246751	J	5 0 000125177		0	8 7496E-05	0 000969304
		0		0	0	0	0	0.0018634	a	0 002385698	0	0	0.004089768	0	•	_	0			9 (0.00410733
event(36)	0	0	0 003	0.01236864	0	0.00203951	0	0	0	0	0	0	0		0 004137712		0 002798744	0.000/318186	•	0 00000000	901+555000
1(39)	0	0		0	0	0	0	0	0	0	0	0				_	0	9304000000	0.00015889	0.000329302	FERCCIOOL
event(40)	0	0.002190046	7E-04	5189	0.00232332			0 0025075 0	0.000603667	0 003032053	0	0.001783561	0.001223013	0.000980958			outuine o		6000107000	20000	0
event(44)	0	0 000686032	2E-04	0.00095159	ō	0 00031382 0	0 0007973	0	0 1	0 (0 0	0.00044696	- 6		0.00010000			• •		0 000615258	. 0
event(46)		0.001402216		o ·	٥		0 10	0 000/136		0 33060 6			3 57023E.05	8 59087F.05	3.45107F-05	0.000124958	8 4 01326E-05	0	0	1 40259E-05	S 37863E-05
	0 655E-05	0	5 5	0	3 61/2E-U3 2 1934E-U3			4 805 03	0	0			0				0 000094107	0 002527972	•	•	0
event(48) 0 005209	90	0 00539530	3 6	2000	0	0		٥	0	0	0	0	0	0	0				0	7 S0101E-06	0
CO8000 0 (65)		0.00501584	0000	0.00198784	0.00608123 0.00426118		0 0049965 0	0 0029171 0	0.005530285	0.002334211	0.010270529	0	0 00040015		O	0 005602107	_		0.006847019	0.004087251	0.0018/5488
	7626100 0	0.009424259	0000	0	0 00622084 0 00502961			0 0047958	0	0	0	٥	0	0.008442565			0 0 0 1 4 7 6 9 8 9 5	0.002648648		0.004135134	0.003523853
event(S2)		0.004762116		0	0.00134718 0.00108921	0.00108921	0			0	0	0			0 000736586		0	-		20 767487	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
1(54)		٥		0	7 811E-05	0.0001263	0 0003209 0	0.0003513 0		8 99444E-05 0 0013191	0.001319185	0 0001 79889			4 27074E-05		0 8 66618E-05			0.000347464	0.000306741
ren(55) 0.004864	64 0 003243		9E-04	0	0.00069608 0.00181123	_			0 001746212	0	0	0	0 000884445		0.001469833		0 000149129		5 6	0.00034/461	0.00029009
		0	0	0	0	0.00016563	0 0008415 0	0 0005528	0	0	0	0 000471796		، د	0					0.000573965	0
even(58)	0			0	0					3 04376E-05	0 1	0 (2		•	•	0 0 0000467647	F87818743		0.000435834	0.000649962
event(60)		0 000993297	7E-04		0 0004215	0 00124955	0 0011544 0	0 0006845 0		0 000647148	9 6	9 6	0.000277349	0.001354/43					0.006209058	0 00028511	
event(61)	0 0 002661	0.00259914	4E-04	0.00180263	263 0 000036764	0 000891/3	9 6	5 6	0.00143286	•	9 6		. 0	0						0	0
event(63)	0 0000	90101000	Š		38 0 00077541	0.0024051	0.0000147	0.0010707 0	0.001545839	0.000685088	0	0	0 000391479	0.000627997	٠	5 0 004110526	0		•	0.001384157	_
		00017000	3 2							0	0	0			0.000109703	-	0 0 000222609	0.000199329		5 18663E-05	4 41991E-05
even(68)				0	0	0	0	0	0	4 07464E-10	o				2		0 392593E-10	0		2 74414E-10	0
even(69)	0	0	1E-09	6 0933E-09	0	0	0	1 118E-09	•	0	0						0 00	0		9 63/32E-10	9620100100
even(70) 0 004169	0 69	0 001357202	000	٥	0.00191973	0.0012417	0.0031546		0 002992805	0 007073903	0 (0.021221708	0.008337099	0.002431654	0.000413634	C1/2C02000 6					
event(71)	0	0	•	0	0	0	٥	8 36E-05		2660010000	0 6	500			5 2405E-06						•
event(73)	0	•	36	0 0	0	1 9918E-05	5 USE-US	0 0000000		0	0	0.000741181		. 0	0.000527891		0 0 001428261	0 000959175		0	0 000212687
4(76)	0	90000	2	0 000000000	0.0004300	0.0002002	_		1/01/00/00/0	0.004419883	0	0.003535907	0.006061554	0 002430936	5 0.00125919	-	0 0 001703429	•	_	0 002381325	0.004058606
event(77)	0	0.005427206	0.007	0.08757800	sees on o	0187246200					0					-	,	0	_	2 31499E-05	
even((78)			8	0.0041504	O STREET	0.00411515		0.0022889		0.000976829	0	0.007814629	0.00502369	0.002686279	9 0 00231909	•	0 0 000941178	0	0.01432682	2 0 001973593	0 004484918
_								0	0	0	Q	0		-		,	0	۰	_		0
eveni(31)			0		0 00027495	0	0	o	0	0	0	0 00063322					0 0 000305055	0	_		0.00109024
event(84)	0	0	3E-04	0	0	0	0	0	0	0 000655972	0	0.001311943		1 0 0000001961	0.000155734	. `	0 0000632031	_ ,			0.000115257
event(85)	0	0	0	0	٥	0	٥	7 843E-05	0	0	0	0.000401652		•			9755566	2606520000 0		7 041545.05	
even((86)	0	٥	0	0	0	0	0	0	0	0	0	_	0 000404302	~ .			0 0000113518			0.34946.0	
event(88)	0	٥	0	0			0	0	0 (0 (0 0		_		0 000130467	-					0.000157695
·n(69)	0	0	0 1	0 0	0 (0 00019292	0 0	0	-	0 00346603	,				0 0001171202	. ~			_	9611991000 0	0
event(91)		0.000			9 6			0076100	0	0	. 0		2 32529E-07	7 3 73015E-07) 0		_	٥	1 55693E-07
event(93)	•				0	0	0	0	0	6 59943E-06	0		_	-			0		_		
		•																			

Appendix F: Accident Severity Data

General: This data set represents the unweighted/weighted value scores and the unweighted/weighted utility scores for each measure. The raw scores were evaluated using the value and utility functions that were developed in Chapter Three and presented in Chapter Four.

Weighted	0	•	• • •	•	•		•	•		0	• •	0	0		0	•	• •	•			•	0.0035	• •		• •	0.0035	: 0	• •			• •	0.0035				• •	•	0 0	• •	¢	• •	\$	•			• • •	
PARTIAL DISABILITY	0	0 (•	0		•	•	• •	0	• •	0	0	• •	0	0	• •	Ф (• •	0 0	•	0.25			• •	0.25				• •	• •	0.25		• •		• •	•		• •	٠		۰ ۰	•		• •		
PARTIAL DISABILITY	-	D (>	o	00:	•	o	• •		• •		0	• •	٠	•	0 0		• •	0 0			0 0		• •	· - (• •	• •		• •	• •	= 0		,	.	• •	0	• •	• •	0	• •	• •	•		• •		.
Weighted		0 (•	0	00	9	0	00			0	0		0	0	0	0		0 0	0		00	. 0	• •		. 0	φ c			00	0 0		00	0.0105	0 0	0	0 0	0 0	0	00	00			00	• • •	0 0
TOTAL DISABILITY	0	0 (Ď	o	00	5	0	0 0	0	0 0	0	0	• •	0	c	0 0	0	. 0	ф о	0	0	0 0	. 0	0 0	0 0		0 0		0 0	0 0	0 0			0.75	00	0	0	0	0	0 0	0 0		.	0 0	00	0 0
DIAL DISABILITY	0	0		D	0	o o ·	0	0	00	0	00	c	o	0 0	0	0	00	0	• •	00		. 0	00		0 6	• •		φ¢			0 0	0 0		• •	0	0 0	0	o c	. .	0	00	0 0			00	00:	0 0
Weighted	0.176	•		•	•		•	•	• •				9		0	•	0.352					0.176		. 0	• •			0.187			0			0.198	0 0.231	• •	0	0 0		0		0 0			• •		
TOTFIL	50 0.5	0	- •	•	•	• •	•	•	• •	•	• •			9 0	c	•	- 0	•	• •		• ;	c. o			• •	0 0		0.53125	•	• •	0.625	• •		0.5625	0.65625		0	0 0		0	• •	• •		• •	• •	• • •	• •
101	-	•	• •	0	•		•	c	6 6	•		•	٥	0 0	•	0	11 0						0 0		• •	•		~ 0	•		- 	• •		- m	0 9	• •	•	0 0	• •	•	• •	• •		• •	• •	00	
Velghted	5.039E-09	0	0	0 0	0 0	0 0	0 0	.2813E-07 0	.3523E-08		• •		.4707E-08	0 3,91E-07	0 0	0 0	0.02344028	0	.0629E-08			0.02424273	0.0661E-08	0	0 2001E-00	0.00160867		02776507			0,02464036	02941957		.02775507	0.02346933	02554399			. 0	0 0	0 1.1688E-08	0 0			00	00	0 0
INJCOST W						0 0							3.1291E-07 1	0 8.3192E-06	0 0	0 0	0.4987294 0	0	8.0818E-07 3	0 0		0.51580285 0	0 6 57365-07 3	0	0 0 100 4E-07	0.03422711 0		0.5907462 0	0		0.52426306 0	0.62594828 0		0,5907462 0	0,49934744 0	0.54348914 0 0				0 0		0 0			0 0	00	00
meighted	5.50566E-07					00																																			90	0 0		o e	• •	00	0 0
1	340	6		0		0 0									0																							۰ ،		۰	0 1200	0 0		. 0	0 0	00	0 0
E	1 2	8E-10	2E-09 8E-10	SE-08	25134	9E-05 8E-05	15.10	8E.10	3F-00	ZE-08	5E-05	3.1998E-08		7.5846E-10 0.00849822) E-09	E-10	0,11133428 1	. 22		.09544255 1356F-09		.02764866 1.05E-06 1	~ ~	SE-10	5E-10	95620	17402	2 66176	10811	10811 4E-10	6E-10 10811		.0734E-08		02392 1	94572 1	9.02019437 0	7E-10	4289E-09	0 SE-08	1E-10	9E-10	2E-09	7E-07	4E-05 21837	3E-06 3E-10	3E-06
Weigh	\$ =	9 4.348	8 3.436 9 4.931)7 5362 0	0.021	5 2.116 15 1.395	96.546	9 3.863	0 1881	3.675	3,482	3.199		7.584 9 0.008	33319	9 7.61	110 21	10	54 O.111	75 0.095 or 1.135	0.00	72 0.027 36 1.05	98 0.034	9 5.406	5.406	88 0.139 98 0.139	57 B.O.24 61 B.O.19	28 0.106	9 0.076	79 U.U76 19 4.332	9 4.293	9 0.076	1.073	28 0.120	36 0.120 19 0.121	0.120 0	63 0.020	9 6.464	98 5.428 99 1.729	0 7.82	99 6.769 0	9.21	90.044	88 2.12 06 2.397	43 9.063 99 0.000	06 1.09. 09 3.585	96 1.034 06 1.006
DAMCOST	i i	1.84272E-(1.45601E-0	2.27225E-(0.0900480	8.96988E-(5.91437E-(2.77376E-(1.63721E-(277000 2	1.5573E-	6.6206E-1	1.35586E-0		3.21382E-4 0.0360094	1.40638E.	3.22456E-	0.4717554	0.4713913	0.4713913	0.4044175	0.0102877	0.1171553 4.44899E-4	0.1462155	2.29091E-	2.29091E-	0.5902355	0.104775	0.4532711	0.3224919	0.3224919 1.83576E-	1.81932E-0	0.3224919	4.54816E-	3,20,4065,	0.5094297	0.5124818	0.0855693	2.73926E	2,30039E, 7,32923E,	3,3161E-	2.86825E-	3.90637E	3.83231E	9.00791E-	0.0003840	4.63142E-	4.38259E-
Unweighted	-		2.23774E-08 3.21173E-09			0.00013785 9.08946E-05		2.51622E-09			0.000101748			4.93932E-09 0.054144427	2.16146E-08																				0.607022122		0.125	4.20997E-09	3.53546E-08 1.12643E-08	S.0965E-07	4.40821E-09	6.00369E-09	5.88987E-08	1.38442E-07 1.56146E-06	0,000590096	7.11801E-06 2.33485E-09	6.55692E-06
U Property	- 1		30206		248086	125256 120685	14640	10697	0 21170				9	15853 190817	29850	15881	4618000	1600000	1256406	1198225	177237	446373 92290	576137	13134	13134	10219706	199458	3697532	922704	922704	11432	922704	4222	58474	6453598	0000099	200000	14539	34966 23342	63822	14912	17526	40385	76089	141216 150864	92731 10193	92125 91830
	EVENII L	8	8 8	5	65	8 8	63	2	8 8	8 8	8 E	8 8	96	88	00	00	8 8	8 8	8 S	8 8	8 8	8 8 8	8 8	8 8	8 8	¥ \$	8 8	8 8	8 8	80 00	80	8 9	8 8	8 8	8 8	80 80	85	= :	= =	12	2 2	2 2	1 21	2 2	2 2	2 2	22

Total Score 10.76 5.0.76 5.0.76 5.0.0031 9.76.05 0.00031 0.00039 0.002368 0.002368	0.00145 0.00116 0.00116 0.00113 0.00113 0.00013 0.00013 0.00013 0.00016 0.00016	0.66777 0.27534 0.17534 0.11675 0.11675 0.10754 0.00754 0.10754 0.10754 0.10754 0.10754 0.10754 0.10754 0.10754 0.10754 0.10754 0.10754 0.10754 0.10754 0.10754 0.10754 0.10754 0.10754 0.10754	0.04934 0.04934 0.04934 0.02033 0.0203 0.0203 0.0203 0.0203 0.0203 0.0203 0.0203 0.0203 0.0203 0.0203
MIRIS Welphed Unity, Score Unity, Unity, Score Unity, Unity, Score Unity, Unity, Score Unity, Sc	0.00 0.11 0.11 0.07 0.08	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.0002341 1.4533E.03 0.0062713 0.0003148 0.0062713 0.0003148 0.0077429 0.0003449 0.0077429 0.0003449 0.0077429 0.0003449 0.0077429 0.0003449 0.0077429 0.0003448 0.0077429 0.0003448 0.0077429 0.0003448 0.0077429 0.0003459 0.0074291 0.0003459 0.0074291 0.0003459 0.0074291 0.0003459 0.0074291 0.0003459 0.0074291 0.0003459 0.0074291 0.0003459 0.0074291 0.0003459 0.0074291 0.0003459 0.0074291 0.0003459 0.0074291 0.0003459 0.0074291 0.0003459
	0.023475 0.01875 0.01887 0.0271149407 0 0.008828125 0.0003125	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.000214375 0.000214375 0.0002174125 0.0002174 0.0002
MHRS 0 12 20 21 21 21 115 115 0 0 0 0	300 240 1150 0 1831 0 0 113 0	0 0 0 0 11000 3 3 3 1200 1300 11100 1100 10	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Weighted Source	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.062 0.062 0.062 0.062 0.062 0.062 0.062 0.062 0.062 0.062 0.062	
Secure 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
1011058 0 0 0 0 0 0 0 0 0			
Weighted Score		0.01955 0.01955 0.00325 0.00325 0.00975 0.0195 0.0195 0.0195 0.0195 0.0195 0.0195 0.0195 0.0195 0.0195 0.0195 0.0195 0.0195	0.00335
TASAH		0.25 0.083333 0.083333 0.083333 0.083333 0.083333 0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25	0.0053333
Raw HYSPL		19 TH MIN 19 19 19 19 19 19 19 19 19 19 19 19 19	
Weighted Score	;	0.00935 0.0135 0.00325 0.00325 0.00975 0.00975 0.00975 0.00975 0.00975 0.00975	0.009373
OLSPL Score		0.25 0.083333 0.083333 0.083333 0.083333 0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25	
74510			0.0
Weighted Score		0,039 0,039 0,039 0,00035 0,00035 0,00035 0,000375 0,000375 0,000375 0,000376 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
FLSPL Scare 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 10.166667 0.0833333 0.0833333 0.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.1666667
FLSPL		w w n = − − − − − − − − − − − − − − − − − −	
Weighted Score Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.0021875	0.00015623	0.001769217 0.000194544 0.0335 0.0316 0.000
DAYREST Score Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	0.0004464286	0,505490483 0,627013177 0,627013177 0,000 0 0,000 0 0,000 0
DAYREST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		000-000005000	24.7
Weighted Scure 3.913E-07 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2.001E-0/ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.1752E-06 1.1398E-15 1.0398E-15 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.01526445
	90-2966669 0 0 0 0 0	0000130846	0.848074121 0.000002103 0.000002103 0.000002103 0.000002103 0.0000000000000000000000000000000000
DAYLOST 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	200403846
Seore Seore 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 199786325 0	0.000000000000000000000000000000000000	0396132846 o
DAYHOSP 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-00000 00% 00		

Programme to the contract of t	
ANKTALI DISABILITY	, e
	. 0
07AL DISABILITY 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	> •
888	
FITT. Secure 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	, ,
Seere TOT	
Uniting (1972) (000
Sent Sent Sent Sent Sent Sent Sent Sent	» o
INACOST 11000000 11000000 11100000 11100000 11100000 11100000 11100000 11100000 11100000 11100000 11100000 11100000	> •
Score 1,140 to 6, 1,140 to 6	2.36/2E-vo 0 0.02227854
Unitary 1.1277112-115 1.1277112-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127212-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.127222-115 1.	1.00305E-07 0 0.094400601
80000 11000011000 11000011000 11000011000 11000011000 1100001000 1100001000 1100001000 11000000	1.54159E-07 0.137212045
Industrial Ind	289019
	2 2

Second	0.02173 0.02174 0.0209 0.00009 0.00009 0.00009 0.00009 0.00009 0.00009 0.00009 0.00009 0.00000 0.00000 0.
10.18675 10.00011.01.01.01.01.01.01.01.01.01.01.0	10.00000000000000000000000000000000000
1000000000000000000000000000000000000	
Nimes Nime	
Secretary (Secretary (
88 87 87	
For a control of the	
TASAH ST	
Seary	
14570 -	4
Society 250	
7. 1478-17.	
	000018623
Soore 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0044672857
DAVAGEST	
No.	00000000000000000000000000000000000000
Fig. Score	0.537.7000 0.0000 0.000 000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.
Parties 1	
Secure 13385 0.00002885	
Sone Sone Sone Sone Sone Sone Sone Sone	
MAYILOSS	0 000 000000000000000000000000000000000

Score		0	Ф		• •		_	•				0	۰				¢	e	• •	. 0	0	• •			0	0 1		. •	0	0	0	•	• •		0	•	0	•	• •		0	•		•	0		•	•		•	•		•	•	• •		•	• •	. 0	٥		,	0	•	۰ ۵	0	• •	
Score		•	•	•			•	0	0	• •	c	6	c	c (0	0		. 0	0	0 9		•	0	D (•	0	۰			0	•	0	0 0	• •	. 0	0	•	- 0		0	• •	. 0	0	• •	•	•	• •	0	0			•			0	• •	,	•	• •		0	• •	
PARTIAL DISABILITY		0	•				. 6	0	0			0	0				•	0				•			•	•			۰	0	•	•	•		. =		•					• :	• •	•	0	• •	. 0	0		•	•		•	ę ·						0	o c	•	0	0 0		. 0		
Score		0	0	0 (. c	0	0	0 0	• •	0	0	.			0	0	0 0		0	•			0	0 (0	0	0	0 (9 0		. 0	0	0	0 0			0	•		. 0	0	0 0	. 0	0	0 6	0	0 0		0	0			0	0 0	. 0	0	0 0	,	0	0 :	5 0	0	00	
Score		0	0	0 (-			0	0	• •		0	0	0 (, 0	0	0	0 0	. 0	o	•	-	. 0	0	0	-		0	0	o	ė i	5 6		٥	. 0	0	•		. 0	0	0			0	0 0		0		0	0 0	> 0	0	0	0 0		0	00	• •	0	00	1	0	0 (, .	0	00	
TOTAL DISABILITY		0	0	•				. 0	0	• •	. 0	0	0	0	> •		0	0	0 0	, 0	0		5 6	. 0	0	0	0 0			0	0	0	9 6		. 0	. 0	0	e (. 0	0	0	0 0	. 0	0	0 0	. 0	0	0 0	. 0	0 0		0	0		. 0	0		, ,	0		•	0	0 (; 0	00	
Score		0	0		• •				•	• •		0	0	•			¢	0	• •		•	•	•		ø	•	•		•	0	0	0		•			0	0 (0	o	• •		0	0 0		0	0 0		0 0			c			0			0	•	•	0	•		. 0	0 0	
Score		•	0		= :			•	•	• •		0	0	•		• •	•	•	•	• •	•	•			0	•	•	-	0	0	=	-			-		•			-	=	-				•		•	• •	•	•		•	0	•	• •	0	•		0	• •	•	0	0		0	00	
TOTFTL		•	0	p (•	0			0	•				•	•			•				•	•			•	0	0	ò	•				0				0	0		• •	0	•		c	•		.		0	0	• •	• •	0	0 0		0	•	•	0	0	- 0		• •	
Score	0	0	0	0 1	- 0			. 0	0	0 0		0	0	0	- 0		0	0	0	0	0	0	0 0		0	0	•		. 0	0	0	0	0 0	0 54985-09	0		0	0 .		. 0	0	0	0 0	. 0	0	0 0		0	•	• •	•	- -	. 0	0	0 0		0	0 0		0	0 0		•	0	.	, 0	00	
Uellity	0	0	0	0	÷ (, -	. 0	0			0	0	0	0 0				ž	3														5	Š																										0 0				00	, 0	00	
Ł																			,, ,,,															PE-07																														_				
Sco		0	0	0	Φ.				0	0 0			۰	•	•		٥	0	0 1	0	٥	0	0 0	• •	•	0	0 0			0	0	0	0 0	7 7946	0	. 0	0	0	-	0	0	0	00		0	0 0	, 5	٥	0 0	. 0	0 0			•			۰			•		•	0					
INJCOST		0	0	0	۰ ،	-			0	0 0		0	0	0		0	0	o	0 }	0	0	0 1	0 0		0	0	۰ ،			0	0	0	0 0	- S	9 0		o	•			0	0	0 6	. 0	0	0 0	• •	0	0 0	0	0	> c	0	0	0 0		0	0 0	0	0	0 0	•	0	0		, 0	00	
Score	•	4.7204E-09	0.00025757	4.0941E-07	0.02223513	1.18935-09	1 96290 08	0.02121202	2.171E-07	1.8394E-07	7.1963E-10	6.2724E-09	0.00849822	0.0237829	1.0378E-05	3,6094E-08	1.0196E-08	0.00102564	6.6349E-09	2,6279E-08	0.00058713	4.8732E-07	6.6111E-10	2.1573E-09	1.1041E-09	0.02445809	2.0704E-08	8.5538F_09	0.00169799	2.5291E-07	2.8595E-06	3.9812E-06	0.02184646	1.182E-09	1.0329E-06	7.2457E-09	7.6928E-10	1.4993E-08	0.02352019	4.2787E-08	3.2501E-09	0.00022658	0.02564379	1.7708E-06	4.5763E-10	0.02182556	0.02248642	2.0477E-06	3.0676E-07	4.5688E-10	1.8294E-07	0.00064147 5.8249E-07	6.9722E-10	2.4669E-07	0.02767053	1.6021E-05	4.6473E-05	7,7185E-10	3.482E-10	3.482E-10	3.8255E-08	0	4.6332E-07	2.1198E-06	1.2398E-07	8.7244E-09	0.00020183	
Ucilley	•	Z.00017E-08	1.001091403	1.7348E-06	0.094216673	5.03955E-09	4.43046E-U7	1.089881426	9.19924E-07	7.7942E-07	104978E-09	1.65782E-08	1.036009409	9.100774989	4.3973E-05	1.4/542E-05	4.32022E-08	1.004345914	2.8114E-08	1.11351E.07	002487829	2.06492E-06	2.80131E-09	9,1409616-09	4.67823E-09	9.103635994	8.77285E-08	U,UUUI BB.559	8 3	1.07166E-06	1.21165E-05			5.0083E-09	7.7546F-06.0	3 8	3.25967E-09	6.35278E-08	0.09966182	1.81302E-07	1.37717E-08	0,0009601	0.108660128	7.50353E-06	1.93912E-09	0.09248117	9.095281446	8.67652E-06	1.29985E-06	1.93591E-09	7.75166E-07	0.002718089	2.95431E-09	1.04S31E-06	0.117248023	6.78858E-05	0.000196921	3.27053E-09	1.47542E-09	1.47542E-09	1.62095E-07	0.083369303	1.96323E-06	8.98221E-06	5.25352E-07	3.69679E-08	0.000855216	
Score				2.66621E-06	0.136958926	7.74527E-09	0.371416.0	0.130977836 (1.41383E-06	1.19789E-06	4.04697.E-08	4.08479E-08	0.054144427	0.145952625	6.75803E-05	7.15056F-07	6.63974E-08	0.006661324	4.32084E-08	1.71135F-07	0.003817665	3.17357E-06	4.30532E-09	1.40.487F.08	7,18996E-09	0.149855718	1.3483E-07	0.000286382	0.011008813	1.64703E-06	1.86218E-05	2.59264E-05	0.134690148	7.69726E-09	6.73638F-06	4.71861E-08	5.00979E-09	9.76358E-08	0.144430673	2.78643F-07	2.11657E-08	0.001474701	0.156680272	1.1532116.05	2.98023E-09	0.134568011	0.138423533	1.33349E-05	1.99773E-06	2.9753E-09	1.19135E-06	0,004170413	4.54048E-09	1.60653E-06	0.168259478	0.000104329	0.000302611	5.02648E-09	2.26758E-09	2.26758E-09	2.49124E-07	67170	3.01729E-06	1.38047E-05	8.07413E-07	5.68159E-08	0.001313686	
EVENT1 DAMCOST																																																													56000		83314	100000	08860	00001	150000	
EVENT	,	23	23	23	12	5 5	3 5	ដ	23	ន	3 12	ន	23	ដ	ន	នេះ	ដ	23	នៈ	3 ជ	ន	23	ឧ	ន	23	23	ន	3 2	3 2	п	23	23	នះ	2 2	1 2	1 ង	ដ	2	2 5	1 2	n	23	នុះ	ាន	22	នះ	3 ដ	2	ឧ៖	1 2	ន	2 5	1 2	23	2 :	រ ដ	12	23 13	3 ដ	23	ឧ	3	57	54	2 2	គេ	77 77	

Score Control Contro	0,00116 8,7E-09 0,00219
14,000 Secret Control Contro	0.0187506 0.00116254 0 0 0 0.014063 0.0008719
MATHERSON MATH	0.01875 0 0.0140625
MININS	240 0 0 180
	000
	0000
	0000
MADOW325 COMMASSES COMMASSES COMMAS	
0.00833333 - 0.0083333 - 0.008333 - 0.00833 - 0.00833 - 0.00833 - 0.008333 - 0.008333 - 0.00833	
T 2 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	
Skort 0.000973 0.0	0000
Score 1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	0000
3 J	
Control 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Monte of the control	
See 5 See 7	0 0 0 0
0.1477	
ж	0000
1807/AVA	
Nesses	0000
Secure 0.000.000.000.000.000.000.000.000.000.	• • • •
WINDOWS AND A COLUMN TO THE CO	

88core				e e			0.0035 0 0 0 0 0	0.0035		• • • • • • • • • • • • • • • • • • • •
F1000				e e			0.25 0 0 0 0 0	0 0 0 0 0 0.25		
PARTIAL DISABILITY 0 0 0 0 0 0 0 0 0	c c c c c c c			• •	,			5 5 5 5 5 7		
Score				0 0					0 0 0 0 0 0 0 0 0	
5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000			0 0					0 0 0.75 0 0	•••••
TOTAL DISABILITY 0 0 0 0 0 0 0 0 0 0	000000			.			55000		••••	
Score							0 0 0.187 0 0	0 0.176 0 0 0 0	0 0.176 0 0 0.231 0 0.231 0.231	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Score							0 0.53125 0 0.53125	0 0 0 0 0	0 0.5 0 0 0 0 0.65625 0 0.65625 0.65625	0 0 0.53375 0.53125 0.53125 0.53125 0.53125 0.53125 0.53125 0.53125 0.53125 0.53125 0.53125 0.55125 0.
TOTFTL 0 0 0 0 0 0 0				© 0	,		00000	0-0000	0 = 0 0 0 0 0 0	
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0000000					0 0 1.5071E-08	0 0 0 0,0018414 7,4399E-07 0,00193687 4,3015E-07	0 0.00171438 0 7.1405E-08 0 1.5353E-06 0.00160854	6.3968E-09 0.00189418 0 0 0.02421203 0.03058462 0 0	6,3467E-08 3,38009E-08 0,0301093 0,0333361 0,0333361 0,0333361 0,0333361 0,0333361 0,0333361 0,0333361 0,0333361 0,0333361 0,0333361 0,03331667
Utility 0 0 0 0 0 0 0 0 0 0						0 0 3.2067E-07	0 0.00028328 0 0.03917866 1.583E-05 0.04121009 9.1521E-06	0 0.0364761 0 1.5193E-06 0 3.2665E-05 0.0342242	1,361E-07 0,04030168 0 0 0,51514963 0,65073668 0 0 0,099664275 0,61524838	1.35045-06 8.47E-07 0.6406251 0.530405251 0.530405251 0.53369526 0.53368-07 0.00669077 0.00669077 0.00669077 0.006330168
t								0 .132425767 0 .50981E-06 0 .000139943		(178612E-06 (167929E-06 (1876941076 (177998475 (177998475 (177998475 (17799678 (17799678 (18796711885 (177711885 (177711885 (177711885 (177711885 (177711885
										3360 5 2160 3 2160 3 2160 3 2160 3 27740000 0 1495000 0 300000 0 200000 0 27160 7 27160 7 27160 7 27160 7 27160 7 27160 7 2717
Score 1 2136E-08 3409E-06 2277E-09 32190248 11741877 2917E-09	0 5398E-06 9156E-09 9661E-08 4277E-05 5827E-09 4355E-09	585E-08 1138E-08 1466E-10 8426E-05 2218E-10	54877£-08 5486E-06 9112E-09 0907E-07 482E-10 0	0 0 0 77518-08	12070885 12070885 02596834 8376E-09	00609565 00145209 02626535 02504691	07610811 09525396 01704178 07610811 09896032	02404312 0211667 7042E-10 07819549 6763E-09 03483605	117-41877 117-41877 1129-4883 1129-4883 105E-06 07610811 665E-10 11209933	1137/81 07610811 1344805 11444805 11444815 11444815 11444816 11454119 1152816 1152816 1153816 1153816 1153818 11632419 11632419
Dtility 8033E-07 8. 1923E-06 2. 1514E-08 5. 92807125 0. 49753715 0. 77318E-09 1.	0 22467E-06 1. 3541E-08 2. 8055E-07 3. 60355766 8. 94355796 3.	6555E-07 3 1907E-07 3 11934E-08 1. 77907E-09 8. 00120448 2. 33634E-09 6.	6259E-07 3. 2227E-05 8. 60473E-08 5. 2152E-07 1. 7542E-09 3	42197262 0.	7588E-07 2 22046622 (111478159 0. 10035332 0. 8639E-09 1.	22/1E-0/ 3- 25829036 0. 66152938 0. 11293853 0. 06130972 0.	0 122491979 0. 103618486 0. 172210931 0. 122491979 0. 119323395 0.	01877608 0. 889689409 0 882225-09 8. 31336837 0. 34045-08 2. 47610364 0.	122491979 0. 192753715 0. 198075435 0. 154867912 0. 14899E-06 1. 122491979 0. 77162E-09 8 774997178 0.	17991936 0 12240999 0 12240999 0 122409999 0 122409999 0 122409999 0 122406999 0 122421999 0 122421999 0 122421999 0 122421999 0 12242192 0 12242192 0 12252992 0
Score 3.486 5.34891E-07 3.486 1.5.3.48E-08 2.215 0.135017414 0.093 8.4117E-09 5.473 0.00173.434 0.001		3-02012-07 241 1791318-06 1.16 7.231668-07 1.51 7.25118-09 4.71 5.500678-09 3.57 0.000185103 0.00 4.051788-09 2.63 2.669738-07 1.73			0.174682773 0.12 0.608951057 0.51 0.128541763 0.11			0.147458314 0.10 0.130712253 0.08 5.66842E-09 3.68 0.426699897 0.33 1.7429E-08 1.13 0.208352556 0.14 0.607308657 0.10	0.417023435 0.31 0.595763641 0. 0.155887978 0.31 0.0815852 0.02 6.83762E-06 4.4 0.417023435 0.31 6.67441145 0.41 0.002277015 0.01	0.4579965189 0.4 0.457966189 0.4 0.45796189 0.4 0.45
EVENTI DAMCOST 24 64361 24 101089 24 24688 24 274608 24 5879892 24 5879892 24 5879892 24 58049	96492 28527 56394 140418 27301 30204	25402 77595 55292 47618 16767 128491 14232 56755	55600 115304 35863 67156 10000	811211	472200 472200 6551892 404698 23929	187237 171623 412461 379377	922704 1156512 198221 922704 1971318	349382 244479 17026 932653 27660 581216	922704 5879892 392231 195317 922704 16987 4778060 156037	9403842 940304 131045004 131045001 13104006 1104025 133061
EVENT1 22 22 22 22 22 22 22 22 22 22 22 22 22	* * * * * * * *	****	ដ្ឋានស្ត	8 28	ងនិងនិង	* * * * *	88888	* * * * * * *		

Sente 0.00145 0.00145 0.0013 0.0037 0.00327 0.00327 0.00383 0.0083 0.0083 0.0083 0.0083	0,00234 0,00238 0,00338 0,00338 0,00121 0,00019 0,00137 0,00036 0,0036	0.0017 0.00844 0.0088 0.001 1.1E-07 3.5E-10 0 0 0.13811 0	0 0.00054 0.03002 0.032821 0.03848 0.00058 0.00028 0.01593 0.01593 0.03327	0.1813 0.2678 0.2678 0.1390 0.1368 0.1368 0.00415 0.00415 0.00107 0.00107 0.00107 0.1358 0.1358 0.1358	0.11388 0.00338 0.00338 0.01319 0.24171 0.24177 0.2427 0.2028 0.2
Utility Score 0.0234580 0.00145317 0.0187500 0.0010554 0.0010524 0.00101348 0.00105561 0.209625 0.011956785 0.209625 0.01195675 0.00001448 0.00195675	0.004.20 0.000.20 0.000.20 0.000.20 0.000.20 0.000.20 0.000.20 0.000.27 0.0	1002/24 UNIDERS 1 UNIDERS 1 UNIDERS 2 UNIDERS	0 0 0.0015625 0.00056731 0.00056731 0.00056731 0.00056731 0.00056731 0.00056737 0.00057265 0.0005726 0.0005726 0.0005726 0.0005726 0.0005726 0.0005726 0.0005726 0.0005726 0.0005726 0.0005726 0.0005726 0.0005726 0.0005726 0.0005726 0.0005726 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
l		0.012/34/5 0.0 0.03125 0.0 0.014997062 0.0 0 0.016171875 0.0 0 0	0.00890625 0.0 0.015625 0.0 0.097201445 0.2 0.097201455 0.0 0.01585695 0.1 0.023815635 0.0 0.023815635 0.0		0.05420357 04.00000000000000000000000000000000000
300 300 600 240 283 0 172 1890	530 109 109 109 109 109 109 109 109 109 10	2022	1114 200 0 4000 104 58 1377 301 1000 1262	1625 1625 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6.5 6.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.062 0 0.062 0.062 0.062 0.062 0.062 0 0 0 0.062 0.062	0.062 0.062
Score o o o o o o o o o o o o o o o o o o		× 0	00-000000		
LOSS 0 0 0 0 0 0 0 0 0		000000 7 0	00-000000		
2 2	s %		85	25 25 25 25 25 25 25 25 25 25 25 25 25 2	2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5
Score 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			8		100 000 000 000 000 000 000 000 000 000
C. Score	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0.083333 0.083333 0.00 0.00 0.00 0.00 0.	0.08333 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.0003333 0.000333 0.00033 0.00033 0.000333 0.000333 0.000333 0.000333 0.000333 0.000333
HYSP	N w		-	н н нн н n N	
800000000			0.00325 0.00325 0.00325 0 0 0 0 0 0		0.00325 0.00375 0.00975 0.00975 0.00975 0.00975 0.00325 0.00325 0.00325 0.00325 0.00325 0.00325 0.00325 0.00325 0.00325
Sc. 0		0000000 0 0	0 0.083333 0.083333 0.083333 0.0 0 0	0.083333 0.00 0.025 0.083333 0.166667 0.25 0.025 0.0293333	0.083333 0.023 0.25 0.25 0.25 0.25 0.25 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333
] olspi				- 6 - 12 6 6 -	66 6466
Score 0 0 0 0 0 0 0 0	0.00975 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0.039	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	25	0.166667 0.166667 0 0 0 0	00-000000	0.55 0 0 0 0.083333 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 1 1 1 1 1 1 1 1 0 0 0 0 0 0 0 0 0 0
FLSPL.	m m 7	4	NA	4 H H W W	ਲ ਲ ल ल राज का राज का राज का
Score 0 0 0 0 0		0000000 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0.0021875 0 0 0 0 0.01828867 0 0.0180765 0 0.0180788433 0 0.0193448 0.00015625 0.00046875	0.000109375 0.00010382 0.00016331 0.00016331 0.000152871 0.000182871 0.00021875
*************				0.0625 0 0.521961933 (0.516471449 0.516471449 0.510980966 (0.51098096 (0.5109809 (0.5109809 (0.5109809 (0.5109809 (0.5109809 (0.510980	
S 153			e	0.52 0.51 0.51 0.51 0.55 0.00	0.26
DAYRE	00000000000	999999 P P	0 0 0 0 0 0 0 0 0 0	11 100 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2400
Score				0.00028639 0.0002106509 0.00126569 0.001038171 0.001038171 0.001038171	0.00674461 0.00674461 0.00674461 0.00674461 0.0067461 0.0067461 0.0067461 0.0067461 0.0067461 0.0067461 0.0067461 0.0067461
				-46035836 -47388383 -473883803 -0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.37.4700KS69 0.27.4700KS69 0.27.4700KS69 0.000C24989 0.7720FL989 0.000C24989 0.000C24989 0.000C24989 0.000C24989 0.000C24989 0.000C2499 0.000C2499 0.000C2499 0.000C2499
DAYLOST 0 0 0 0 0 0 0 0 0	• • • • • • • • • • • •			21 0 0 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	117 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
_				(6218 (6218 (4615 (4231	2692 22885 4231 4744
	• • • • • • • • • • •			59 0,00034 0 0 0 0 0 0 0 15 0,0048 31 0,0044 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	92 0.0028 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
55 6 0 0 0 0 0 0				0.08173071 0 0.23100422: 0.0.1153846; 0 0.1153846; 0 0 0.0.10576922; 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.067307692 0.0022692 0.0072115385 0.00302883 0.072115385 0.00302883 0.072115385 0.00302883 0.072115385 0.00302883 0.072115385 0.00302883 0.072115385 0.00444231 0.00000000000000000000000000000000000
DAYHOSP 0 0 0 0 0 0 0					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

e constant and a cons	0.00010	
aoog		
TTAL DISABILITY		
Score PAS		
Seere 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
FAL. DISABILITY 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		••••••
Score 1018 0.138 0.138 0.138 0.138 0.138 0.138 0.136 0	0.000 0.000	0.176 0.176 0.198 0.187 0.198 0.198
0.53125 0.53125 0.5325 0.5325 0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.	6.650135 6.6	0.5625 0.5625 0.5625 0.56215 0.56215 0.56215
1701FII		
Score 0.02776507 0.028716507 0.028716507 0.00166033 2.5569E.08 0.00166033 0.00166033 0.0016009 0	1.5309E-64 1.03010939 1.50110939	2.814PE-07 0.000189418 0.0027894177 0.002785973 0.0027897667 0.0027897667 0.0027897667 0.0027897667 0.0027897667 0.0027897667 0.0027897667
Utility 0.5907462 0.61524838 0.03351737 5.39762-07 0.090958-07 0.690958-07 0.60094387 0.000437 0.000437 0.	2.3868E-04 0.53087A-0 0.540887A-0 0.540887A-0 0.540887A-0 0.54087A-0 0.54088A-0 0.0088A-0 0.008	5.5989 E.not 0.040301068 0.530673877 0.05907462 0.05907463 0.05907474 0.6153438 0.05907463 0.05907474 0.05907474 0.05907474 0.05907474 0.05907474 0.05907474 0.05907474 0.05907474 0.059074 0.05
Scart 0.80816.5972 0.82255373.4 0.129.40779 2.31779.E-0.6 0.887772 0.0000 0.00000000000000000000000000	0.000000000000000000000000000000000000	2.5c(18E.05) 0.144127338 0.770298475 0.808165972 0.070598475 0.070598475 0.070598475 0.070598475 0.070598475 0.070598475 0.070598475
		2.2. 0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0
INJCOST 2200000 2470000 0 295544 1398 0 0 2289 2402520 0 0 0 0 0 0 0 0 0 3405000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	47517 11770000 11770000 11770000 11770000 11770000 11770000 11770000 11770000 11770000 11770000 11770000 11770000 11770000 11770000 11770000 11770000 11770000 11770000 117700000 117700000 117700000 117700000 117700000 117700000 117700000 117700000 117700000 117700000 117700000 117700000	
Seure INACOST 0.200000 0.00000000000000000000000000	4753. 4753.	
	4753. 4753.	### Company
Utility Score Communication Communicat	14.00002499 (14.1478) 14.00002499 (14.1478) 14.00002499 (14.1478) 14.00002499 (14.1478) 14.00002499 (14.1478) 14.00002499 (14.1478) 14.00002499 (14.1478) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14.0000249 (14.1488) 14	### Company
DAMKONT Seer Utility Uti	Comparison Com	3357735 (ACCOUNTY OF ACCOUNTY

Seare 0.25767 0.2384 0.25714 0.2384 0.20718	0.00012 0.02089 0.02209 0.02183 0.02183 0.0217 0.0217 0.0217 0.0277	0.00466 0.00408 0.00032 0.00033 0.00033 0.00035 0.0026 0.0028 0.0026 0.0028 0.0026 0.0026 0.0026 0.0026 0.0026 0.0026	0.01048 1.95-05 0.00048 4.95-06 0.00056 0.000959 0.000958 0.000958 0.000034 0.00034 0.00034 0.00034 0.00034 0.00034
10/10/10/10/10/10/10/10/10/10/10/10/10/1	2169976 0.001921 0.001924 0.001921 0.001924 0.001921 0.001924 0.001921 0.001924 0.001921 0.001924 0.001921 0.001924 0.001921 0.001924 0.001921 0.001924 0.001921 0.001924 0.001921	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	03125 1.93762-468 03125 1.93762-468 03128 1.93762-468 03128 1.93762-468 03128 0.00046329 03128 0.0004934 03138 0.0004934 03138 0.0009340 03138 0.0009340 03138 0.0003340 03296 0.0003340 03296 0.0003340
0.001296875 0.0051296875 0.005129787 0.005129787 0.005129787 0.005129284 0.005129284 0.005129284 0.005129284 0.005129284 0.005129284 0.005129284	0.000355115 (0.00012) (0.0	4,071412801 4,00625 4,0498175 4,049818181 4,049818181 4,049818181 4,049818181 4,0498182 4,0498182 4,0498182 4,0498182 4,0498182	0.06421824 0.06 0.00078125 0.00 0.00078125 0.00 0.00067875 0.00 0.019956683 0.13 0.019956682 0.13 0.0199575 0.00 0.01999575 0.00 0.01999575 0.00 0.01999575 0.00 0.01999575 0.00 0.01999575 0.00 0.01999575 0.00 0.00099975 0.00
Secret NIRRI	0 2380 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.02 0.00 0.00		750 750 750 750 750 750 750 750
	6666666 6666 666 6	0-0-0000-000	0 0 0 0 0 0 0 0 0 0 0 0 0
00TO	00	0-0-0000-000-0	00000000000000
Score 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.00325 0.00332 0.00325 0.00325 0.00375 0.00375 0.00375 0.00775 0.00775 0.00775 0.00775 0.00775	0.00325
PL Score 0.0833333 0.0823333 0.082333 0.082333 0.082333	0 0.1666677 0 0 0 0 0.0083333 0.0083333 0.0083333 0.0083333 0.0083333 0.0083333 0.0083333 0.0083333	0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333	6,0853333 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
8 Seorge [HVS] 1 1 1 1 1 1 1 1 1	0.00735 1 1 0.00737 2 1 0.00737 2 1 0.00737 2 1 0.00732 1 0.00732 1 1 0.00732	100325 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1,00325 0 0 0 0 0 0 0 0 0 0 0
Score 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0.0833333
75 - 01.SPL 15 15 15 15 15 15 15 15 15 15 15 15 15	3 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	199 1 199 1 199 2 1	-
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	_	
3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	જ જ જ ન જ જ ન	מא מא מא	r.
Secret 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		323 0.0026451. 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
ST Score 0.045766129 0.161290323 0.161290323 0.1043871 0.1043871 0.1043871	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.1612903	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PAYRE 10 DAVER 10 10 10 10 10 10 10 10 10 10 10 10 10	1641 183 1641 184 18401	15.07 21	1013
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
15	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Score DAN 0 0 000096154 0.00032885 0.001907051 0.001907051 0.000328852 0.000328757 0.000328757 0.000328757 0.000328757	0.000000000000000000000000000000000000		
Secret 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.0057377622 01 0.143695581 04 0.143695581 04 0.173695581 04 0.013535841 04		000000000000000
DAVIDOSE 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			0000000000000000

Score	0		0	0	0	•	0	•		•	•	• •	• •		. =	-	-	0	0	•	0	•			= 0		•	.	•	•	•	¢	0	2 6	• •	•	•	•	•		•		0	•		: 0		-	•	-	-	•	•	=	•	•	•		0	. =				. =	-	_		0		0	0	•	-	-				-	0 0	econo.		0	9		0
Score	0 6	. 6	0	0	0	0	0	0 1	= -	0	-	• •						0	0	0	0	•	•				•	0	•	-	•	•	0		•	•	0	•	•				0	•				•	0	•	0	۰	0	0	•				0	. =	•				-	-	•	•		0	o	٥						9	0 .	670 0		0		0	0
RTIAL DISABILITY	0	• •	0	0	Ф	¢	c	0	•	•					. =				•	0	0	•	•	• •	•	.		•	•	•	•	¢	e		•	۰	•	0	-				0	0			•	•	•	•	0	•	•	•					۰					. =			•	0		0	0	0						•				0			•
Score PA	0 (0	0	0	0	0	0	0	0								•	0	0	0	0	0	٥ (0 (o (0	0 (0	0	0	0			0	0	0	-			> •	0	0			>	•	0	0	0	0	0	0	0				0								•	0		0	0	0					.	0	0 (5 6	•	0	. 0	. 0	0
Score	0 (0	0	0	0	0	0	0	0	0			•				0	0	0	0	Φ 1	0	P	0 (0	0 4	•	0	0	0	0		-	0	0	0	-			•	0	0		•	>	•	0	0	0	0	0	c	0				0		• •							0		0	0	0						0	0 (,	0	. 0	0	0
DTAL DISABILITY	0 (• •	Ф	0	0	0	0	0	0	0			5 6					•	0	0	0	0	0	0 (0	۰ ۰		0	0	0	0		> <	0	0	0	~		• •	- <	0	0					0	0	0	0	0	0	•				c			•		, -				0		o	0	0						0	•	5 C	•	0		. 0	0
Score																																																																						0	0	0			•	• •		•	0		•	0.22	•	. 0	•
																													_																																																								
T. Score	0 1	• •	٥	•	0	0	٥	•	•	•	•	•		•	•	-	•	•	0.5	0	0	•	•			-	-	= ;	¥ •	•	0	0	0		•	•	0	0	•				•	•		•		•	•	0	0	0	•	0	•				-			•	•					•		•	c	0	•	•	•	•	•	0	•		•	0.625	0	0	
TOTFTL Score	0	• •		•	0	0	0		•	•	-	•						•	-	0	0	•	•				0	۰,		=	•	0	0			•	0	٥	•				c	0			•	•	0	0	0	0	0	0	-				•									•		0	0 0 4	0						0	0	-	•	v			0
Score TOTFIL Score	0	• •		•	0	0	0		•	•	-	•						•	-	0	0	c	•				0	۰,		=	•	0	e			•	0	٥	•				c	0			•	•	0	0	0	0	0	0	-				•						-			•		0 0	5.3265E-07 0 0	0 0						0 0	0 0	0.00162331	,	v			0
Utility Score TOTFTL Score	0	• •		•	0	0	0		0	•	-	•						•	-	0	0	c	•				0	۰,		=	•	0	e			•	0	٥	•				c	0			•	•	0	0	0	0	0	0	-				•									•		0 0 0	.1333E-05 5.3265E-07 0 0	0 0 0						0 0 0	0 0 0	777 0.00		756 0,03134466 5	0		0
Score Utility Score TOTFTL Score	0 0	0 0	0 0	0 0	0 0 0	0 0	0 0 0	0 0	0 0	0 0	0 0			0 60-38988 20-31981	0 0 0 0			0 0	0,49941949 0.02347272 1	0 0	0 0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0 0	0.0403/962 0.00189/84 1	0 0	0 0	0 0	0 0			0 0	0 0	0 0					0 0	0 0					0 0	1.1176E-05 5.2526E-07 0	0 0	4.5149E-08 2.122E-09 0	0 0	0 0				c	0								0 0	0 0			558E-05 1,1333E-05 5,3265E-07 0 0	0 0 0						0 0 0 0	0 0 0 0	0.03454272 0.000		0.66690756 0.03134466 5	0 0		1.2239E-06 5.7525E-08 0
Score	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0	0 0 0	0 0 0	0 0 0	0 0 0			0 00-389619 20-31961 20-316168 5	o constant to the contract of			0 0 0	0,749599683 0,49941949 0.02347272 1	0 0 0	0 0 0	0 0 0	0 0 0			9 0 0		0 0 0 0	0.144362278 0.04037962 0.00189784 1	0 0	0 0 0	0 0 0				8 0 0 0	0 0 0	0 0 0				0 0 0	0 0	0 0					0 0 0	4.78837E-05 1.1176E-05 5.2526E-07 0	0 0 0	1.93458E-07 4.5149E-08 2.122E-09 0	0 0 0	0 0 0		, ,		0 0	0 0 0								0 0	0 0 0 0		0	4.8558E-05	0					₽ '	0	0	0.126382559 0.03454272 0.001		0.851328628 0.66690756 0.03134466 5	0 0 0		5,24438E-06 1,2239E-06 5,7525E-08 0
Score	0 0		0 0 0	0 0 0	0 0 0	0 0 0 0 0 8	0 0 0 0 0	0 0 0 0 0		0 0 0 0 0 0				0 0 00 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				0 0 0	0,749599683 0,49941949 0.02347272 1	0 0 0	0 0 0	0 0 0	0 0 0				0 0 0	0 0 0 0 0	461800 0.144362278 0.04037962 0.00189784 1		0 0 0 0 0	8 0 0 0 0	0 0 0			8 0 0 0 0	0 0 0	0 0 0					0 0 0	0 0 0 0					0 0 0 0	19572 4.78837E-05 1.1176E-05 5.2526E-07 0	0 0 0 0	120 1.93458E-07 4.5149E-08 2.122E-09 0	9 0 0 0 0	0 0 0 0				0 0	0 0 0								0 0 0	0 0 0 0		0	19762 4.8558E-05	0					₽ '	0	0	0.126382559 0.03454272 0.001		0.851328628 0.66690756 0.03134466 5	0 0 0		5,24438E-06 1,2239E-06 5,7525E-08 0
Score INJCOST Score	1,022E-06 0 0 0 0 0 0	2.445E-09 0 0 0 0 0	1,3758E-07 0 0 0 0 0	7,7377E-19 0 0 0 0 0 0	3.7456E-08 0 0 0 0 0 0	6.1064E-08 0 0 0 0 0	7.2871E-10 0 0 0 0 0	2,0835E-09 0 0 0 0 0 0 0	2.5423E-07 0 0 0 0 0 0	4.8311E-10 0 0 0 0 0	4.0789E-10 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 00-38565 70-31561 70-31665 9 0 0 0000700000	19042E-08 0 0 0 0 0 0 0 0 0	301198-06 0 0 0 0	0 0 0 0 0 0 20-31787	0.06836816 0 0 0 0 0	0.14196816 1100932 0.749599683 0.49941949 0.02347272 1	2.0076E-08 0 0 0 0 0	6.9739E-10 0 0 0 0 0	\$5063E-09 0 0 0 0 0 0	0.00849822 0 0 0 0 0 0	2,23678,47 0 0 0 0 0 0	U.03772572 0 0 0 0 0 0	×318E-10 0 0 0 0 0 0	3.3801E-09 0 0 0 0 0 0	5.6902E-09 0 0 0 0 0 0	U.156856/5 461800 U.1443622/8 U.0403/962 U.0189/84 1	3.6474E-06 0 0 0 0 0	1.5888E-08 0 0 0 0 0	3.482E-10 0 0 0 0 0	13021F_09 0 0 0 0 0	a contract	3.009E-09 U U U U	6.7746E-09 0 0 0 0 8	7.6475E-07 0 0 0 0 0	2.0128E-09 0 0 0 0 0	a a a a a a a a a a a a a a a a a a a	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	of the second of	2.7301E-09 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3.482E-10 0 0 0 0 0	2.0633E-19 0 0 0 0 0	0 0 0 0 0	n o o o o common	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 8616/1700	1.6555E-09 0 0 0 0 0	1.713E-10 19572 4.78837E-05 1.1176E-05 5.2526E-07 0	4.8042E-09 0 0 0 0 0	0.09652619 120 1.93458E-07 4.5149E-08 2.122E-09 0	6.0794E-10 0 0 0 0 0	3.482E-10 0 0 0 0 0	9.2063E-09 0 0 0 0 0	5.595F_10 0 0 0 0 0	3.4875-10 0 0 0 0 0	0 0	0 0 0								0 0	0 0 0 0		0	19762 4.8558E-05	0					₽ '	0	0	0.126382559 0.03454272 0.001		0.851328628 0.66690756 0.03134466 5	0 0 0		5,24438E-06 1,2239E-06 5,7525E-08 0
Score INJCOST Score	1,022E-06 0 0 0 0 0 0	2.445E-09 0 0 0 0 0	1,3758E-07 0 0 0 0 0	7,7377E-19 0 0 0 0 0 0	3.7456E-08 0 0 0 0 0 0	6.1064E-08 0 0 0 0 0	7.2871E-10 0 0 0 0 0	2,0835E-09 0 0 0 0 0 0 0	2.5423E-07 0 0 0 0 0 0	4.8311E-10 0 0 0 0 0	4.0789E-10 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 00-38565 70-31561 70-31665 9 0 0 0000700000	19042E-08 0 0 0 0 0 0 0 0 0	301198-06 0 0 0 0	0 0 0 0 0 0 20-31787	0.06836816 0 0 0 0 0	0.14196816 1100932 0.749599683 0.49941949 0.02347272 1	2.0076E-08 0 0 0 0 0	6.9739E-10 0 0 0 0 0	\$5063E-09 0 0 0 0 0 0	0.00849822 0 0 0 0 0 0	2,23678,47 0 0 0 0 0 0	U.03772572 0 0 0 0 0 0	×318E-10 0 0 0 0 0 0	3.3801E-09 0 0 0 0 0 0	5.6902E-09 0 0 0 0 0 0	U.156856/5 461800 U.1443622/8 U.0403/962 U.0189/84 1	3.6474E-06 0 0 0 0 0	1.5888E-08 0 0 0 0 0	3.482E-10 0 0 0 0 0	13021F_09 0 0 0 0 0	a contract	3.009E-09 U U U U	6.7746E-09 0 0 0 0 8	7.6475E-07 0 0 0 0 0	2.0128E-09 0 0 0 0 0	a a a a a a a a a a a a a a a a a a a	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	of the second of	2.7301E-09 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3.482E-10 0 0 0 0 0	2.0633E-19 0 0 0 0 0	0 0 0 0 0	n o o o o common	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 8616/1700	1.6555E-09 0 0 0 0 0	1.713E-10 19572 4.78837E-05 1.1176E-05 5.2526E-07 0	4.8042E-09 0 0 0 0 0	0.09652619 120 1.93458E-07 4.5149E-08 2.122E-09 0	6.0794E-10 0 0 0 0 0	3.482E-10 0 0 0 0 0	9.2063E-09 0 0 0 0 0	5.595F-10 0 0 0 0 0	3.4875-10 0 0 0 0 0	0 0	44318E-10 0 0 0 0 0 0	23220 2020 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 0 0 0 0 0 0 00.386256 10.366256	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 9032022 30 30 70 70 70 70 70 70 70 70 70 70 70 70 70	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 001901000 S196FFF	88F-08 2.6642E-09 0 0 0 0 0 0	0 0	789 0.13943866 0 0	1.6525E-09 19762 4.8558E-05	ok 1.9241E-06 0 0	325 0 09581059 0	0 11958F.07 0	0 0 00000000	0 000000000	871 u.ou/39055 u	7.06 2.1529E-06 0 0	2.06 2.8717E-07 0 0	121 U.1429608 234/80 U.126382559 U.034542/2 U.0U	0 0 0075/0075 877	0.13829929 3010000 0.851328628 0.66690756 0.03134466 5	1389018 0.09873981 0 0 0 0 0 0	77F-07 S.1584E-08 0 0 0 0 0	429H01 0.13910524 3064 5.24438E-06 1.2239E-06 5.7525E-08 0
Ufflity Score INJCOST Score	0 0 0	8.39/28E-0/ 1.9618E-0/ 1.9618E-0/ 1.9618E-0/ 0 0 0 0 0 0 0	\$382961E_07 1.3758E_07 0 0 0 0 0	3.2787E-09 7.7377E-10 0 0 0 0 0 0	1.58713E-07 3.7456E-08 0 0 0 0 0	2.58746E-07 6.1064E-08 0 0 0 0 0	3,08776E-09 7,2871E-10 0 0 0 0 0	8.82829E-09 2.0835E-09 0 0 0 0 0 0	1.07724E-06 2.5423E-07 0 0 0 0 0 0	2.04708E-09 4.8311E-10 0 0 0 0 0	1.72835E-09 4.0789E-10 0 0 0 0 0	9.0286E-09 2.151E-09 0 0 0 0 0 0	3.18899E-19 1.3ZeE-10 0 0 0 0 0 0 0 0	O CONTRACTO CONTRACTOR OF CONTRACTOR ASSOCIATION OF CONTRACTOR OF CONTRA	CONSTRUCTION OF THE PARTY OF TH	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 2737777 2737770	0.2896955594 0.06836816 0 0 0 0 0 0	0.601560619 0.14196816 1100932 0.749599683 0.49941949 0.02347272 1	8.50694E-08 2.0076E-08 0 0 0 0 0	2.95503E-09 6.9739E-10 0 0 0 0 0	2,33319E-08 5,5063E-09 0 0 0 0 0	0.036009409 0.00849822 0 0 0 0 0 0	9,4773E-07 2,2367E-07 0 0 0 0 0 0	0.159854756 0.0372572 0 0 0 0 0 0 0	2.25078E-09 5.3118E-10 0 0 0 0 0 0 0	1.43225E.08 3.3801E.09 0 0 0 0 0 0	2.41109E-08 5.690ZE-09 0 0 0 0 0 0	0.664647236 0.15085675 401800 0.144362278 0.04037952 0.00189784 1	1.54552E-05 3.6474E-06 0 0 0 0 0 0	6.73208E-08 1.5888E-08 0 0 0 0 0	1.47542E-09 3.482E-10 0 0 0 0 0	K K K K K K K K K K K K K K K K K K K	a construct to the cons	1.52924E-08 3.009E-09 0 0 0 0 0	2.8706E-08 6.7746E-09 0 0 0 0 0	3.24045E-06 7.6475E-07 0 0 0 0 0	8.52875F-09 2.0128E-09 0 0 0 0 0 0	DAMPA COLOR 1 1131E-INC O O O O O D	O O O O O O O DIAMENTO CONTINUONO	a o o o o o o o o o o o o o o o o o o o	1.15683E-08 2.7501E-09 0 0 0 0 0	1.47542E-09 3.482E-10 0 0 0 0 0 0	8727775-19 2.06335-19 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	a company to the company of the comp	7.97815E-US 1.002-0-UO	0.092169417 0.021/5198 0 0 0 0 0	7.01463E-09 1.6555E-09 0 0 0 0 0 0	7.25848E-10 1.713E-10 19572 4.78837E-05 1.1176E-05 5.2526E-07 0	2.03566E-08 4.8042E-09 0 0 0 0 0 0	0.4512E-09 120 123458E-07 4.5149E-08 2.122E-09 0	2.57601F-(19 6.0794E-10 0 0 0 0 0 0	1.47542F-09 3.482E-10 0 0 0 0 0 0	3 GWISKE OR 92063E-09 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.17662-09 3.4878-10 0 0 0 0 0 0	0 0	18355E-09 43318E-10 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.501212102 0.001212102 0.001212102 0.0012121020 0.001212121020 0.00121020 0.00121020 0.00121020 0.0012100 0.0012100 0.0012100 0.0012100 0.0012100 0.0012100 0.0012100 0.0012100 0.0012100 0.0012100 0.0012100 0.0012100 0.0012100 0.0012100 0.001212100 0.001	TOSOLEGO O CONTROL O O O O O O O O O O O O O O O O O O	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.03004-22-2 4.7498F.N5	0 0 0 0 0 50-45450 an outside t	0 0 0 0 0 0 307,390,1 0 300,000	0 0 0	1.12888E-08 2.6642E-09 0 0 0 0 0 0	0 0	0.590841789 0.13943866 0 0	7.00224F-09 1.6525E-09 19762 4.8558E-05	8.15799F.06 1.9241E-06 0 0	0 00187500 0000000000000000000000000000000000	1 198860	1.3341/E-16 3:1336/-01	3.00531E-0/ 0.007300EF	0.031315871 u.ou/39055 U	9.12243E-06 2.1529E-06 0 0	1,21681E-06 2,8717E-07 0 0	0.126382559 0.03454272 0.001	O CONTRACTOR STREET	0.851328628 0.66690756 0.03134466 5	0.418389018 0.09873981 0 0 0 0 0		0.589429H01 0.13910524 3064 5.24438E-06 1.2239E-06 5.7525E-08 0
DAMCOST Score Utility Score INJCOST Score	4,33058E.06 1,022E.06 0 0 0 0 0	26749 159194F-08 10358F-08 24445F-09 0 0 0 0 0 0	70000 8,95952E-07 5,82961E-07 1,3758E-07 0 0 0 0 0	16021 \$.03902E_09 3.2787E_09 7.7377E_10 0 0 0 0 0 0	55770 2,43927E-07 1,58713E-07 3,7456E-08 0 0 0 0 0 0	61108 3.97667E-07 2.58746E-07 6.1064E-08 0 0 0 0 0	15519 4,7455TE-49 3.08776E-09 7.2871E-10 0 0 0 0 0 0 0	25160 1,35682E-08 8,82829E-09 2,0835E-09 0 0 0 0 0	76731 1,65561E-06 1,07724E-06 2,5423E-07 0 0 0 0 0 0	12287 3.14616E-09 2.04708E-09 4.8311E-10 0 0 0 0 0	11071 2.6563E-09 1.7285E-09 40'89E-10 0 0 0 0	2.506.2 1.38786-09 4.10186-09 4.1018	15788 4.49(15E-49 3.1889)E-10 U U U U U	145705 UMIJULA COMMONDATOR DITENTATORE OF CONTRACTOR AND CONTRACTOR OF C	LIART TOTALE STATEMENT 10.1111/18. O COLUMN	199176 OMMINGSTR OMMINGSTR 1819E-06 0 0 0 0 0 0	STRIP STREET OF	883327 0.381478223 0.289695594 0.06836816 0 0 0 0 0 0 0	10730030 0.690943385 0.601560019 0.14196816 1100932 0.749599683 0.49941949 0.02347272 1	48984 1.30743E-07 8.50694E-08 2.0076E-08 0 0 0 0 0 0	15156 4.54158E-09 2.95503E-09 6.9739E-10 0 0 0 0 0 0	35115 3.58587E-08 2.3319E-08 5.5053E-09 0 0 0 0 0	190817 0.054144427 0.036009409 0.00849822 0 0 0 0 0 0	75327 1.4563E-06 9.47773E-07 2.357E-07 0 0 0 0	622607 0.224161637 0.159854756 0.0000 0 0 0	12999 3.45922E-09 2.25078E-09 5.318E-10 0 0 0 0	30037 2.20122E-08 1.4325E-08 3.3801E-09 0 0 0 0 0	35461 3,7056E-08 2,41109E-08 5,890E-09 0 0 0	13500000 0.74530164 0.66464726 0.1555675 401800 0.144562278 0.0403/962 0.00189/84 1	105956 2,37528E-05 1,54552E-05 3,6474E-06 0 0 0 0 0 0	46449 1.03465E-07 6.73208E-08 1.5888E-08 0 0 0 0 0	10000 2.26758E-09 1.47542E-09 3.482E-10 0 0 0 0 0 0	20647 8 47986F A K 41741E A 13021E A 0 0 0 0 0 0 0 0	TO THE PROPERTY OF THE PROPERT	34/11 2,35029E-08 1,52924E-18 5,6024E-09 0 0 0	37346 4,41182E-08 2,8706E-08 6,7746E-09 0 0 0 0 0 0	88812 4,98024E-06 3,24045E-06 7,6475E-07 0 0 0 0 0	24820 1.31078F-08 8.52875E-09 2.0128E-09 0 0 0 0 0 0	120 to 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	U U U U U U U U U U ANTENNO CONTROLO CANONI CANONI	The state of the s	7.861 1.77793E-08 1.15683E-08 2.7501E-09 0 0 0 0	10000 2,26758E-09 1,47542E-09 3,482E-10 0 0 0 0 0 0 0	25K4 11313K8F-08 87177F-19 20K33F-19 0 0 0 0 0 0 0 0	AND A COUNTY OF THE COUNTY OF	2 CONTRACTOR TOUCHAST'N 7+198007'N (OC.11)	+8488 1.22616E-U7 7.97815E-U8 1.6526E-U0 U U U	268662 0.134138036 0.092169417 0.02173198 0 0 0 0 0	22919 1.07808E-08 7.01463E-09 1.6555E-09 0 0 0 0 0 0	6026 1.1155GE-09 7.25848E-10 1.713E-10 19572 4.78837E-05 1.1176E-05 5.252GE-07 0	33683 3.12861F.08 2.03566F.08 4.8042E.09 0 0 0 0 0 0	1437384 n suscesses n.	14048 3 95907F-P9 2.57601F-19 6.0794E-10 0 0 0 0 0	10000 224758F-09 1.47542F-09 3.482E-10 0 0 0 0 0 0	44575 4 9043187.78 3 944645.78 9.21638.79 0 0 0 0	1101 1 1446 TO 1717 TO 18 18 18 18 18 18 18 18 18 18 18 18 18	1944 5.0400E.07 2.7.140E.09 3.143E.10 0 0 0 0 0 0	0 0	11195) 2200087.00 1 2255E.00 4.3318E.10 0 0 0 0 0 0	AMARY LEGEORGE OF THE CONTROL OF THE	CANCEL CANCER OF CONTRACTOR CONTR	DATES TERROR TO A CONTRACT TO STATE OF THE CONTRACT OF THE CON	STATES SECTION OF STATES OF SECTION OF SEC	THE PROPERTY OF THE PROPERTY STREET, S	1998 - CONTROL OF TAKEN OF TAKEN OF TAKEN OF THE TAKEN OF	ACCESS OF THE PROPERTY OF THE	168191 11 DESCRIPCE A DESCRIPCIO 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	27614 : 7149RE-IR 1.128RE-IR 2.6642E-09 0 0 0 0 0 0	0 0	0.681466853 0.590841789 0.13943866 0 0	1.07617F-08 7.00224F-09 1.6525E-09 19762 4.8558E-05	1253078-04 8 15298-04 1.9241E-06 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 118860	CONSTRUCTION INCOME. BY CONTRACT OF THE CONTRA	2.004.00.00 3.005.30.00 0.007.00 0.007.00 0.007.	0.047219576 0.031315871 0.0073905S U	1,40202E-05 9,12243E-06 2,1529E-06 0 0	1.87011E-06 1.21681E-06 2.8717E-07 0 0	0.694642534 0.605766121 0.1429608 234780 U.126382559 0.03454712 U.OU.	Charles of the control of the contro	D RT717346K D REGILIA 9CT 0.13829929 3010000 0.851328628 0.6660756 0.03134466 5	0.518115683 0.418389018 0.09873981 0 0 0 0 0 0	3,35931E-07 2,18577E-07 5,1594E-08 0 0 0 0 0 0	0.589429H01 0.13910524 3064 5.24438E-06 1.2239E-06 5.7525E-08 0

Secre C00023 C00024 C00024 C000148 C000148 C000148 C000148 C000148 C000148 C000148 C000149 C000197 C000197 	0.00011 0.00016 0.00016 0.0018 0.74177 0.74177 0.00018 0.00018 0.00029 0.00029 0.00016 4.8E-05	0.40299 0.00014 1.55-10 1.55-10 1.55-10 1.55-10 0.0003 0.00044	0.00053 0.1197 0.00268 3.55.10 3.55.00 3.55.00 3.55.00 0.000324 0.000324 0.000324 0.00034 0.00034 0.00034 0.00034 0.00034 0.00034 0.00034 0.00034 0.00034 0.00034 0.00034	0.23669 0.01497 0.001958 0.000581 0.000843 0.001815 0.001816 0.00094 0.00074 0.00074 0.00078 0.00078 0.00078
1041119 Score 0.126076 0.126077 0.0001200000 0.126077 0.0001200000000000000000000000000000000	88 0.000 28 0.000 117 0.00 117 0.00 25 9.68 61 0.01 61 0.01 61 0.01 61 0.01 61 0.01 61 0.01 61 0.01 61 0.01 61 0.01 61 0.01	0.0015535 9.68792-06 0.0015536 9.68792-06 0.001105 0.0001408 0.001105 0.0001408 0.001015 0.0001408	1339991 000095425 1339991 000095425 1349991 000095425 1349991 000095425 1349991 000095425 1349991 000095425 1349991 000095425 1349991 000095425 1349991 000019545 1349991 000019545 1349991 000019545 1349991 000019545 134991 0000019545 134991 0000019545 134991 0000019545 134991 00000000000000000000000000000000000	12.000.000 10.000.000 10.000.000 10.000.00
Score 0.0046875 [0.0046875 [0.0046875] [0.0046875] [0.00476825] [0.004781				0.00141875 0.001418752 0.001418752 0.0015193818 0.0015193818 0.00196875 0.00196875 0.00196875 0.00196875 0.00196875 0.00196875 0.00196875
MHRS 60 2000 50 50 50 61 61 10 10 10 10 10 10 10 10 10 10 10 10 10	150 1100 870 870 0 0 13 13 12 12 12 13 13 10 10 10 10 10 10 10 10 10 10 10 10 10	0 20 10 10 115 115 115 116 116 116 116 116 116 116	2000 2000 240 0 0 8 8 8 0 0 110 110 110 1110 1110 1	95 95 403 0 48 1068 1960 1960 1960 1990 1990 1990 0 0 0 0 0 0 0 0 0 0 0 0
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	25000		0.062 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Second	.0000-000-000			
OTTOSS	-0000-000-0000			
Score 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.001225	0,000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
HYSPL		-	2	n 3
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0.00325 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		00000	0.00975 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
See 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0.166667	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
OUSPIL	- - -			m v
Serve	3 8,00522		0.000,000	0.039
PI. Sceny	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	H 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
FIS.	"	2368145 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	£	64516 5
Sec. 2000/01/2007		2003 00020	4286 0.0400	0323 0.005
Section 6		207061.	0000 0000 0000 0000 0000 0000 0000 0000	0.16129 0.0000 0.00000 0.00000 0.000000 0.000000
DAYRES	,	Z		070000000000000000000000000000000000000
SS				
	• • • • • • • • • • • • • • •			
DAYLOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.00964744		8886218 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
æ E	07692 0.00	9000 \$\$800		04274 0.06
	0.0673 U	000000000000000000000000000000000000000		0.2116
DAYHOSP 0 0 0 0 0 0 0 0 0 0			\$	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

_	1																																											
200	٠.												= 0										- -												• •		• •		, .	0 0 5				
S.																																								-	•			
20						- 0																													• •				, ,			•		
ď																																								•	•			
	1																																											
À																																												
BIL																																												
VSIC																																												
<u> </u>																																												
PART																																												
_																																												
,																																												
9	0	00	0	0 0	0 0	0 0	0 0	0 0		0	00	0 0	• •		0	0 0	0	0 0	0		0	00	0 0		•	• •	0 0	00	0 0	00				0	•	0 0	00					0	•	
ž																																												
3	0	00	0	00	0 0	00	00	0		9 0	0 0	0 0			0	00	00	00	0 0	9 9 1		0 0	0 0		- 0	00	0 0		• •	00		0 0				0 0			, .			0	•	
È																																												
2																																												
SEC	•	0 0	0	00	00	0 0	0 0	0		0 0	0 0	0 0			0 0	0 0	0 0	0 0	0		0	0 0	0 0		0	0 0	0 0	0 0	00	0 0		0	9 9 9	9 0	0	0 0			, ,	000		0	•	000
147																																												
Ē	2																																											
-]																																					· F		.	20 F			
ŝ	-	• •	•	• •	0 0	• •	0.17	•	• •	• •	0 0					0 0	• •	0 0	0		• •	0 0	0 0		•	• •	• •	0 0	• •			•			•	o 5	- 1	0.18	1 2	62.	0.198 0.187	0	0	
į			_				_ 4												_																	9 125		53125	3 5	525	0.5625		0:	
3	1			-		-	- 0																													Š		9 2	, ,	3 6	5,0			
=	:																																											
1	-	• •	0	0 0	e •	0 0	0 -	0		• •	0 0	0 0				0 0	0 0	0 0				• •	0 0				0 0		0 0	0 5		•	• • •	• •	•	0 6		4 70 15	9 1	n 40 0	e 6 7	•	0	
_]			_																																e r			٥					
ş				76-0			7517	0.6						, , !	9			SE-08																		4E-0	, ,	3446	ł,	1093	0.02701947	0 1.6753E-08		
S	•			<u>, 1</u>		-	,023								-			4.																		5.804	- 8			0.030	0.027	1.67		
				8			23							;	8			6																		9 8		, ,	à	22 8	888	40		
į	-		0 0	0 0	00	0 0	0	0 0		00	0 0	0 0			30	0 0	0 0	500			0 0	0 0	0 0			0 0	00	0 0	0 0	•			000	- 0		35E	0	0	00	4062	0.57488233	0 545E	0 0	000
-	•			9			95.0								2.4			9.4																		2. 6	•	9 6	Š	9.0	20	3.5		
				Ş			372							:	74			ş																		9 6		200	979	920	271	8		
Š	-	0 0	0	9 0	00		9672	0		0	0 0	0 0			6 0	0 0	0 0	236E 0	0		0 0		00			0 0	0 0	0 0	0 0	0 0			000	0	0	5.29171E-06	0 8	0 2	1	6941	1.798574271 1.808165972	1.52736E-0	0	
•	,			435			0.75								9			4.03																		5.29	5		3	0.83	0.80	1.52		
							_																													_			,	۰,	, , ,			
Š	-	0 0	0	8300	0 0	0 0	0	0		0	0 0	0 6			0 0	0 0	0 0	2400	0		0 0		00		0	0 0	00	0 0	0 0	0 0			000	0	0	3090	0	0	-	4000	20200002	932	0	
2	-																																					י א	4	24 .	7 % 73			
,	.12	2552	69	98 198 198	8-8 8-8	8 5	7.295E-10 0.13873693	8.3	9	503	9.5	8 5	3 5	3	E 2	5 5	E-08	893	5.5	925	2 2	8-13 8-13	5.5	8 8	3 2	2 2	9345 E-08	55	8 8	6-10	99	3	9 9 3	\$ 2 3	6	8.4523E-05 8.4523E-05	118	8848	1	9 22 8	\$123 8852	1877	E-09	583
ŝ	i i	0010 1682	1999	968	4587	314	295E	3607	1680	5769	367E	3659E	3336	2396	3306	000Z	5917	4258 1255	5355	100	£ 13	7382	175	2756	18	5968	2129	1874	4313	9277	5968	3486	4597	1937	4.11E	523	1920	1419	0 0	2711	1067	1174	36	8971
	9	6 6	er se	9 E	F 80	~ 0	6 -	- H	:	d d o m	# M	9 6	; + ; ; 0 ∩ ;	າ œi⊪ ໝາ⊢	5 ≠ + 0	ei wi	⊢ ⊗		4	d di a m	e r e r.	40.00				%. +; -, +;	e 9. ±	4 %	. 80	- 60 /	 		00 K)	4 4 6 6	ა. ლ	aciae o o c	. 6	, ,,	, ,	n e c	6 t t	. S.	ით	9 = 8 - 9 = 0
å	4288	8469	95.0	5933	3 5	98	1E-0	2	2 2	8E-0	8E-0	5E.0	7E.0	3 3	3263 8E-0	§ 23	25	5.5	3	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	3 3	5 3	6E-0		32	7E-0	6714 11E-0	100	95.0			96.0	33	25	2 F 2	185	7616	5795	7	8357	3571	1755	98E	12E-0
100	98	7128	.6270	4102	1036	8050	3.091	424	290	225	4754	.9063	8362	8 5	33.45 83.45	200.	.6141	0413	9218	0000	1373	3592	5	3 4 8	.60867E-	1687	1392	73.40	36.4	389	1362	9.951	.042	355	741	5000	317	219	7,02	1864	182	8.497	1459	651
	2		7			9.			~ ~	<u> </u>	~ ~	7 0		m		e -	- 6	90		~ =	7 M	6 ~		10	7 ~	~n só	a. ~	- 6				- m									- 6 2	_	-	
	37649	0.006725355	7E-08	12064	2E-01	4E-07	2E-05	6E-08	1 P	4E-03	2E-03	6E-0.	7E-05	E 25	9636. 9E-09	9894 9E-05	68.0 8.0 8.0 8.0	18.0	3E-05	59568	9E-0:	7E-0:	6. E. E.	186	7E-05	2E-04 5E-03	5959 5E-06	9.38	38.01	1	SE OF SE	1E-0	1.83486E-08 1.6018E-05	2E-0.	75.08 75.08	0.000550317	23.03	0.702164718	9	2.00445E-05 0.596378229	0.552015585	6364)	7E-01	9.67443E-09 0.00170396 2.5378E-08
3	600	78531	375	5098 30591	2524	5069	7507	188	916	4669 1904:	1695 2675	7997	8221	1184	5010. 8201	9014 S1643	5546	2849	9536	77.00	3423	5258	5388	3067	1821	25 g	8984	7388	3211	1627	1961	5295	1.601	38.5	6765	5000	1170	7021	1/6	5963	5520	0.595763641	5424	0.001 0.001 7.537
	E	ê è	4	9 9	7 -	4 5	+ -		- 7.	유를	w 14	-i -i	4 4	ri "	9 4	9 4	-1 1/1	٠ -	- 71	÷ ě	e ii	ei d	, e, _	od i	⊬ ∓	4 2	9 2	ri vi	6, 6	i ud i	- + :	5 4	<u></u> –	ห่ห	ė n	8 8	d d	o o o	5 6	4 9	565	0	4	o "
ŀ.				_			٠								ne.	_											_								_			- 5 "	2			~		
Ş	146869	167924 15539000	2967	6519	1386	9250	5528	8266	2376	3016	3819	2379	86+1	1 5	1493	3966	1758 5851	5279	1825	1919	3559	3360	3173	10,4	1 48	8739 8544	3535	1255	5321	9779	7024	6349	28180	1265	2056	10450	1270	11301843	5/1	1121	3650593 17010160	5879892	1523	21885 152855 31504
2	3 3	135 2	ĕ	51 91 54	w H	en i	=======================================	~	+ + + 1	- 2	es ≓	9 5	4 1	6 14	2 -	# =	w =	46		- =	- હ	- 6	- 1	4 + 3		w +f	# 4		7 4	, 2		7 7	7 2		4 17	4 7	- 67 6	× # \$	2 5	∓ & ∂	, % <u>F</u>	86		- 46
100	8	35 35	36	36	36	% ¥	* *	8	8 8	36	36	36	36	36 38	36	36	36	2 2	36	3.5	36	36	36	8 % 8	36	36	36 36	36	98	38	8 % 8	3 8	36	36	3, 3,	33	3 6	3 13 2	i f	# # F	8 88 88	39	육 :	2 2 2
ā	۵																																											

Score 0.001922 0.001922 0.001922 0.001923 0.26224 0.	0.00777 0.00072 0.00073 0.00074 0.0	0.00669 0.2702 0.2702 0.3459 0.45349 0.45349 0.512 0.0
Utility Seene Observation Observatio	0.0006489 3.00 0.0006489 0.0007890 0.0007890 0.0007890 0.00078130 0.00048419 0.00048419 0.00048419 0.00048419 0.00048419 0.00048419 0.0004829 0.00	
Score 0.01256975 0.001155 0.001155 0.001155 0.001155 0.001156 0.0001156 0.0001156 0.0001156 0.0001156 0.0000106 0.0000106 0.0000106 0.0000106 0.0000106 0.0000106 0.0000106 0.0000106 0.0000006 0.00006 0.00006 0.00006 0.000006 0.0	0.00054677 0.00074155 0.00071155 0.00071155 0.00071151	
MIRIS 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00002 010000000000000000000000000000000	0.0002 0.00002 0.0002 0.0002 0.0002 0.0002 0.0002 0.0002 0.0002 0.0002 0.00002 0.0002 0.0002 0.0002 0.0002 0.0002 0.0002 0.0002 0.0002 0.00002 0.0002
8 0 0 1 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
2 Secret 1071.03	27.20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
3 0.25 (5	2 6 62
	2,500,000,000,000,000,000,000,000,000,00	
_ +	F. S.	લાભમ અભવાલ
Ssort	CKESSASS COORTS	. s £
Score 1,135P	1 0010000073	0.001562255 6.0010000073 6.0010000073 6.0010000073 6.0010000073 6.0010000000000000000000000000000000000
SSCORE 0.3.47731065	7419	2857
Secret DAVR 0.001740477		11912000000
	25.2388825.07	
	000444331	(,00282692 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	0.10376931	
PAYVIOSP	<u> </u>	0000 7 001100

A DO S	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•••••	
Score	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		
LETTAL DISABILITY			
20000 50000			•••••
Second 2. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.			
107AL DISABILITY 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			00000
Skore (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	0,176 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2,19,000	
7T. Score	9 ⁹ c c c c c c c c c c c c c c c c c c c	o g	
Seore TOTFFT TOTF	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.11645.08 1.11646.08	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
UBBRY 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0, 0 0 0 0 0,838E-06 2 3,152E-06 1 0 0 0 0 4,845E-06 2 0 0 0 0 4,845E-06 2 0 0 0 0 4,845E-06 1 3,350E-06 1 0 0 0 4,845E-06 1 0 0,009999534 0 0,009999534 0 0 0,009999534 0 0 0,009999534 0 0,009999534 0 0,009999534 0 0,00999953 0 0,009999953 0 0,00999953 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.1524E-06 5 1.1524E-06 5 1.1524E-06 5 2.2276E-06 1 3.077E-05 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 6.5236E-07 3
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2.50179E-05 0.0040148081 1.34779E-05 0.004077775 0.0040777775 0.0040777775	493796E-06 493796E-06 49006E-05 1.211576E-05 0.00131841 0.00131841 0.00131841 0.00131841 0.00131841 0.00131841 0.00131841	0 0 0 0 0 0 2.7953E-06
INJCOST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 12080 115000 7203 0 0 0 0 0 0 0 0 10397 172156 41491 0	127330 2895 0 0 0 0 13896 6580 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Seere 1.255.02.00 1.255.00	8.8134E-10 1.534E-8 1.534E-8 2.2757E-11 2.9739E-9 0 0.02435646 1.5779E-9 0.02435646 1.5779E-9 0.02435646 1.5779E-9 0.02435646 1.5779E-9 0.02435646 0.0243654	454/Tp.45 100 100 100 100 100 100 100 1	0 0.03080259 2.0803E-09 5.199E-07 0.00012954 1.8115E-09 0.02584015 0.1465742
Utility 3.3.7002E-05 5.3.7002E-05 5.1165956E-06 5.1165956E-06 6.115956E-08 6.115956E-08 6.00088551E-06 6.00088551E-07 6.00119946 6.00088551E-07 6.00119946 6.011973591E-08 6.011973591E-09 6.011973591E-09 6.011973591E-09 6.011973591E-09 6.011973791E-09 6.0	2.3,73.45E-09 5.43.45E-09 5.43.45E-09 5.43.759.7E-08 5.453.7E-08 5.453.7E-08 5.453.7E-08 6.453.7E-08 6	CASORIPATES CASORIPATOR CASORI	0 0.130519451 8.81488E-09 2.20298E-06 0.0005489 7.67592E-09 0.109492166 0.621077139
Scene Scripting of the property of the propert		C-385021. 1.100382.04. 1.10038.04. 1.1003	
DAMCOST 17077 17077 17077 17077 17077 17079 17	13297 0 17134 46000 2023 1018 28128 28128 28128 28128 28129 0 0 0 0 0 0 0 24600 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13377 166 10 10 10 10 10 10 10 10 10 10 10 10 10	512578 25145 84578 145135 23790 401290
	= = = = = = = = = = = = = = = = = = = =		= = = = = = =

Score 8.85-10 13.8-64 13.8-64 13.8-64 13.8-64 13.8-64 13.8-64 13.8-64 13.8-64 13.8-7	14(6.9) 0.029-42 0.0013-45 0.0013-45 0.0013-45 0.0012-45 0.0012-45 0.002-74 0.002-74 0.002-74 0.002-74 0.002-74 0.002-74 0.002-74 0.002-74	0.00573 0.005777 0.00577 0.00577 0.00577 0.00577 0.00577 0.00577 0.00577 0.005777 0.00577 0.00577 0.00577 0.00577 0.00577 0.00577 0.00577 0.00577 0.00577 0.00577 0.00577 0.00577 0.00577 0.00577 0.00577 0.00	0.072189 2.021
Utility Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
95			6875 5625 625 625 625 625 625 635
Seore Millers	• • • • • • • • • • • • • • • • • •		
1071.085 Seer			
Scene Score			
HYSPL 0			
OLSFL Score			
Security			
175		0.038601757 0.02051661 0.57244778 0.02051661 0.01612023 0.0054516 0.01612023 0.0054516 0.0238306452 0.005973 0.03843382 0.01884317	0.538-53382 0.0.1384-517 0 0 0 0.044642857 0.0015623 0.0288306452 0.01090073 0
DAYREST Secretary 1	0 7 0 0 0 0 0 0 0 0 7 0 0 0 0 0 0 0 0 0	2 2 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	150 0.033843382 0.0044642857 0.0044642857 0.0044642857 0.0044642857 0.0044642857 0.0044642857 0.0044642857 0.0044642857
Score Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.000 0.000	0.000 0.000	3.59
PAYLOST	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0 0 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	:2::::::::::::::::::::::::::::::::::::
Seare Seare 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.00017384615 0.00464615 0.00464615 0.00464615 0.00464769 0.004647	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.06/2/07/697 0.002/28/697 0.00
MAYING PART	0 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	0 1 2 2 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	

Score 0	•	0 6				0			c	e (•	0	•	.	0	0	0	0 (0	0	0	0 0				•			0		• •	•	•		0	0	0	0.0035	•		•	•		0	•		•	0.0035	•	•		• •		0		, .	0	0	• •	. 0	D
Score	•			e 6		•	• •		0	0		• •	0	0		0	0	•	c (•	0	0	•				0	0 0	• •	0		0 0	•	Φ.	• •	٠	•	•	0.25	•	• •	•	0		0	•		0	6.25		0	•	- 0	•	0	• •	, 0	0	0	• •	• •	•
PARTIAL DISABILITY 0 0	e	-				•			•		• •		0	0			•	•	• :		•	•	•					•	•		0		• •	0	•		0	•	•	-	•			0	• •	0	0 (0			0	0 0		. 0	0		, ,	0	•	•	, 0	•
Score 0 0	٥	0 0		φ.		0			0				0	0		•	0	0	0 1		0	0	0	0 0				0	0 0		0		• •	•	0		0	0	0	. 0	0 0		0	0		0	0		0	0		0	0 0		0	0	00	, 0	0	0	0 0		0
Score 0 0	0	•			• •	0	9 0	• •	0	0 1	-		0	0		•	0	0	0		. 0	0	0	0 0				0	•		0			0	0 1		0	0	•		•		. 0	0		0	φ (0	0 0		0	0 0	- 0	. 0	0	0 0	, 0	0	0	0 0		0
TOTAL DISABILITY 0 0	0	0 (0	0 4	• •	0	• •		0	0	•	• •	0	0	.	. 0	0	0	0		. 0	0	0	0 0	> 0			0	•		0		• •	o	0	.		0			.	.	. •	0	.	. 0	•		0	•	• •	0	0 (. 0	0	0 0	, 0	. 0	0	0 0		0
0 0	0	0 (•	•	•			0	0			0	0					•		•	•	6	•				0		• •	•			•			•	•	•	0.176	•			•					0	0.176		0	•			0	0 0	, 0	0		0 0		0
Score	0	.	•	Ф 6	• •	•	• •		0	0			0	0			0	0	0	.		0	o	•		• •		0							•		•	0	•	0.5	•			•						5.0		•			•	0	• •	, 0	0	•		• •	•
TOTFTL	0	0 (0 0		•			0	0			0	o	0 0	•	0	0	0			0	0	•		• •							• •	•	•	• •	•	0	•				•	•		•	•		•		• •	•	0			0			0	0		• •	•
Score 0 9.3407E-08	0 0	0	• •	0 0		0	0 0		0	0			0	0	0 0		0	0	0	-		0	0	0 0			0	6.9644E-08	0	0	1.5736E-07	0	0 0	0	0	0 0				2.0358E-06	0	• •		0	0 5	. 0	۰.	- 0	0	7.2821E-05		7.2259E-07	0	.		0	8.7279E-06	, 0	0	0	0 0	0 0	0
Utility 0 1.9874E-06	o o	0	• •	۰ ۰	• •	0	0 0		0	0	0 0		0	0		. 0	0	0	0			0	0	0 0			. 0	1.4818E-06	0	3.49175-06	3.3481E-06	0	0 0		0					4.3314E-05	0		. 0	0	0 0	• •	0		0	0.00154939		1.5374E-05	0	0 0		0	0.0001857	, 0	0	0	0 0	- 0	. 0
Score 0 8,51563E-06	0	0				0	0 0		0	0	0 0			0	.			0	0	• •		0	0	0			,	6.34925E-06	0	1.49614E-U3	1.4346E-05		0 0	. 0	0	0 0		0	e	0.000185554	0	9 6	. 0	0	-	0	0	- 0	0	0.006585831		6.58715E-05	0 (0	0.000794935	, 0	. 0	0	•	- 0	0
INJCOST 0 4800	0	0 (0	,	o	Q (0	0	0 0		0	0	0 0		0	0	0	0 0		o	0	0		0 0	,	3664	٥	706/	7622				0			0	c	43000	0	0 0	. 0	0	0 0	. 0	0	0 0	0	127000	• •	24201	٥.	0 0	0	0	75526	, 0	. 0	0	0 0		. 0
Score 5,1354E-10 1,09643009	0 .0454E-09	2606E-07	.5717E-07	1032E-07	.0029E-10	9408E-07	1.4329E-10		1.9086E-09	.1026E-07	1.7578E-07	.5499E-10	1.1689E-08	2.917E-08	1,7206E-07	.0853E-08	3906E-09	1.1631E-10	1.1551E-08	1.6893E-09	3.482E-10	3.482E-10	2.4416E-09	.6605E-09	Z.651E-06	41428-07	0	0.07610811	11168771	02571962	0.07634677	0	3.7367E-10	1.0291E-09	2.0835E-09	5.5178E-08	3.7579E-10	8.0909E-10	U 1781E-00	0.07634967	1.2019E-08	1.2097E-08	3.99E-10	1.02404078	1.7965E-09	0.02087864	1.2886E-09	1.9045E-09	0.07695496	2.8605E-06	S.0367E-08	0.09681059	7.2792E-10	3,326-09	4.336E-10	9.6797E-08	3.09434838	4.0877E-10	4.1378E-09	1,7839E-09	5.2612E-09	4.1718E-09	1.6337E-07
Utility 17601E-09 4 408602063 6	0 42966F-09 3	\$34153E.07	06514E-07 1 65981E-07 1	91183E-07		8	20 1	2 1	2	583E-06	2.01601E-06	792E-09	4.95312E-08 1	1.23602E-07	2.00027E-06	8.83613F-08. 2	01298E-08 2	1.76402E-09	.89454E-08	7.15816E-09	47542F-09	47542E-09	.03457E-08 2	.55105E-08	1.1233E-05	00362840	0	22491979	73253021	03434138		٥	43081E-09	045E-09	8	806E-07	232E.09	834E-09	0 21112	3 2	9265E-08	2587E-08	4134E-09	10186772	7.61218E-09	0884688	6023E-09	\$448E-08	26080331	121E-05	7964E-09	0214356	2	1679E-08						7.55904E-09			92251E-07
Score 1 3.34431E-09 2.1 0.50816776 0.4		8.20939E-07 5.																													0.418133628 0		3.7359E-09 2																														1.06392E-06 6
- 1		69042 8																																																										23641			
EVENTI DAMCOST 46 12743 46 1416210	4	4	÷ 5	Ģ !	÷ 4	4	Ç !	÷ 5	4	41	ţ;	÷ ÷	; \$	41	ç :	; 5	: :	4	Ļ	Ç (; 5	4	¢	Ç!	Ç !	÷ 4																																					

Secret 9.7E-66 0.00023 0.00023 0.00023 0.00023 0.00023 0.00017 0.00017 0.00015	0.00087 0.00018 1.95-09 0.00017 0.00017 0.00017 0.00018 0.00018 0.00018 0.00018 0.00018 0.00018 0.00018 0.00018 0.00018	0 0.1727 0.17369 0.17369 0.05693 0.16448 0.97E-0 0 9.7E-0 0.00088 9.7E-0	0 0.2545 0.2254 0.0208 3.4E-05 0.0013 0.0013 0.0013 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.003 0.003 0.003	1.99-6.05 (1.1346.6.) (1.00116.7.25-0.3. (1.00031.0.00734.0.0.00734.0.00734.0.00734.0.00734.0.0000734.0.000734.0.000734.0.000734.0.000734.0.000734.0.000734.0.000734.0.000734.0.000734.
10.00167 Scene Action 10.001678 (Scene Action 10.001678) (Scene Action	00000000000000000000000000000000000000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0.014663 2.00024.65 0.014667 0.0008719 0.014667 0.0008719 0.0011719 7.2569246 0.0011719 7.2569246 0.0011719 7.2569246 0.0011719 7.2569246 0.0011719 7.2569246 0.0011719 7.2569246 0.0011719 0.0011719 0.001647 0.0011719 0.001647 0.0011719 0.001647 0.0011719
	0.0140625 0.001296875 0.00178125 0.00178125 0.00178125 0.001275 0.001275 0.001275 0.001275 0.001275 0.001275 0.001275 0.001275 0.001275 0.001275 0.001275 0.001275 0.001275			0.0146875 0.0146671875 0.016671875 0.001171875 0.001171875 0.001171875 0.001171875 0.001171875 0.001171875 0.001171875 0.001171875 0.001161875 0.001161875
MHRS 2 2 2 2 2 2 2 2 2 2 3 6 1 2 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	180 38 38 38 50 50 50 60 60 60 60 60 60 60 60 60 60 60 60 60	11124 250 250 0 0 1755 175 20 0 0 0 0 0 180	428 428 7 7 800 269 0 0 18 15 28 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 180 239 13 105 105 105 116 198 198 198 280 280 280 108 280 108 108 108 108 108 108 108 108 108 1
Scope		0.062 0.062 0 0 0.062 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000
Score			000000000	00000000000-000
880-00-00-00-00-00-00-00-00-00-00-00-00-			000000000000	e e e e e e e e e e e e e e e e
25core 10		0.00325 0.00325 0.003325 0.003325 0.00300 0.0000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
2 0.10		1 0.01	e . 1	1 E
H H O O O O O O O O	000000000000000000000000000000000000000	0.00325 0.00325 0.00325 0.00065 0.00000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$ 90 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
			ŭ	
. 1870			e 6	ć č
2 to 500		0 0.00325 0.00325 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Sorte of the state		0.083333 0.083333 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0	
HSFL		-	ю п	
Score 0.01503024 0.01603024 0.01603024	000000000000000000000000000000000000000	0.00268145 0.01757687 0.01354839 0.01354839 0.01364839	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0,0,1825586 0,0,1825461 0,0,1820461 0 0 0 0 0 0 0 0 0
Score 0.429435484 0.429435484 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0		0.076612903 0 0.502196193 0 0.387096774 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.2215959 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
VREST 0 40 0 0 0 0 0 0 0 0 0 0		115 0 21 0 317 0 0 0 0 0 0 0 0 0		0
DA		3,913E-07 1,13318E-05 0 0 0 0 0 0 0 0 0	0.00574461	128637 128637 148352 0 0 0 0 0 0 0 0
X او				2826 O.DH
os.		0 2.17391E-05 0.0004572663 0 0 0 0 0 0 0 0 0	0.01747005559 0.01747005559 0.01747005559 0.01747005559	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
BAVLOST			- 2	_
Score			0.00	
±1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0.0076923077 0 0.0673307692 0 0.0673307692 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.0086538462 0.000 0.000 0.207264957 0.207264957
DAVINOSP 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		40000 000000		

_																•																															
2 a a							• •	00																					0 0																• •	• •	
o.																																															
ğ																																															
ž.		-			-			-								-				-	-															-		_		_	-						_
-																																															
SABILITY																																															
ISAI													_																																		
T G		• •																-										-	-									-			-						
PARTI																																															
2																																															
Sec.	0	0 0		• •	0 0	•	0 0	0 0		0	0 0	0 0	0	00	0 0	00	0	0	0 0	0	0		0	0	0		0 0	0 0	0 0	0 0		000				. 0	0 0	0 0			0 0		•	0 0	0 0	0 0	•
Score																																															
Score	0	0 0	•	0 0	0 9	•	0 0	0 0		0 0	0 0	0 0	0	0 0	0 0	0		•	0 0	0 0	0 0		0 0	0 0	0 0		0 0	• •	• •	00		000			0 0	0	0 0	0 0		0 0	0 0	0 0	0	0 0	0 0	0 0	0
2																																															
Ē																																															
O SAI		00			0 0			0 0											00	0 0	0			0 0	0			0 0	0 0									0 0		0 0	0 0					0 0	
AL D																																															
TOT																																															
Ė																																															
2 a																									-																0					0 0	•
o,																																	•	•													
o o		0 0		• •				•		• •	0 0	0 0	• •	• •	0 0	•		•	0 0	•			• •						• •			• • •	= = =	9 0			0				0	• •	•	0 0		0	•
Ĕl.		•																																													
5																																															
Utility Scort T		2		842													8	È															40.0	3													
, <u>25</u> 0 0	0 0	000		0 0	0 0		0 0	0 0	0		00	0 0	•	00	0 0	0	432E	5 0	0 0	0	0		0 0	0 0		0	0 0	0 0	0 0	0 0		000	321E			•	0 0	0 0	• •	0 0	0 0		0	0 0	0 0	0 0	0
		0.0		0.0													2	ì															5.6	3													
۵		234		2274													E-07	3															E-05	-													
200	0	2007		0342	0 0	•	00	00	00	00	9 9	0 9	• •	0 0	0 0		8579	8770	- 0	0 0				0 0		•	0 0	• •	00	00	• •		1983				0 0	0 0		0 0	0 0		0	0 0	00	0 0	0
																	2	ю															- <														
ž		8124		3746													90 9	ĝ															E-05	3													
Scare 0	0 0	00941		1253.	0 0		0 0	0 0		• •	00	0 0	0	00	0 0		22458	6.5	9 9	0 0	0		0 0	0			0 0	0 0	0 0	00		000	13439			•	0 0	0 0	• •	0 0	0 0		•	0 0	0 0	0 0	0
		9		o'													⇒.	ř															vi e	ż													
OST		4		9													ا ہ	3															. 22	3			_	_		_	_		_	_	_	_	_
NACOST	0 0	1358	9	95	Φ.	0	0 0	0 0		0 0	0 0	0 0	0	00	00	00	Σ.	70	00	0 0		0	0 0	0 0	0 0	0	0	0 0	0 0				202			•	• •	0 0	•	00	0		• •	00	0 0	00	• •
Ī.,	و و	6 7	٠.		٠,	٠.		•	. 6	o 1		6.0		. e	۰.	w	. ю:	, v	۰.	٠.				m 5		- 95		y y	۰.			ء ۾ ج					وب و <u>ب</u>	m =	2 20	æ £	ge c	9 92 9		9 20	90 II		9 90
1943	3695	2471	E-03	8105 6E-0	6E-0	¥.1	1E-0	0.87	SE-0	9E-0	1E1	4E-0	7E-1	計算	6E-0	12.5	9E-0	F. S	3E-1	9E-1	H .	67.43	1290	1208h	E-09	1 2	8E-0	2300	19E-1	8768E-09	QE-0	1705	1521	SE.	3	6E-1		1874	3E-0	186	5457	135.0	2E-1	37E-0	1838	(6E-1	1 2
S 020	2.421	0.107	3	0.096 8.714	5.942	3.7	3.175	1.752	3.746	8.753 0.021	4.971	1.840	6.20	3.094	898.7	0.00	1.662	2376	583	5.789	1.67	0.0	3,466	2,112	2.5	333	4.33	3.561	2.49	1.876	2.50	71.0	0.142	56.	3	8.87	35.	0.021	8	2.51 4.982	0.029	161	8.97	3.82	3.703	9.641	3.54
[2]	8 8	79	98	98	80	Ş	e e	8 8	ş æ	8 8 2 8	\$ \$: \$ S	2 2	58	8 8	- -	§ 18	8 2	6 5	6 8	18	88	5 5	29 8	8	8 8	2 S	17 36	\$ 8	2 2 2	8 8	3 6	2 3	9 5	8 8 8	\$ \$	1 8	50	8	98	61	\$	\$ \$	£ 6	13 98	8	8 8
10 kg	622E	1137	578E	1214 164R	BUSE	128E	SASE	685E	507E	926E 31048	3664E	839E	742E	119E	417E	3636	34E	5070 695E	529E	333E	933E	316E	9876. \$79E.	3224 383E.	932E	018E	83691 719E	0150. 0521;	SSIE S9SE	642E	075E	554E	705E	065E	346	128E	4234 407E	1895	317E	475E	5193	373E	304E	388E 199E	934E	SAIE	129E
5 88	1.02	0.454	1.24	3.692	2.51	1.60	134	7.42	1.58	3.70.	2.10k	1.7.7	2.62	5 5	3.33	90	7.0	1.00	2.13	2.45	9.	0.00	1.46	H. B.	1.05	5.67	1.83	9.0	133	2.06	2.33	4.65	0.60	2.10	12	3.76	5.18	0.09	1.73	2.11	0.12	8.15	3.80.	2.11.	1.56	807	F 55
- 1	8 2	8 :	7 8	8 %	g :	2 2	8 8	8 9	8 8	8 2	8 8	8:	2 2	2 24	8 2	9 25 1	3 6	8 8	8 %	8 1	S S S	2 28	44	8 ×	. 25	8 8	23 23	38	8 %	8 25 25	88	88	8 a :	16	9 53 1	2 2	28 28	20 2	8 6	28 83	12:	2 23 :	8 8	8 8	8 6	8 8	8 8
[월	18E.	11180	48 E	8120-	99E-(NE L	28E-	43E-1	515	76E-	3.23769E-09	53E.	3205 08E-(16E-	28E-	0.004045048	108	0319 S7E4	72E	SE	19 19	1383	7823 39E-4	2189 55F.4	96E	63E-1	8856 57E-1	2319	D6E		13.5	4.09667E-09 0.68996159	72E-	184 14	Į.	71E	36E-1	7606	715	45 E	277	철털	89E.	F 3.	92E-	86E	335
Score	137	1.554	1.914	509	1.869	19	2,06	17	, 1 , 2	5.70G	3.237	1.198	1038	2015	5.124	100	8.0	1.547	3.281	3.770	060	900	0.171 1.257	1.17	1.628	27.2	2823	1,000	3.594	3.175	3.582	968	1116	3228	9287	5.780	7.967	0.133	7,663	3.24	0.178	1.253	1 P	3.248	2.411	6.278	2307
	0	9	_	_ 4	1-3 5	- ~		4	.,	٠, ٥	., 4		- "						., -				- "	_	- '			ت د				•						_ •			-		-1			- '	
TSC .	n =	2 -	2 ~	ء ع	٠,	9 00	.			. e	6 F		4 10	ae va	œ ~		. =	3 3		4		- 53	50 V	E 10	.		.T.~	52 pp	~ ~		. + :	. g .	, ž ,	2 - 9	2 10 .		<u></u>	٠.		n +	7,	- 00 1		2 -	8 9		٧
MCC	2005	75604	1987	39986	3591	1054	1685 1939	2347	3108	1734	1250	2394	1420	5368	3889	623	1226	0125	1260	1366	97.40	16322	\$492; 5492;	2529	2697.	-	3261	1869H	1329	3384	3510	1432	37656	288	86.	113	1358	.0992	3200	3106	11.	9893	1729	5600	3097	1792	3052
DAMCOST	- ~	e .	•	# °		•				7	_			,	., .	_	-	= -			'	_		•,								¥ '	¥ '	•	-		-				•				_		
Ē																			_				_	_		_	_	_	_			_						_									
EVENT1	8 8	98	8 8	8 8	95	8 8	7 , 7,	8 9	7 7	8 B	8 8	8	7 T	8 8	8 8	888	8 8	7 F	S. S.	8. 5	8.8	ñ 8	8 8	8 8	8 8	8 8	88	88	88	5 5 5	8 28 1	88	8 8 8	8 68 8	8 88 8	2 2	88	S. 5	3	\$ \$	3 7, 1	7 F F	7 7	3 5	88	8 8	8 8
-																																															

Seem 0.00978	0.19412 0.0016 0.00016 0.00011 0.00011 0.00011 0.00017
Utility Scent	0.019519 0.00112098 0.0195219 0.00112098 0.0195257 0.00012798 0.0195257 0.00012798 0.01952 0.0012798 0.01952 0.0012798 0.01952 0.0012798 0.01952 0.0012798 0.01952 0.001279 0.01952 0.001279 0.01952 0.001279 0.01952 0.001279 0.01952 0.001279 0.01952 0.001280
Secure 0.00156225 0.00156225 0.00156259239 0.00156259239 0.00156259239 0.00156259239 0.00156259239 0.00156259239 0.00156259239 0.001562592939 0.001562592939 0.001562592939 0.001562592939 0.001562592939 0.001562592939 0.001562592939 0.001562592939 0.001562592939 0.001562592939 0.00156259299 0.0015625969 0.0015625969 0.0015625969 0.0015625969 0.0015625969 0.0015625969 0.0015625969 0.0015625969 0.0015625969 0.00156259 0.00156259 0.00156259 0.00156259 0.00156259 0.00156259 0.00156259 0.00156259 0.00156259 0.0016259	0.0019551365 (0.0019513652) (0.00171875)
MIHERS 1977 1977 1978 1979	23 28 27 28 27 28 27 28 28 28 28 28 28 28 28 28 28 28 28 28
5.cm 1.00 0.2 0.00 0.2 0.00 0.2 0.00 0.2 0.00 0.2 0.0 0.2 0.0 0.0	
	000000000000000000000000000000000000000
2071203	
Secret 0.060335 0.06035 0	0.0000000000000000000000000000000000000
SSCORE 0.083333 0.1666677 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333 0.083333	
1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-
Secure 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$900 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Some	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	n .
8cm 10.05 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
S - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	2
Seem [17]	776903
	86576 0.01
Secretary 2000 100 100 100 100 100 100 100 100 10	2056
25 56 60 60 60 60 60 60 60 60 60 60 60 60 60	***************************************
S. 0.011778956 S. 0.011778956 S. 0.011778956 S. 0.011781778 P. 0.011781778	1 0.008519
Score 0.086641955 0.086641955 0.086641955 0.06641955 0.07665399 0.07665399 0.07665399 0.07665399 0.07665399 0.07666399 0.076663999 0.076663999 0.076663999 0.076663999 0.076663999 0.0766639999 0.0766639999 0.0766639999999999999999999999999999999999	0.4732839
21 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Second 2000 2000 2000 2000 2000 2000 2000 20	00383654
385	6.15 to 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
450	60'0
	re

	0.0006126
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
PARTIAL DISABILITY	
* · · · · · · · · · · · · · · · · · · ·	
TOTAL DISABILITY	
A C C C C C C C C C C C C C C C C C C C	0.0136 0.0253 0.0253 0.0138 0.0176 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.
8.6.5 0.7187.5 0.7187.5	0.5525 0 0 0 0.71875 0
	0 M 0 0 8 0 0 M M 0 0 0 0 0 M 0 0 M
1.495£-06 1.495£-07 1.577£-06 1.077£-06 1.077£-06 1.077£-06	00034577 00033146 012891667 0 00382932 01357479 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Scene 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
NACOST 1000 100 100 100 100 100 100 100 100 1	752000 163855 0 2470000 0 0 222500 1128975 0 0 0 0 0 0 0 112749
	2039.E-05 889573.5 8967E-05 8907E-05 9903.60 111326.9 111326.9 111326.9 111326.9 111326.9 1116.E-08 1116.E-08 1116.E-08 1116.E-08 1116.E-08
IIII	786E-05 1. 4126058 0. 4126058 0. 41419555 0. 41419555 0. 41775 0.
10	53772 0.36 59772 0.36 59857 0.38 59857 0.38 59857 0.38 59857 0.38 59857 0.47 59857 0.47 59857 0.48 59857
Sente 0.115778155 7,4885216-01 1,355306-01 1,155502-01	0.000136294 0.00013373 0.000618951 0.00175195 0.0017519
118485 118485 118485 118485 118485 118985 11	124295 966744 141740 814138 192266 192266 19377 19377 194166 1965 1365 1365 1365 1365 1365 1365 1365 13

Seare 0.00238 0.00238 0.00238 0.00233 0.00033 0.00033 0.00033 0.00034 0.00035 0.0003	0.0007 0.0002 0.0002 0.00031 0.000031 0.000031 0.000031 0.00031 0.00031 0.00031 0.00033 0.0003 0.00033 0.00033 0.00033 0.00033 0.00033 0.00033 0.00033 0.0003 0.0
Secure	
UIIIIIP 0.000625 0.0027428 0.0027128 0.0028126 0.0029125 0.0029044 0.0029046	
Score 0.0002315 0.0027211875 0.0002731875 0.0002731875 0.0002731875 0.0002731875 0.0002731875 0.0002731875 0.0002731875 0.0002731895 0.0002731895 0.0002731895 0.000273189 0.0002738 0.0002738	0.00125 0.0012567125 0.001296875 0.001296875 0.001296875 0.001296875 0.00129775 0.00120125 0.00120125 0.00120125 0.00120125
INTERPRETATION OF THE PROPERTY	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
×	0.0062 0.0062 0.0062 0.0062 0.0062 0.0062
رة من الم	
**************************************	>00000-00000000000000000000-0-0000-0-0
TOTLOS:	00000
D. C.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Sicore 1	0.0083333 0.0083333 0.0083333 0.0083333 0.0083333 0.0083333 0.0083333 0.0083333 0.0083333
1 0 0	
	0.00073
ž	2 2 33 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
8 1481	
o	ι το
# P P P P P P P P P	333
* 145	2 2 1 0.08 0.08 0.08
00173843 00173843	0.01009077 0.01009077 0.02007504
58. 1007 0.007 1007 0.007 1008 0.008	472 0.000
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.2882000000000000000000000000000000000
MAYREST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	32 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
2.1752E-06 0.0116821 0.0116821 0.01193315	13466152 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
100000	0.000 0.000
DAVICOSI	
O.000232692 0.000323597 0.000333597	0000023
Secret 1	
85 961 0 22-90 0 0 E	0263
DAVY (1978)	7

\neg																																				
Score									• •	0.0035	• •	•		0 0	• •	• •					• •			• •	0 0	00	00	0 0	0 0	0	00					000
										5																										
Scot			•••		0	000			• •	0.2	• •	0	• •	0 0	• •	0 0			• • •						• •	• •	• •	0 0	0 0	•	• •		••,	• • •	, • •	
ABILITY																																				
PARTIAL DIS					D	000				0 =	0 0	0	0 0			0 0					•		9 :	•	• •	0 0	0 0	0 0	0 0	0	• •	00	• •		,	
Score	000	000	000	000	0 0	00			00	0 0	0 0	0	0 0	00		00				001	• •	001	-		00	00	0 0	00	0 0	0	0 0	0 0				
u																																				
Scooo	000		000	000	00	0		000	00	0 0		0	0 0		00						• •	001				00	0 0		• •	0	0 0	0 0	0 0	000	, o e	
STLITY.																																				
L DISAI	000		• • •	000	00	00			• • •	0 0	• •	0	0 0	0 0	0 0	0 0			0	00	0	00	0	0 0	0 0	0 0	0 0	00	0 0	0	0 0	0 0	0 0	0 0		
тота																																				
Score 0 0 0 0.00		0.187 0		0.176			0.209	0.187			• •	•	• •	• •	• •								-			• •			• •	•	0 0	• •	• •			
Score 0 0 0 0.53125		0 0.53125 0		0.5	0 0	• •	0.59375	0.53125		• •		•	• •	• •	- -	۰ -						• •	•	• •					• •	•	• •	• •	• •	0 0	900	
E																							_							_						
TOTETI 0 0 0		0 4 0				• • •	+ -	- 40		• •	• •	•	• •	• •	• •	•					-		-									-				,
Score 0 0 0 6.3467E-08 0.02776507	887E-08 0 937E-06	0 2776507 0	0 0 0	2351532	613E-08 0		3010938 0	2346933 0		0 0160934	0052968	553E-08			00	00				0 0	0	0 0	0 0	0 0	0 0	0 0	0 0	568E-08	713E-08		196E-08 0	0 0	000			
22 6.0	07 1.2	52 0.0		0.0	07 2.7		9.0	44 0.0		19 0.0	77 0.0	5.5																9.6	0.1		9.6 90-					
Unitity 0 0 0 1.3504E-06 0.5907462	2.7419E- 0 5.7951E-	0.59074 0.59074	000	0.500325	5.8752E.	00	0.64062	0.499347		0.034241	0.011269	1.182E-		00		00			• •	00	0 0		0 0	0 0	00	0 0	0 0	2.0972E.	2.2794E	00	2.0467E 0	c e	• • •		> • •	
Score 0 0 5.78612E-06 0.808165972	0.000291	0 0.808169 0	000	0 0	2.517458	00	7.836941 0	0.74955(9.125431	0.04565	5.06463]	00	00	00	0 0				00	0 0	0	•	• •	00	0 0	0 0	8.986121	9.766991	0	8.76991	00	0 0	0 0		
1NJCOST 0 0 3360 2200000	5253	22000	000	1112	151	00	27400	001		2115	1749	236	00	00		00				00		• •	•		• •	0 0	• •	, <u>%</u> o	- Q		4930	0 0	0 0		> 0 0	
Score 1.05E-06 1.3.1463E-09 0.13833508	0.08803341 4.1501E-10 0.11679545	0.00047551 0.00243956	5 0.03906425 1 2.0285E-08 5 7.212E-06	0.02715771	0.02026203	1.4941E-05 0.00145822	0.13866306 6.5745E-05	0.13043549	0.09917857 7.2587E-09	0.1083214	3.482E-10	0.14172097	5.7235E-08	8.4202E-08	5 0.09499867 1.6876E-09	6.5956E-10	2.1019E-09	6.8691E-09	3 4.8768E-09	4.2143E-10 4.13459E-08	9 8.9927E-10 9 1.1631E-09	9 8.7425E-10 9 7.8634E-10	9 3.482E-10	9 0.00849822 5 0.02607733	3.866E-08 5 1.05E-06	5 5.0193E-07 5 0.09681059	0.09545058	1.0989E-06	5 1.0934E-06	0.03661315	2 0.09695903 8 2.901E-09	9 1.5095E-09 9 5.8479E-10	8 9.8757E-09 9 1.0974E-09	8 2.7855E-09 8 1.8841E-08	6 9.5859E-07 7 2.9782E-08	8 1.2282E-08 9 2.0526E-09 9 1.8431E-09
Utility 14899E-06 14619382-08	73022911 5851E-05 194895987	.8386E-05 102014885 195082866	16552647 59521E-08 15592E-04	15075051	0858560 9301E-0	13094E-05	58755532 10027858	5269277 267311813 34306F-09	12024819	14405210	51367148: 47542E-09	90051256	42521E-07	.5679E-0	10253673 5073F-0	79474E-0	90645E-0	5391ZE-01 91064E-01	90012E-09	78571E-09 70304E-01	81047E-0	70445E-0	47542E-0	03600940; 11049714;	63813E-0 44899E-0	12682E-0	118995 0	65639E-0	63311E-0	15514048	41084334 22922E-0	39639E-0 47791E-0	18463E-0 64988E-0	18028E-0	06184E-0 26194E-0	20404E-0 20404E-0 69764E-0 80961E-0
28 88 84 84 85 88 88 88 88 88 88 88 88 88 88 88 88		8 2 3 8 2 3	3 7 2 2 2 2 2 3 2 3 2 3 2 3 2 3 2 3 2 3	22 5	5 8 2 5 2 3	36 85	28 E	សស មក្ស	4 5 2	3 2	12 12 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	62 0.t	72 54	· ~ 7	5 2 2	88	3 26 1 2 26 1	8 8 1 1	8 8 4 2	8 8 2 14	8 8 8 8	8 8	5 -	22 9.9 9.9	7 4	26 98	26 0.	 	9 E	 	93 93 11	99 69	 88 88	08 1.	8 5 E	8 8 8 9 4 44 95 15
Score 6.83762E-06 2.04897E-08 0.442785928 0.677309618	0.47131638 2.70265E-1 0.59324937	1,05102E-1 0,00309281 0,13815051	0.2314168v 1.321E-t 4.69656E-0	0.0593362	0.1253983	9.72963E.d 0.00946016	0.67854654	0.647137.	0.519996-	0.55855250	0.611013121 2.26758E-09	0.690020462	3.7273E-1	S.4835E-1	0.5019624	4.29524E-1	1.36883E-	3.90237E- 4.47336E-	5.9941E.	2.7444SE- 8.76499E-4	5.85631E 7.57457E.4	5.69337E-09 5.12086E-09	2.26758E-	0.0541444	2.51764E- 6.83762E-	3.2687E- 0.50981200	0.5039248	7.15638E-06	7.12961E-	0.2180987.	0.51045295 1.88919E-08	9.83061E- 3.80829E-	6.43136E- 7.1464E-	1.81397E- 1.22695E-	6.24262E. 1.93947E.	1.39809E-08 1.35674E-08 1.20026E-08
DAMCOST 92290 29303 948588 10035285	75173 11192 17712	59398 59398 95004	13438	34736	03293	71669	37693	51000	018973	568094 983699	656970 10000	10683000	60400	64623	100000	14701	25247	37453	33840	11300	17309	17064	10000	190817	56115	84192	200000	92790	92735	602209	1532658 28476	22037 13742	19077	28064	53271	43670 25013 23958
	ry		J . H		. ~ =		= -		A	~ ∺	· ·	2			- "	-								- 4		-				-	-					
EVENTI S1 S1 S1	នេសភ	នគន	នគន	5 5 5 E		2 2	2 2	5 5 5	. 22	25 25	2 2	25	33	3.3		3.5	. J.	. J	2.2	ಪಪ		उ उ	3.	SS SS	\$ \$	18 18	\$ ¥	3 28 25	* * *	8 8	15 15	S 53	5	86 86	* * *	

Score 10.0233 0.02233 0.00233 0.00233 0.00233 0.027	0.062	0.00019 0.01144 0.01029 0.062 0.062 0.00048 0.00031 0.00003 0.00028 0.00003 0.00003	0.00048 0.00056 4.4E-05 0.00039 2.4E-05 7.9E-10 0.062	0.07547 0.00101 0.97-08 0.07175 0.052 0.15356 0.15356 0.0683 0.0683 0.06832 0.06832 0.06837 0.09842	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
		0.0031253 0.0000130376 0.134572 0.001142974 0.007328 0.00023063 0.007328 0.00023063 0.007328 0.00023053 0.007328 0.00023053 0.007328 0.00023053 0.007328 0.00023053	0.00/78128 0.0004839 0.00/7031 4.3595E-05 0.000/7031 4.3595E-05 0.000/7031 4.3595E-05 0.000/7031 4.3595E-05 0.000/7031 4.3595E-05 0.000/7031 4.3595E-05 0.000/7031 4.3595E-05	0.00278134 0.00172345 0.00127815 0.001297356 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(20055939 U-0002228 (20005521 U-000552 U-0001218 (20005521 U-000552 U-0001218 (20005521 U-0001218 (20005721 U-0001218 (20005721 U-000554 (2000577 U-000554 (2000577 U-000554 (2000577 U-000554 (2000577 U-000554 (2000577 U-000554 (2000577 U-000554 (2000577 U-000554 (2000577 U-000554
Seure 6.010/887/195 6.000/90625 6.000/90625 6.000/90621 6.000/906				0.00778125 0.03125 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	0,00359375 0,001384275 0,001363125 0,00525 0,0078125 0,001875 0,000320325 0,000378125 0,000378125 0,000378125 0,000378125 0,000378125 0,000378125
1130 1140 1150 1170 1170 1170 1170 1170 1171 1171		40 1500 60 0 0 0 1100 23 65 172 84 84 84	80 % % 60 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 356 400 0 0 0 0 0 0 0 740 1288	0 50 50 50 50 50 50 50 50 50 50 50 50 50
Score 0.0052 0.0	0.062	0.062	0 0 0 0 0 0 0 0.062	0.062 0 0 0.062 0.062 0.062 0.062 0.062 0.062	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
S 0 0 1 0 0 0 0 1 0 0 0 0 1 0 0 0 0		000-0000000			
2880 	·	0 0 0 - 0 0 0 0 0 0 0	000000-	- 0 0 0 0 0	
TO MANAGE TO MAN		00000000000000		0 0.00325 0 0 0.00325 0 0 0.00325 0.00325 0.00325 0.00325 0.000325	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Score 86 100 100 100 100 100 100 100 100 100 10				79 EEEE8079 79 EEEE8079 79 EEEE8079 79 EEEE8079 79 EEEE8079 79 GEEE8079 79 GEEE8079 79 GEEE8079	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
78PL 88 1 0.006 2 0.16 3 0.006 3 0.006 1 0.006				1 0.00 11 0.00 11 0.00 11 0.00 11 0.00 11 0.00 11 0.00 11	1 0.08
Senter H 100065	CON 0	• • • • • • • • • •		0.00325 0.00975 0.00665 0 0.0195 0 0.00325 0.00325 0.00325 0.00375 0.0065	0.00325
Series 8 0.1166667 0.0 0.023 0.04 0.025 0.04 0.026667 0.0 0.0166667 0.0 0.0166667 0.0				0.083333 0.1 0.25 0.1 0.166667 0.0 0.5 0.0 0.008333 0.1 0.083333 0.0 0 0 0 0 0 0.25 0.1 0.166667 0.0.166667 0.0.1	
1.SPL S. 2.0.1.1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.	,			1 000 1 000	6.0
Sener Chiotoza Chi				0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
(MS233) 0 (MS233) 0 (MS233) 0 (MS233) 0 (MS233) 0 (MS25)				8	
148181 S S T S S T S S S S S S S S S S S S S	•			v =	
Seere L 0.000910282 0.000910382 0.000913628 0.000013628 0.000013628 0.000013628	0		• • • • • • •	0 0 0 0 0 0 0 0 0 0 0,00601815 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1,012066533
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				5129	1473 8065 C
8 0.25 0.00 0.00				0.00	, E
DAVE 25 99 99 99 99 99 99 99 99 99 99 99 99 99	90 /			200000040400	7
Seore 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7 0.01/2664 0 4.7693E-0	0000000000		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4 0.00766.
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.000264959			0 6 8 8 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.42567423
DAYLOST BAYLOST BAY	8 e s			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2
Seart D D D D D D D D D	0 0	0000000000		000000000000	000000000000000000000000000000000000000
				000000000000000000000000000000000000000	
0.072113385	0.16239				
DAVHOSP 1	* 0 0	00000000000		0 0 0 0 0 0 0 0 0 0 0 0	

Deciding New Control
March September Septembe
March September March
March September Septembe
Marcola
Marcola
Marche Control Contr
Marcola
Marcola
Marcola
NOTICE Secret Output Secret Control Secret Control Secret Control Secret
N. Coot
N. Coot
N. Coot
NATIONAL Score Codity Score Codity C
NATIONAL Score Codity Score Codity C
NATIONAL Score Codity Score Codity C
NATIONAL Score Codity Score Codity C
NATIONAL Score Codity Score Codity C
NATIONAL Score Codity Score Codity C
NATIONAL Score Codity Score Codity C
NATIONAL A Secret
NATIONAL A Secret
NACONST Secret Nulling Secret ITED NULLING
NALCOST Secret Deliby
NALCOST Secret Deliby
NALCOST Secret Deliby
IIVICOSET Secret 1 1 1 1 1 1 1 1 1
IIVICOSET Secret 1 1 1 1 1 1 1 1 1
1 INACOSET 1 INAC
1 INACOSET 1 INAC
8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
1,121,182,60
* * * * * * * * * * * * * * * * * * *
10111111111111111111111111111111111111
8-007 11/11/13/18-40 11/11/18-40 11
Score 1,11211 1,1121 1,
ZSZ
15420 16420 16
DAMCOST DAMCOST PARTIES PART

Score Control Control	0.00365 0.00365 0.00411 0.00411 0.00411 0.00411 0.0034 0.0034 0.0034 0.0034 0.0034 0.0034 0.0034 0.0036 0.0
1.0000523 0.00005304 0.00005304 0.00005304 0.00005304 0.00005304 0.00005403 0.000005403 0.00005403 0.00005403 0.000005403 0.00005403 0.00005403	0.000 0.000
8-0074 (10.000012) (10.0000012) (10.0000012) (10.0000012) (10.0000012) (10.00000012) (10.00000000000000000000000000	
MHRS 1119 119	2000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	0.062
28001101	
D D D D D D D D D D D D D D D D D D D	0.00025
Second 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.0833333
Такм	
Start 2 (2002)	
74870	1 0.0083333 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
10 tags	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Search 1	P 19
I KESPL	w n
See re control of the	. 0.01773062
Score 1	0.50051638828
DANKEST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
Secret 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Score	C.3714706559
TS .	
Secret 19.	DD083554
\$\$cor\$;	0.091346134 0.0
DAVTHOSS CO. C.	

Score	c		•	0,0035		• •	0 0		.	•			• •		0		0	= =		• ф	0 0000	0	• (• •	•	• •	0	• •	•		•		• •			•	• •	0 0		• •		0 0		0	• •		0		•	410.0	0.0035
Score	e			0.25		• •	• •	0 0		•	5 0	• •	• •	• •	0	• •	0	• •	•		9255	0			•			• •	•		•	• •	0 5		00		• •	0 0		• •	۰	• •	• •	0	•	• •	0		0	-	0.25
PARTIAL DISABILITY							• •			0 (- •	•	• •	• •	• •	• •		• •	•		٠,	٠.	•		•		0	• •	0 :	• •	•							• •		00	•	• •		•	•		0	• •	0	v	- 0
Score				0.0105		0 0	0 0	0	- 0	0	00	0 0	0 0	00	0	0 0	0	0 0	•	• •	0		0 (0 0	0	0 0	0	0 0	0 1	. 0	•		0 0	• •	00	. 0	00	•		00	•	0 0		0	•		0	• •	•	0.014	00
Score				27.0	. 0	0 0	00	• • •	• •	0 (•		00	•	• •	0	00	0 (÷	¢		D 4	- 0	0	0 0		0 0	0	00	•		00	00	0 0	0	0 0	0 0	0	0 0	. 0	00		0	0 (0	• •	0	-	00
TOTAL BISABILITY				- 0		0 0	00			0 (• •	•		00	. 0	0 0	0	0 0	0			. 0	0		c	0 0	0	00	0	0 0	0		0 0		0 0		0 0	0 0		00	. 0	00	. 0	o	0 (0	0 0	0	·	00
Score			-	•			• •																																						•	• •	0	0 0	0	277.0	0.176
Score	: 0		: =				• •		- 0	•	• •						•	• •	0	• •	0	• •	0	• •	•	• •					0 (• •		•	•		0 0		0 0		Ф 0	0.53125	•	•		•		6	0.78175	0.5
TOTFIL										0	0 0								0		-					• •	0		0	0 0	•		•		0 0		0 0	0		0 0		0 0	- 11	0	0	- 0	•		c	\$	
Score				00206877		00	00		0 0	0	0 0	0	, ,	0 0	4315E-07	0 6003E-06	0		0	4495E-07	0	.122E-09	0	0 0		0 6003E-08	0	0 0	8337E-08	0 .1634E-07	0 1		0 0		0 0		0 0	0		1465E-07	. 0	0 0	7509E-07	0 0	φ (• •	00	00	0 0	0	00175224
																																																00			
Score	, ,		, e	5178917 0.0						0	0 0	0		0 0	3309E-05 L3	0	0	00	0	0 3637E-05 9.4	0	3458E-07 4.5	0	0 0		0 8896E-06 3.4	0	00	3012E-06 1.	0 1708E-05 1.0	0	. 0	0 0		0 0		0 0	0		3788E-05 1.5 0		0 0	4269E-05 1.3	0	0		0	0 0	0	7824000	34917985 0.C 0
OST																																																			373000 0.1 0
IN S	3 8	989																																														0 0 60-		346.	326
Score	-	0.021613 0.021613	17,007	9 0.076534	1.3287E	9 1.069E- 7 6.3502E	0.103043 8 4.4245E.	3.0864E	6 1.7726E 7 2.4449E	9 7.1668E	9 3.482E- 6 8.2004E	8 1.1073E	7 5.1594E 7 2.8333E	7 1.1017E	8 2.7559E	8 5.9247E	8 7.8311E	9 4.415E- 7 3.2603E	9 4:1112E	4 0.024872	8 5.5684E	7 0.098794 5 0.08160-	9 2.0148E	9 9.716E-	8 1.1871E	9 6.0763E	6 0.00079	9 8.597E-	0.02316	3 0.02333- 7 0.027991	7 3.0164E	7 8.1299E 7 4.2007E	9 6.1086E	9 6.1086E 9 6.1086E	4 0.09536	8 1.4393E	9 6.5U89E 9 6.5U89E	8 8.5195E	3.482E-	9 0.076101 7 1.1847E	7 1.7701E	9 9.8242E	6 0.09454	0 0 0 5.5634E	9 4288E	9 1.6203E 9 4.1276E	9 5.3777E	7 1.0627E-07 9 1.3042E-09	0 0 7 1.8889E	0 0	5 0.00764
Utillity	-	5.73028E-05 0.091581914 1.63616E-03	, , , , , , , , , , , , , , , , , , , ,	0.32429882	5.6300ZE-0	4.52986E-0 2.69075E-0	0.4366264	1.30781E-0	7.51105E-0 1.03597E-0	3.03678E-0	1.47542E-09	4.69176E-0.	2.18617E-0 1.20055E-0	4.66817E-0	1.16775E-0	0.00025104	3.31825E-0	1.87076E-0	1.74201E-0	2,26915E-U 0,10540567-	2.35948E-0	0.41860301	8.53742E-0	4.11696E-0	\$03012E-0	2.57471E-0 9.78814E-0	0.00338010	3.64282E-0	0.09814437	0.09887304	1.27815E-0	3.44489E-0	2.58839E-0	2.58839E-0 2.58839E-0	0,40410531	6.09868E-0	2.75801E-0 2.75801E-0	3.60995E-0	1.47542E-0	0.32249197	7.50053E-0	4.16278E-0	2.72602E-C	0.38738F.0	1.81727E-0	6.86576E-6 1.749E-0	2.27867E-ti	4.50281E-0 5.52641E-0	8.00388E-0	0.0000000	0.03239274
Score		0.133327341									2.26758E-09 0.00053392																										4,23878E-09								2.79296E-09		3.50209E-09	6.92036E-07 8.49354E-09	1.23011E-06		0.048811816
EVENTI DAMCOST		263089									19990 140118																																		11424	22713	13093	67171 20662	73474	2001003	370600
EVENT	; ;	3 23 2	3 3	333	Į	zz	3 3	3	zz	3	33	3	33	3 3	z	3 3	ī	3 3	z	33	3	3 3	3	33	3	3 3	z z	3 3	ī	33	3	3 3	उ	zz	उ	Į	ತತ	3	ı	3 3	3	3 3	3 3	8	95	8 8	8	8 8	89	Ę	0. 0.7

Sonr	910100	0 1.4E-09	0.02167	0	0.00012	0,00097	0.00043	0.0271	0.14236	0.00102	0.00037	0.00066	0.0002	0.00688	0.00078	8.2E-05	0.0005	0.00013	0.00039	5E-06	0.00013	0.09728	0.19062	7.8E-09	0.00015	0.00097	0.0000	0.1010	0.07648	0.16939	0.13076	2E-09	0.00472	0.00232	0.04063	0.0000	0.00276	5.3E-05	5.3E-05	0.07231	0.02961	0.00011	5.3E-05	\$.3E.05	0.00017	6.1E-10	0.09862	0.00051	5.3E-05	5.3E-05	8.5E-09	0.062	0.1176	1.2E-07	0.00109	0.00083	0.2947	0	5.6E-10	0.00019	4.1E-10	0.0502	1.1E-07	1.35-09	0 10 1	1.95-0/	0.55271	0.26123	0.08697
Hillity Scote			N09375 5.8127E-05 082815 0.00051345	0 0	0.0635939 0.00022282		M68752 U.UM42626	1046877 0.00029063	0.0050783 0.00031485	0.0164068 0.00101722	0.0060158 0.00037298	1106254 0.00065877	0.0032032 0.0001986	0.1109586 0.00687943	0.0125004 0.00077503	0 0	3080471 0.00049892	0021094 0.00013079	062502 0.00038751	7.813E-05 4.8439E-06	021094 0.00013079	0.25/448/ 0.01596182	0 0	0 6	0.0023438 0.00014532	0156255 0.00096878		0.0077345 0.00016954	0.2336231 0.01448463	0.0143755 0.00089128	0040626 0.00025188		0.0761953 0.00472411	15/3556 (1.101231593	100001409 0.00056674	1316502 0.00196231	0316502 0.00196231	0008594 5.3283E-05		3,0008594 5,3283E,05	048/69/ 0.003023/2	0017188 0.00010657	0008594 \$.3283E-05	0.0008594 5.3283E-05	0.0028126 0.00017438	0 0		0.0082815 0.00051345	0.0008594 5.3283E-05	594	0 0	0.0082815 0.00051345	1023438	0	0.0175006 0.00108504	133598	0062502 0.00038751		0 0 00004747	0.0031251 0.00019376	0	8097027 0.05020157		0 0			0 0	0093753 0,00058127	0035vo4 u.vvvz4zz
Score			0.0009375 0.0			0.015625 0.0		0.0046875 0.0										.002109375 0.0	0.00625 0.0			0.25/44/52.0				0.015625 0.1	_							0.037352412 0.0	0.053040400	_	Ö	ö	-		0.048/68155 0.0	0.00171875 0.			0.0028125 G.			0.00828125 0.0		_	•		0.00234375 0.	0	0.0175 0.	0.013359375 0.	0.00625 0.0		0 00765675 0	0.003125 0.	0	1.809697423 0.	•	•	-	•	•	0.009375 0.	II,0039106za v.
MIRS	0		200	:		12									210											1785			. 8						\$ 5						204				99	2 22	=				0		=	=		9 20	30		224		80	9	86	40	7	3145	0	0	Þ
Score	J	0			. 0	0	o c	0.062	0	. 0				•	0	0	0	0	0	0 0	0 8	790.0	. 0	0	0	0 0		200	0.062	0	0	0		÷ •			0	0	0		-		0	0 1	0 0		0	• •		0	0 2	790'0	0	0 '			0			. 0	0	0	0	0		>	0	0.062	790:0
žio,	0	0	0 0			0	• •					. 0	. 0	. 0	0	0	0	0	0				. 0	0	0	•		· -		0	0	0					0	0	0	0 0	-		0	0	0 0		0	0 0		0	۰ -		0		.					. 0	0	0	0	0	•	•	0		-
SSOTA	0	0				0		-						, ,	0	0	0	0	0	0	0				0			٠.			0	0	0	0 .			. 0	. 0	0	0	0 0			0	0 0		0			0	۰.		. 0	0					0 0		0	0	_			5	-	- -	-
- TO		•				0	•									0	•	0	0					0						0	6325	0	•	.				0	0	0 0							0			0	•		0	0	•		. 0		•		0	0	0				9610	0325	•
S.	0	•			• •	0	•								0	0	0	0	0	* 1	•			0	0	0				0	183333 0.0	0						0	0	۰.				0			0			0			•	•									0	. 0		-	0.5 0.	93333 0.0	=
S IdSAH																															1 0.0																																				4	-	
-	。 】	0	00		- •	0								. 0	o	o	o	0	0	0 1	0 1	5 6	0.0065	0	•	0 0			. 0	0	9.0065	0	0	•			. 0	0	0	0	0.00325		. 0	0	0 0	. 0	0.00325	0 0	• •	0	۰ ۰		0	0	0 0		. 0		0 0		0	0	o	0	•	>	0.039	0.0065	D D
Š	0	0				0							. 0		0	0	0	0	0	0	0		0.166667	0	0	0 0		•	• •	q	0,166667	0	0 1	0 0				0	0	0	0.083333			0	0 0		0.083333	9 6	• •	0	0 0			0			. 0		0 0		0	0	0		•	0	-	0,166667	D
las lo																							2								7										_						-																				٠	2	
S	0	6			0.00975	0			0.039	•		-		•	0	0	0	0	0	0	•		0.0065	0	0	- :				0.00975	0.039	=	-			90100	-	Þ	0	0.039	0 0			•	•		•	• •		•				0	•				•		•	•	=		•	•	0.039	•	•
Coope	-	•	• •		0.25	•			-					•	0	0	0	0	0		0	-	0.166667	•	0	0 1			•	0.25	-	0	-			9	-	•	-	:				9			0	•	-	Ð		• •		0	•	-			0 0	•	0	0	-		•	-	-	•	>
-					•				40	•												8161	2 2							3551 3	5625 5						•			5 2200													14941				_									_	78125 5	_	_
3		0			00	•	•	-			• •					0	•	0	•	0		5574 0.0193	1449 0.018	•	0	0				0146 0.02153	4286 0.0001	•	0	•	-				-	5452 0,0100		-	, .	-						5		5 6	1041 0.0200			-				, 0	0	0		, 0	,	_	1429 0.000	0 (,
E		0			•	0	0 0	-							0	0	0	0	0	0	0	0.55197	0.51647	C	0	0	•	0	•	0.61530	0.00446	0	0	0	0 0			0	0	0.28830	0 0	-	0	0	0	0	0	0 0		0	0	00	0.57284	0	0 0	9 6	. 0		00		0	¢	c	. 0	•	0	0.02232	0	5
San Area		c			ə c	•	0				• -				0	0	0	0	0	0	0	187	9	0	0	0	9 0	0 0	• •	360	-	0	0	0				0	0	20			0	0	0 0	•	0	0 0		0	0 1	0 0	244	0	0 0				0 0		0	0	•	•	,	9	٠	0 (o
1	0	c			0 00774741	0	•		• =	• =					•	0	•	•	c	c	-		0.01242827	-	0	-		0	0	0.018	•	•	•	•		1100	0	•	٥	•	0 00	0	•	•		• •	0		• •	•	•	•	0.01526443	0	•		0.0127665		•	• •	0	0	-		·	-	0		5
ļ	0	-			0 000000	•	•	•	• •						0	0	0	•	0	0	•	•	8826570694	0	•			0	00710+6+000	-	•	0	-	- :		0 336220 7	0		Đ	•	0 200 000	0.73540a/ 0		•			•	-			•	• •	0.848024121	0	•		0.70924999		0		0	0	-		ı	=	0	0 0	Þ
tao in	0	c			÷ <u>×</u>																																										•																					0	•
-		•	:00			. 0	0 1	- -							. 0	0	0	0	0	0	0	0 0	0054070\$	0	0	0			0	01247436	0	0	0	0 '		0	0	. 0	0	0	0	79467/00		0	0	- 0	0	0 0		. 0	0	0 0	00603526	0	0				0 0		0	0	•			0	00603526	0	0
	0	c				, 0										0	0	0	0	0	0	0 0	18739316 01	o	0	0	.		.n 162,697.cu	¥7008547 0.	0	0	0	0	0 0	0	0	. 0	0	0	0	0.08/1/89		0			. 0	Ф (. 0	0	0 0	43696581 0.	0	0 1				•		0	0	•			0	43696581 0.	0	0
9	Š						0																																								. 0																			0	19 0.1	0	•

Market Company of the	
25core	
45	
TAAL DISABIL	
PAR.	
k	
Ашт	
OTAL DISAB	
2.58 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	
· ·	
	25 T S 2 C C C C C C C C C C C C C C C C C C
Score of the state	
Seque TOTFIL Seque	1.1377777777777777777777777777777777777
Utility Seare TOTFIL Seare 1.7.491E-0.0 0 0 0 0 0 0 0 0 0	219900000000000000000000000000000000000
Utility Seare TOTFIL Seare 1.7.491E-0.0 0 0 0 0 0 0 0 0 0	219900000000000000000000000000000000000
Secretary Ordinary Secretary Control Secretary Control	1.1377777777777777777777777777777777777
Secretary Ordinary Secretary Control Secretary Control	431678-60 (112787-08) (100001174) (11278-08) (100001174) (11278-08
Secretary Ordinary Secretary Control Secretary Control	431678-60 (112787-08) (100001174) (11278-08) (100001174) (11278-08
Dullity Score INACOST Score Utility Score IOTILI I	Company Comp
Accordance Highly Score Highly Score Highly Score Lighty	431678-60 (112787-08) (100001174) (11278-08) (100001174) (11278-08

Seepe 10.0252 0.0253 0.0253 0.01540 0.00048 0.00049 0.00049 0.00097 0.00097 0.00097 0.00097	0.39546 0.00076 0.002494 0.002499 0.02298 0.02298 0.02298 0.0103 5.6E-07 6.6E-05 0.00278 0.002278	6276.0 6276.0	0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.000000	0.00071 0.00021 0.00021 0.00031 0.000631 0.00063 0.00067 0.000705 0.000205 0.000209 0.000209 0.000209 0.000209 0.000209
11816y Score 10.000966 Demonstration 10.000966 Demonstration 10.000967771 10.00097771 10.00097771 10.00097771 10.00097771 10.00097771 10.00097771 10.00097771 10.00097771 10.00097771 10.00097771 10.00097771 10.00097771 10.00097771 10.00097772 10.00097772 10.00097772 10.00097772 10.00097773 10.0009773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.0009773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.00097773 10.0009773 10.00097773 10.0009	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.011955 0.0007115 0.011953 0.0007115 0.011953 0.0007115 0.0011954 0.0009371 0.001957 0.0001371 0.0005371 0.001957 0.0001371 0.001957 0.0001371 0.001957 0.0001371 0.001957 0.0001371 0.001957 0.0001371 0.0007371 0.0007371 0.0007371	CONTRACTOR DIMENSIONS CONTRACTOR DIMENSIONS
Score 0.0075 0.003189504 0.00718189504 0.0079148111 0.0079148111 0.006215 0.00671875 0.019589863 0.0197899963 0.0197899963 0.0197899963 0.0178787		0 0.184506824 0 0.242364996 0.002625 0.002625 0.0075 0.0075 0.0075 0.006988.375 0.00698.375 0.0		0.0044375 0.0014375 0.001734375 0.001734375 0.00182680955 0.009765625 0.0097678125 0.007678125 0.000625 0.000625 0.000625
MHRS 0 73 120 50 60 1114 1120 408 877 80 100 877 80 80 80 80 80 80 80 80			0 250 0 0 1273 41 1130 130 25 80 80 80 73 73 73 213 80 80 80 80 80 80 80 80 80 80 80 80 80	0 0 0 139 0 139 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Score 1.0.062 0.06	0 0.062 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.062 0.062 0.062 0.062 0.062 0.062 0.062 0.062 0.062 0.062	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.062 0.062 0.062 0.062 0.062 0.062
S. S. C.	000-00-00-00-0			
SSO.7.		o		0000000
701 101	ş	516	575	325
			5.7 GAN975	
	2010		0.1666667	
75 1	2 2 2 2 4	22 3	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	23 23
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			57 0.0063 33 0.00323 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
1. Score	0.0833 0.0833 0.0833 0.0833 0.093	66893	0.06667	0 0 0 0 0 0 0 0 0 0 0 0 0
OFE			, – »	5
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				61670
PL Score				0.25
5 5 5406 5	\$ \$629 \$ \$ \$028 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	875 875 875 875 8145	875 5 5083 3375	8875 4
Sen 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	81 0.01453629 0 0 0 0 0 0.01782028 25 0.0015625 25 0.002291911 0 0 0 0	19 0.0051: 43 0.0017 43 0.0017 0.0017 0 0 0 0 0 0 0 14 0.0005 03 0.0026 0 0 0	0 0.0021875 16 0.01846083 0.00109375 0.00109375	71 0.0003 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Score 0 0 0.5018301 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.4153225 0 0 0 0 0.5091508 0.6548316 0 0.5548316 0 0	0 0.1471774 0.0491071 0.0625 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 00025 0 000374546 0 000374546 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0,0089285 0 0 0 0 0 0,0133928 0 0 0 0 0 0 0 0 0 0
DAYREST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	39 0 0 10 468 0 0 0 0	0 0 5 = 0 7 0 0 0 0 0 0 0 0 7 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Score 1 0 0 0 0 175E-06	0.01365352 0.01338293 0.01338293 0.01721742 0.01721742 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	11.248/E-07 9,603/E-07 9,603/E-05 0,01543142 0,0054461 0,0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	775956 0 0 0 0 0 0 0 0 0 0 0 0 0 0
3876				41955 0.01
Accepted to the control of the contr	0.75908419 0.711498983 0.956523893 0.956523893 0.956523893 0.96653893 0.96653893	6.33396E-06 5.33504E-05 0.00123961 0.857300915 0.37770859 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2.17391E-05	0.08664 0.54946 0.54946 0.00
DAVLOS:	8			3.0 1 2.4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	0.00634936 0 0 0 0.00403846 0.00687179 0.01687179 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00002625	0.000424038	0 0,00525 0,00282692 0 0 0 0 0 0 0
Score 0 0,165871795 0			0.100961538 0	
	0.15 0.09 0.40; 0.263	0 0.10:	0.10	90.0
DAYHOSI 0 0 0 0 0 0 0 0 0 0 0 0 0 0	21.0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 6 0 0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0	

Score					• •							• •	• •	• •	• •	• •	0	0 0	• •	•	• •	0	• •	• •	• •	• •	0.0035						. .	0.0035			• •	0 0		• •
Score				• •	Ф Ф			• • •		>	.	• •			• •		•	0 0		0	• •	0	• •	. .	• •		0.25						• •	0	•		• •	• •	• •	••
PARTIAL DISABILITY 0	• • •				0 0	c o c						• •	0 0	c c			. =			٥	00	o	• •	o c		••	0 -							0 -		> • •		• •	0 0	= 0
Score 0	• • •					000		• • •				0 0	0 0	0,0105	00	00	0	0 0	φ 0			0	0 0	00	0 0	0 0	00					00	00	0 0			• •	0 0	0 0	00
Score	00				00	000						00	0 0	0.75	00	0 0	. 0	00	00			0	0 0	0 0	0 0	0 0	0 0						- -	0 0	φ.		0 0	0 0	0 0	
TOTAL DISABILITY 0 0 0	00					000	001		000		00	0 0	0 0	0 -	• •	00	. •	• •	00	. 0		o	00	• •	00	0 0	0 0				• •	• •	. .	0 0		0 0	00	. 0 0	0 0	0 0
Score	00						607.0	0.187			• •		0.176	0.187	• •			• •	• =			٥										. 0	\$ 0				0.187			
- 1																																								
Score																											• •												0 0	
Score						0 0	0 0	0.53125	•				0.5	0.53125													0 0												0 0	0 0
- 1	c o					0 0	C/66CB +	2 0.53125					1 0.5 6 0	9 9 2 0.53125	0 0			0 0				0	0 0	0 0	0 0	e o				6.8309E.07 0 0									6 0 0	0 0 0
TOTFTL Score	1,5071E-08 0 1,2373E-06 0					0 0 0	0 0 0 0	0 0 0 0 0.02446761 2 0.53125			4.6982E-08 U U O	0 0	0.02388578 1 0.5 0 6 0	0 6 0 0 2 0.53125	0 0				0 0			0 2.7009E-06 0 0	0 0 0	0 0 0 1.5842E-07 0 0	6 6 0	0 9 0 1.7266E-08 0 0	0 1.9518E-05 0 0.00163768 0	8.9888E-08 0	1.2887E-08 0 0	6.8309E-07 0			0 0 0 2.186E-06 0 0	0 0 0 0	0 0 0					0 0 0
Score TOTFTL Score	3.2067E-07 1.5071E-08 0 2.6326E-05 1.2373E-06 0						0 0 0 0 0 0	0.52058743 0.02446761 2 0.53125			9,5962E-07 4,6982E-08 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	0.50820803 0.02388578 1 0.5 0 0 6 6 6	0 0 0 0 0 0	0 0 0	0 0 0		• •	0 0 0 0			0 0 5.7466E-05 2.7009E-06 0 0	0 0 0	0 0 0 0 3.3706E-06 1.5842E-07 0 0	• • • • • • •	3.6737E-07 1.7266E-08 0 0	0 0.00041528 1.9518E-05 0 0.00041528 0.00163768 0	1.9125E-06 8.9888E-08 0	2.7419E-07 1.2887E-08 0 0	1.4534E-05 6.8309E-07 0	• •		0 0 0 0 4.6511E-05 2.186E-06 0 0	0 0 0 0 0	0 0 0 0	2.1442E-06 1.0078E-07 0 0	0.5907462 0.02776507 2 0.53125			0 0 0 0
Score Utility Score TOFFIL Score	1,37403E-06 3,2067E-07 1,5071E-08 0 0,000112788 2,6326E-05 1,2373E-06 0						6. 66. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	0.763937571 0.52058743 0.02446761 2 0.53125			4.28324E-U6 9.9962E-U7 4.6982E-U8 U 0 0 0		0.755613466 0.50820803 0.02388578 1 0.5 0 0 0 0 0 0	0 0 0 0 0 0								0 0 0.000246161 5.7466E-05 2.7009E-06 0 0		0 0 0 0 0 0 0 1.44422E-05 3.3706E-06 1.5842E-07 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0.001775582 0.00041528 1.9518E-05 0 0.177370854 0.03484433 0.00163768 0	8.19479E-06 1.9125E-06 8.988E-08 0	1.17488E-06 2.7419E-07 1.2887E-08 0 0	6.22714E-05 1.4534E-05 6.8309E-07 0			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	0.004686129 0.00109991 5.1696E-05 0 0 9.18746E-06 2.1442E-06 1.0078E-07 0 0	0.808165972 0.5907462 0.02776507 2 0.53125 0 0 0 0 0 0	0000	0 0 0	0 0 0
Utility Score TOFFL Score	1,37403E-06 3,2067E-07 1,5071E-08 0 0,000112788 2,6326E-05 1,2373E-06 0						6, 5, 5, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6,	0.763937571 0.52058743 0.02446761 2 0.53125			4.28324E-U6 9.9962E-U7 4.6982E-U8 U 0 0 0		0.755613466 0.50820803 0.02388578 1 0.5 0 0 0 0 0 0	0 0 0 0 0 0								0 0.000246161 5.7466E-05 2.7009E-06 0 0		0 0 0 0 0 0 0 1.44422E-05 3.3706E-06 1.5842E-07 0 0		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0.001775582 0.00041528 1.9518E-05 0 0.177370854 0.03484433 0.00163768 0	8.19479E-06 1.9125E-06 8.988E-08 0	4 720 1.1748E-06 2.7419E-07 1.2887E-08 0 0	8 23341 6.22714E-05 1.4534E-05 6.8309E-07 0			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	0.004686129 0.00109991 5.1696E-05 0 0 9.18746E-06 2.1442E-06 1.0078E-07 0 0	0.808165972 0.5907462 0.02776507 2 0.53125 0 0 0 0 0 0	0000	0 0 0	0 0 0
lip Score Using Score Utility Score One One	773619 6.02519857 840 1.37403E-06 3.2067E-07 1.5071E-08 0 102628 6.02268022 33319 0.000112788 2.6326E-05 1.2373E-06 0	140122 0.04025907 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	16597 2.185E-09 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	12E-07 3.4648E-08 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	125-09 3-482E-10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	56E-66 9.1156E-07 0 0 0 0 0 0 0 0 0 0 0 0 590166 0.03459528 0 0 0 0 0 0 0 0	062336 0.13125469 7/4000 0.8509410/6 0.0406251 0.03010938 4 0.59073	SGE-06 S.864-3E-07 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	33E-06 2.2224E-06 0 0 0 0 0 0	38_07 11027E-07 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	852035 UUZZ65108 2530 4,28324£-06 9,9962E-07 4,682E-08 U U 47E-08 2,3131E-08 0 0 0 0 0 0 0	89808 0.06375212 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	996/783 0.082578 1213788 0.755613466 0.50820803 0.02388578 1 0.5 891979 0.07640811 0 0 0 0 0 0	6 6 6 6 73511 0.07921944 0 0 0 0 6 6 6 735125	144383 0.01041855 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2,228.37 0,238812 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	42E-09 3.48EF-10 0 0 0 0 0 0	\$73342 \$0,00013751 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	246575 0.021035419 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13E-09 5.2319E-10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 491979 0.07610811 48915 0.000246161 5.7466E.03 2.7009E.06 0 0	01E-07 1.1902E-07 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	462354 0.04329712 0 0 0 0 0 0 0 0 0 4 4 0 4 0 4 4 144221 0.09969589 7666 1.44422E-05 3.3705E-06 1.5842E-07 0 0	71E-09 1.019E-09 0 0 0 0 0 0 0 0 77E-17 4.0681E-08 0 0 0 0 0 0 0	SSE-07 2.51E-08 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	41155 0.11152313 4635 8.19479E-06 1.9125E-06 8.988E-08 0	64.09.49 0.00.13.384 720 1.17488E-06 2.7419E-07 1.287E-08 0	81E-th 2.com2-co	437262 0.10724713 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	SSE-08 3.2157E-09 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AND-109 0.00849822 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	484645 0,09593038 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AND 409 B. WORLPRIZ 118604 0.004c86129 0.00109991 5.1696E-05 0 0 0 851047 0.09554485 5142 9.1874cE-06 2.1442E-06 1.0078E-07 0 0	0.009409 0.00849822 2200000 0.808165972 0.5907462 0.02776507 2 0.53125	23125 0.00124875 0 0 0 0 0 0 0 0 0 0 1712159 0.10131207 0 0 0 0 0 0 0	SIR_08 1011E-08 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	939E-06 4116EE/17 0 0 0 0 0 0 881584 LURWAGWUS 0 0 0 0 0 0
Utility Score INCOST Score Utility Score TOTFIL Score 1.1209762.88 5585-59 0 0 0 0 0 0 1.000762.81 70 0 0 0 0 0 0 0	0.05610458 0.02519857 840 1.37403E-06 3.2067E-07 1.5071E-08 0 0.05610268 0.02568022 33319 0.000112788 2.6326E-05 1.2373E-06 0	0.001140122 0.00036997 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	UMUNI10997 4.7411E-03 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.468122-077 3.4648-08 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.47542E-10 0.400 0.000	3.86256E.46 9.1156E.47 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.515062236 0.152153-68 Z/40,000 0.8369410/6 0.5406251 0.0301938 4 0.59575 6.8701E-05 1.6218-05 0 0 0 0 0 0 0	2,48486E-06 5,8643E-07 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9.45933E-06. 2.234E-06. 0 0 0 0 0 0	2.04101E-05 4.8168E-06 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.095852035 4.02562108 2330 4.28374E-06 9.9962E-07 4.6982E-08 0 0 9.80147E-08 2.3331E-08 0 0 0 0 0	0.015898988 0.00375212 0 0 0 0 0 0 0 0 0 0 3.3198F.08 7.1267E.09 0 0 0 0 0 0 0 0	0.349904783 0.082578 1213788 0.755613466 0.50820803 0.02388578 1 0.5	2.21604E-05 5.2298E-06 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0.53125	0.014114583 0.01011855 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.10121087 0.0238812 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1,47542E-09 3,482E-10 0 0 0 0 0 0	0.00013331 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.0862.4657.5 0.02035419 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3.005450 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7.05312.09 1.6532.09 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0.0322491979 0.07610811 48915 0.070246161 5.7466E-05 2.77059E-06 0 0	S.04301E-07 1.1902E-07 0 0 0 0 0 0 0 3.44678E-07 8.1344E-08 0 0 0 0 0 0 0 0	0.183162354 0.04329712 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	131771E-09 1.019E-09 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1	1.06380E.07 2.51E.08 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.471411576 0.01153313 4635 8.19479E-06 1.9125E-06 8.988E-08 0	0.000249342 0.0013384 720 1.17488E-06 2.7419E-07 1.2887E-08 0	0.027190998 0.00641708 23341 6.22714E-05 1.4534E-05 6.8309E-07 0	0.45443762 0.4074415 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13.6258E-08 3.2157E-09 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.036409409 0.00849822 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.40648445 0.09593038 0 0 0 0 0 0 0 0 0 0 0	0.004918692 0.004116081 0 0 0 0 0 0 0 0	0.1036009409 0.00849822 118604 0.009486129 0.00109991 5.1696E-05 0 0 0 0 0.404851047 0.09554485 5142 9.18746E-06 2.1442E-06 1.0078E-07 0 0	0.036009409 0.00849822 2200000 0.808165972 0.5907462 0.02776507 2 0.53125	0.454712120 0.00124875 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4.28451E-08 1.0111E-08 0 0 0 0 0 5.2033E-09 1.228E-9 0 0 0 0 0	1.739295-06 4.18EE-07 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
lip Score Using Score Utility Score One One	0.05610458 0.02519857 840 1.37403E-06 3.2067E-07 1.5071E-08 0 0.05610268 0.02568022 33319 0.000112788 2.6326E-05 1.2373E-06 0	0.001140122 0.00036997 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	UMUNI10997 4.7411E-03 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.468122-077 3.4648-08 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.47542E-10 0.400 0.000	3.86256E.46 9.1156E.47 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.515062236 0.152153-68 Z/40,000 0.8369410/6 0.5406251 0.0301938 4 0.59575 6.8701E-05 1.6218-05 0 0 0 0 0 0 0	2,48486E-06 5,8643E-07 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9.45933E-06. 2.234E-06. 0 0 0 0 0 0	2.04101E-05 4.8168E-06 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.095852035 4.02562108 2330 4.28374E-06 9.9962E-07 4.6982E-08 0 0 9.80147E-08 2.3331E-08 0 0 0 0 0 0	0.015898988 0.00375212 0 0 0 0 0 0 0 0 0 0 3.3198F.08 7.1267E.09 0 0 0 0 0 0 0 0	0.349904783 0.082578 1213788 0.755613466 0.50820803 0.02388578 1 0.5	2.21604E-05 5.2298E-06 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0.3325	0.014114583 0.01011855 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.10121087 0.0238812 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.47542E-09 3.482E-10 0 0 0 0 0 0	0.00013331 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	246575 0.021035419 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3.005450 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	13E-09 5.2319E-10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0.0322491979 0.07610811 48915 0.070246161 5.7466E-05 2.77059E-06 0 0	S.04301E-07 1.1902E-07 0 0 0 0 0 0 0 3.44678E-07 8.1344E-08 0 0 0 0 0 0 0 0	0.183162354 0.04329712 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	131771E-09 1.019E-09 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1	SSE-07 2.51E-08 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.471411576 0.01153313 4635 8.19479E-06 1.9125E-06 8.988E-08 0	0.000249342 0.0013384 720 1.17488E-06 2.7419E-07 1.2887E-08 0	0.027190998 0.00641708 23341 6.22714E-05 1.4534E-05 6.8309E-07 0	0.45443762 0.4074415 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	SSE-08 3.2157E-09 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.036409409 0.00849822 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.40648445 0.09593038 0 0 0 0 0 0 0 0 0 0 0	0.004918692 0.004116081 0 0 0 0 0 0 0 0	0.1036009409 0.00849822 118604 0.004686129 0.00109991 5.1696E-05 0 0 0 0 0.404851047 0.09554485 5142 9.18746E-06 2.1442E-06 1.0078E-07 0 0	0.036009409 0.00849822 2200000 0.808165972 0.5907462 0.02776507 2 0.53125	0.454712120 0.00124875 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	4.28451E-08 1.0111E-08 0 0 0 0 0 5.2033E-09 1.228E-9 0 0 0 0 0	939E-06 4116EE/17 0 0 0 0 0 0 881584 LURWAGWUS 0 0 0 0 0 0
Utility Score INCOST Score Utility Score TOTFIL Score 1.1209762.88 5585-59 0 0 0 0 0 0 1.000762.81 70 0 0 0 0 0 0 0	0.15472112 0.106773619 0.02519857 840 1.37403E-06 3.2067E-07 1.5071E-08 0 0.139551899 0.096102628 0.0251878 2.6326E-05 1.2373E-06 0	0.0001751017 0.00014012 0.00026907 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	UMONITYS UMONITEDS! Z. ***********************************	2.255.5E.07 1.45812E.07 3.45882.08 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2.26788E-09 1.475.12E-09 3.454E-10 0 0 0 0 0 0 0 0 0 0 0 0 0 0.27530733 0.12247132 0.0286988 0 0 0 0 0 0 0 0	\$29456E46 38625E46 91156E47 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.612318872 0.515062234 0.1212540 7/4000 0.8305410/0 0.6406231 0.0301038 4 0.53535 0.000105582 6.8701E-05 1.6213E-05 0 0 0 0 0 0 0	3.81898E-46 2.4848GE-46 5.8643F-07 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.207604108 0.147034538 0.03470015 0 0 0 0 0 0 0 0 0 1.4538E-05 9,45935E-06 2.2234E-06 0 0 0 0 0 0 0	3.13678E-ds 2.04101E-05 44168E-ds 0 0 0 0 0 0 0 0 0 0 0 0 1.1810QE-07 4.6714E-07 1.007E-07 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.139207675 0.095852035 0.0226200 2550 4.28354£-05 9.9952E-07 0.00 0 0 1.50639E-07 9.80147F-08 2.3131E-08 0 0 0 0 0	Q.UZ.4197441 Q.Q15898808 Q.Q0375212 0 0 0 0 0 0 0 0 0 0 4.64113E-08 3.0198E-08 7.1267E-09 0 0 0 0 0 0 0 0	0.446773609 0.349906783 0.082578 1213788 0.755613466 0.50820803 0.02388578 1 0.5 0.417073438 0.322491979 0.077610811 0 0 0 0 0 0 0 0	3.40278E.05 121604E.05 52298E.06 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Q.066058923 Q.04414583 Q.01041855 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.146561676 0.1010128831 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1.49/4Spcws 5/1452E-09 1.49/4SE-19 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.000880856 0.004573734 0.001531 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.15540731 0.066246575 0.20135419 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CONTROL OF THE CONTRO	1.0864E-08 1.0568E-09 1.0668E-09 0 0 0 0 0 0 0 0 0 0 0 3.39674E-09 1.0143E-09	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0.417023435 0.322491979 0.07610811 48915 0.000246161 5.7466E-05 2.7009E-06 0 0	7.7366E-07 5.64301E-07 1.1902E-07 0 0 0 0 0 0 0 5.29735E-07 3.44678E-07 8.1344E-08 0 0 0 0 0 0 0	0.254085126 0.1803402354 0.04329712 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6.63588E-09 4.3177E-09 1.019E-09 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	LIGHGIE-UT LINGSBREUT 2.51E-08 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0.00041528 0.465412271 0.10954582 94830 0.001775582 0.00041528 1.9518E-05 0 0 0.001775782 0.00041528 1.9518E-05 0	0.57066456 0.47141157 0.1112513 4.635 8.19479E-06 1.9125E-06 8.988E-08 0	0.13179.2288.0	1,033.3E-15 1,10181E-15 T-con3.E-00 0.00641708 23341 6,22714E-05 1,4534E-05 6,8309E-07 0	0.054104105 0.45447262 0.0454922 0 0 0 0 0 0 0 0 0 0	2,09415E-08 136258E-08 3,2157E-09 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0.05414427 0,03609409 0,00849822 0 0 0 0 0 0 0 0	0.054144427 0.036409409 0.04849822 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.506004984 0.406484645 0.0959338 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 18091100°C Z69816H00°O 10995Z400°O	0.05414427 0.035009409 0.00849822 118604 0.004686129 0.00109991 5.1696E-05 0 0 0 0.504333813 0.4048851047 0.09554485 5142 9.18746E-06 2.1442E-06 1.0078E-07 0 0	0.054144427 0.036009409 0.00849822 2200000 0.808165972 0.5907462 0.02776507 2 0.53125 0.040944883 0.5907462 0.01187075 0 0 0 0 0 0	0.088165796 0.08621335 0.001312475 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6.58488E-08 4.29452E-08 1.011E-08 0 0 0 0 0 7.99694E-09 5.2033E-09 1.228E-09 0 0 0 0 0	1.739295-06 4.18EE-07 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Score 12.9550 10.00173 10.00173 10.00173 10.00173 10.00173 10.00174 10.00174 10.00174 10.00174 10.00174 10.00174 10.00174 10.00174 10.00174 10.00174 10.00174 10.00177 10.0017	0.03567 0.00357 0.00376 0.00376 0.00378 0.00178 0.00178 0.00178 0.00178 0.00178 0.00178 0.00178 0.00178 0.00178 0.00178 0.00178	0.01778 0.000162 0.000162 0.00078 0.00078 0.00078 0.00078 0.01789 0.01789 0.00078 0.00078 0.00078 0.00078 0.00078 0.00078 0.00078 0.00078 0.00078 0.00078 0.00078 0.00078 0.00078 0.00078 0.00078	1.2E-09 0.00401 0.00209 0
1-100 Scere 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.0597786 AUSCAGAS AUGUSTA AUG	1.1573.477 (100407977) 1.1042.194 (100407977) 1.1042.194 (100407977) 1.1042.194 (100407977) 1.1042.194 (100407979) 1.1042.194 (100407979) 1.1042.194 (100407979) 1.1042.194 (100407979) 1.1042.194 (100407979) 1.1042.194 (100407979) 1.1042.194 (100407979) 1.1042.194 (100407979) 1.1042.194 (100407979) 1.1042.194 (100407979) 1.1042.194 (100407979) 1.1042.194 (100407979) 1.1042.194 (100407979)	0 0 0.0646834 0.00401037 0.0228133 0.00141442 0 0
Score 0.044904581 0.0044904581 0.0053795 0.0052796875 0.0052796875 0.0052796875 0.0052796875 0.0052796875 0.0052796875 0.00524475 0.0052796875 0.00524475 0.0052796875 0.00524475 0.006724187 0.006724187 0.006724187	0.0075477551 0.000546675 0.000546675 0.00076625 0.0007625 0.0007635 0.00078125 0.00078125 0.00078125 0.00078125 0.00078125 0.00078125 0.00078125 0.00078125 0.00078125	0.00500120	0 0.064681324 0.0228125
MHRS 603 1375 1375 1375 900 900 900 1200 1300 1300 1300 1300 1310 1310 13	3600 366 367 367 367 367 367 371 100 102 102 337 0	552 544 524 337 337 337 1075 0 0 0 0 0 0 0 0 0 0 0 0 0	100
Scort 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 00000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000
	000-00 - 00000 0000 0000	o-cccccc ccccc	
SS 00000000000000000000000000000000000			
201	N 10	טולאים לא לא לא לא ב	
		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
1		0.0023333 0.0023333 0.0023333 0.0023333 0.0033333 0.0033333 0.0033333	• • •
→	N		
		000075	
		0.0083333 0.0083333 0.0083333 0.0083333 0.0083333 0.0083333	000
_	- ~	w 4	
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.00975	0.000256 0.000266 0.000266 0.000266 0.0009 0.0009	• • •
Scene	0.75	0.0000000000000000000000000000000000000	
FLSPE.	n n n	8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			000
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.0625 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.000000000000000000000000000000000000	000
FREST 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	513	2	000
100 E80	7162	5625 5475 5476 5477	
950 PF 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3.91318 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	66 10.01.4096 10.01.6038 10.01.60	
Score 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2.17397E- 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.056461265 0.0668804557 0.0668804557 0.00764082139 0.07640821394 0.076408 0.076408 0.076408 0.076408 0.076408 0.076408 0.076408 0.076408 0.076408 0.076408 0.076408 0.076	000
DAVI.OST 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	; ;	
	0.0294159 0.0294159 0.0294159	0.00766377 0.00262389 0.002623892 0.00262386218 0.00624231 0.0064231 0.0064231 0.0064231 0.0064231 0.00672692	000
	_		
Second (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	0.700855	0,18109744 0,18109744 0,00625 0,00625 0,0062709727 0,00627 0,006270923 0,0067070923	000
DAVIGOS 0 0 0 0 0 0 0 0 0 0 0 0 0		8000-0000 EK0000-000080004740000	000

Score	• •	• •	0 (•	• •	0	0	• •		.	• •	•		۰			ė:		ø	•		• =		•	• •	8	• •				0			•		• •		• •		• •	,	• •		•	0	•	•	0	•	•	
Score	• •		•	• •	0	• •	0	0.43/5	• •	• •	•						. •	0	• •	e	•			. 0	•		¢	= 0			• •	•			•			.	• •			,			•	•	•	c	•	•	0	• •
PARTIAL DISABILITY	•	. 0	0	• •	•		Ф.	N 0	• •		•			.		•		0	• •	0	0			. 5	•	.							0 0		•		•		•		•	•	• •		0	0	0	•	. •	0	Đ	D 0
J	00	0	0	0.0105	0	0 0	0	0.0105	0 (0 0	. 0	0 1	0 0	0	0 0		0		0	0		00	. 0	Ģ i	0 0	. 0	0 (- 0			. 0	0 0	. 0	•	• •			0 0		0 0	1	0 0	. 0	0	0	0	c	. 0	0	0	00
Score			0	0.75	0	0 0	0	0.75	0 (•			o c		0 0		0	00	0	e		0 0	. 0	0	0 0		0 (. 0	0 0	• •		0	0 (0 (0 0	•	00	, φ	0	0	0	c		o	0	• •
FOTAL DISABILITY	0 0	. 0	0	o -	0	0 0	0	- 0	0 :	• •	0 (0 0	. 0	0 0	. 0	0	0 0	0	c		0 0	. 0	0	o c	. 0	0	÷ •		0 0	. 0	0 0	0	•	0	0 (0:		• •		00		0	0	0	•		0	0	00
Score	0 0	0	0	0.176	•	0 0,176		e 0	0	0.209	•							•	• •	¢	•	ı	• •		c	0.187	0	•			• •	: 0	0 0				0				0 0	>	• •		0	•	0		0	0	0	9 0
٠,	0 0	9 0	0	0.5	•	o 9	•	0.625	0	0 0	•		•			•		•		•	a		e c		•	0.53125	0	•			• •	. =		•			0		0 (•	•	• •		0	0	٠		0	0	0	• •
TOTFT			•	۰. م		۰-	•	s o	٠.																												•		0	- 0		•	• •		Ф	0	•	,		۰	0	0
																																																				0 0
Utility	0	0	0	0.00033859	0	0.49934744	0	0.55432589	0	0.6526/838 1.8191E-07	0 1	0 1.9874E-06	3.2067E-07	1.454E-06			• •	0	0.00038326 4 3 195E-07	0	0 0		0 0	. 0	0	0 5907467	0	0	0 0	0	0.00023027		0 (. 0	0	0 0	Q (• •	0	0	0 0	0	0 0	. 0		0	0	•	00	0 0
Score	0	0.145770053	0	0.001448271	0	0.749550019	0	0.785802121	0	0.84360198 7.79468E-07	0	0 8.51563E-06	1.37403E-06	6.23012E-06		0 0		0	0.001638965	0	•	,	•		0	0 808165977	0	0	0 0	•	0.000985506		0 (•		0		0 0	•	0 0		0	0	0	000000000000000000000000000000000000000	0	0	0	00
INJCOST	0	0	0	781358	0	1100000	0	1780315	0	480	0	4800	840	3600		0 0		0	92886	0	e		0 0	0 0		2200000	0	0	0 0	,	80635		0 (0	• •	0		0 0	•	0 0		0	0	0		0	. 0	0	• •
Score	1656E-08	00977323	2579E-08	08655451	G61E-05	00631332	9997E-09	11946423 9389E-09	.0938E-09	0.08971564 1.05E-06	08160441	0.04886898	0.02124585	08605488	1235E-09	0064E-10	8026E-09	2039E-08	17450033	0.12096738	0 5 5 1 7 8 5 . 0 8	0	4.2803E-10	6941E-10	2968E-09	8965E-10	0103E-06	0032E-08	1,0104E-10	0	0.13920721	9656E-05	3,3084E.09	-482E-10	٥	3,5434E-09	0472E-07	0.0241811	1.332E-07	482E-10	1.3633E-07	0	1,4364E-06	0.00020183	.9975E-06	0.01115668	0.03568896	0	3.482E-10	2258E-10	.5809E-05	8721E-08
Udility	887E-08 1.	1818845 0.	047E-07 3.	3667564 0.	eć.	9 9	*		~				0.090024769 0.	•	7 74	4, 1	-	100	3940819 0.			omer-u/	1.81369E-09 4.	277E-09 5	501E-09 1.	2.49852E-09 5.	3/3/630 ". 114E-06 1.	3.39117E-07 8.	æ . ⊈ £	•	0.589861054 0.	0125661 2				r œ	8.67444E-07 2	2 17	<u>-</u>	2 :1	5.77665E-07 1.		611E-05 3.	585E-08 4. 0855216 0.	411E.06 1.	7274056 0.	0.15122426 0.	•	542E-09 3	0 855E-09 8	0151731 3	698E-07 2 0122607 2
			E-07 1.380																			1							ñ :															3686 0.00		8334 0.04			E-09 1.47		3174 0.00	E-07 1.21 8421 0.00
Score	7.590551	0.067067	2.121641	0.464710	0.000562	0.040447	3.255981	0.603978	1.363571	6.837621	0.442342	0.28330k	0.13117606	0.462471	1.382891	3.260311	1.1739	2,08651	0.80671	0.609981	2 5000	3,37330.	2.78745E-09	3.45537.	8.44528	3.839971	6.57966	5.21189	5.21661	96/977	0.6805	0.000193	2.15451E-08	2.55117.	200	0.14310	1.33317)	8.81439.	8.67547	0.39662.	8.87812E-07	6.08979	2,23788E-05	0.00131.	1,30084.	0.070608334	0.21303975		1.26758E-09	5.35686	0.000233174	1.87037E-07 0.000188421
DAMCOST	43107	192316	54249	961696 96169F	140686	187616	34101	31615	25209	981812	948158	744544	247853	967146	25348	12552	23742	24067	16632795	6604397	0000	and a	11410	13534	20609	13807	91868	641167	16314	Troops	10202757	128956	29817	106740		325000	74356	353670	69647	10000	00669	1//60	105302	150000	99348	193731	\$94009		10000	16540	131025	52876 128686
- 2													\$ \$									ē	82	2 2	2	2 5	2 52	22	2 2	7	z :	ı	Į.	a a	;	£ £	£	S 56	8	% %	88	£	* 1	2 2	98	88	8		2 2	8	8	2 2

Score	0.00016	0.12127	3.3E-08	0.18617	0.06883	0.00829	0.30278	0.50827	0,06311	2.15-09	0,38697	0,1601	0.11096	0.16009	0.09937	0.11257	0.06491 2.1E-09	0.00466	7.1E-05	1.8E-09	0.00048	0.12176	0.12748	0	0.00012	4.3E-10	1.9E-05	5.8E-05	4.8E-05	0.35200	0.062	0.00145	0.0007	0.00063	0 1846	0.062	0.01237	0.0002	0.00036 5.3E-05	0	0.02471	0.00322	1.45-09	0.02437	0.00325	0.00115	1.4E-07	0.00017	0.00014	2.2E-08	2E-06	0 0	0	0.03627	0.58892	0.06233	8.2E-10 3.6E-05	0.00033	0.00054
Utility Score	0 0	7982684 0.04949264	0 0	0.0373536 0.00231593		0318906 0.06197721			0.0178912 0.00110926		0.089899 0.00055/3/4	0039064 0.0002422	.0014063 8.719E-05	0.0066408 0.00041173	2423708 0.01502699	0.0027345 0.00016954	(CITATOON BOOKS+O	0.0752248 0.00466394		0 0	0.0678128 0.00048439	0 0 0 0 0013751 0 000071126	0.0002344 1.4532E-05	0	0.0018751 0.00011625	. 0	.0003125 1.9376E-05	.0009375 \$.8127E-05	.0007813 4.8439E-05			.0234383 0.00145317	0.0112504 0.00069752	.0101566 0.00062971			3,199001 0,01233806		0.0008594 5.3283E-05	0	.0228133 0.00141442	0.0519892 0.00322333	0 0	0.0031251 0.00019376	0 0	0.0185944 0.00115285	0 0	0.0028126 0.00017438	0.0022657 0.00014047	0 0		0 0		8		0 0053908 0.00033423		0 0 0.0053908 0.00033423	0.0082034 0.00050861
	0														0.242364496 0.						0.0078125 0		0.000234375 0		0.061875 0					.					-				0.000859375		-	-		52			•	_			0			0.009375	5	ğ	• •	0.005390625	0.008203125 0
	592			9 9		3100	٥,	•	0	408	0 0		229	0	960	٥ و	2 :	2 22	1732	35	281	0 98	0		2	26	3	20	3 :	2 9	. 4	12	01	0	•	300		130	0 0	•	1563	4	≘ =	88	292	633	•	4	647	238	, %	ę	â	7609	0	0	120	69	105
Score	0	0.062	0	0 00	0.062	0	0 0	0	0.062	0 1	0.062	0.062	0.062	0	0.062	0 0	790'0	0	0	o	0 0	0.062	0		9	0	0	0	0	-	0.062	0	0	0	•	0.062	Φ	0 0	- 0		0	0 0		0	0 0	0	0	D	0	0 0	, 0	e	>	0	0	0.062	00	0	0
Score	0		0	o -	. –	0	0 -	. 0	-	0	o -	-	-	0		۰-			•	0		-	. 0		0	0	0	0	0 0			0	0	0	-	· –	0	0 0	- 0		0	•		0	0 (0 0	0	0	0	0 0	, 0	٥	>	o	o	-	0 0		0
SOTTO	0	- 0	0		- 0	0	- 4	-	0	0			•	-	0	- (0 0		0	0	0		-		0	0	0	0	0	۰.	- 0	•	0	0		- 0	0	0	00	•	0	۰.			0	0 0		•	0	۰ ،	> 0	c	P	0	-	0	0 0	0	0
Score		0	o	0,0065		0	•	0.00325	•	=	0.00325	0,0065	0	0.00325	•	0.0065			0	0					-	0	0	0	ф:	9 0	0	0	0	c	361000	0	0		• •	,	0	•		•	0	• •	0	•	0	.	, 0	•	>	0	0.0195	٥		•	•
Score	٥	0.005333	0	0.166667		0	• •	0,083333	0	•	0.166667	0.166667	•	0.083333	0	0.166667			0						•	0	٠	œ	0	0.002222	0	•	•	0	0.002111	0	•	•		•	0					• •	0	•	P	۰.		-	•	0	0.5	•		•	•
HYSPL		-		7				-			n -	- 71		-	•	~															•				-	•																			-				
	0																								0	0	0	0	0	0 00075	0	0	0	0	•	0	0	0	0 0	•	0	0		0	0.00325	• •	0	0	0	0 0	. 0	9	-	0	0.039	0	00	0	0
Score	0	6 0	٥	0.25	9 0	0	0.166667	0.083333	0	0	0.166667	0.25	0	0	0	0.25			0	0	0	P	0.166667		0	0	0	0	0	0 6		0	0	0	•	• •	0	0	0 0	•	0				0.083333	0 0	o	•	0	0 0	0	c	>	0	-	0	00	0	0
dS IO]	n		6	1		7	-			6	4 10		25	•	m							7							•															-										8				
ş	0	600	•	0.03		0		0.03	•		6.63		0	1333 0.003	0	0			0	0	Φ.	- 2	-		•	•		•	_	- 5	0		•	•	•		-	-		•	•							•	•	•	, .		•	0	0.0	•	0 0		•
SPI. See	•	r 0				-			•	-	- c		-	1 0,083	-	-			-		-					-		•				, 5		5	•		_	_	-		•	•			-		_	_	-	-		-	-	-	v.	-		J	J
Score	0015625	0268145	• •	0.01942167	0	0	0 0	0.02258602	0	0	0	0	. 0	0.01503024	0109375	1009073	0 0		0	0	0	2307284	. 0		0	0		0	0				0	0	2007	0	0	0	0 0	•	0	0	0 0	. 0	0	0 0	. 0	0	0	۰ ،		,	o	0	0			. 0	. 0
100	4464286 0.0	6612903 O.C	. 0			0			0	0	0	0 0	. 0	9435484 0.0	0.03125 0.0	8306452 0.0						0.0	. 0		0	0		0	0					0	2001400	904				•	0	0	0 0		0	0 0	. 0	0	0	0 '			0	0	0	0	0 0		. 0
S LSda	00.00	0.07		55 0.55	600	_		12 0.64	•	_				_		_				•	•	30 0.65			_	_			•	٠,					200	0.00		•			•							0											
- I pays	_	_		9038 1	1911			4604	-	•	•				7					_	_	555) 1						_							2		_																					
						Đ	Φ.	873 0.0160		0		• •	•	0	0	•	•	•	•	•	•	419 0.0136	0 d d d d d d d d d d d d d d d d d d d		8																								0	•	, 0	•	5	•					-
		• •	. 0	0.95557	0.37470	0	0	0.89144	0	0	•	• •	. 0	•	0	0	•	-		0	•	0.7590	0.03500		•			0	0	-				•	2000	0.016.0	0	•	• •	•	0	0	•		0	•		•	0	•			•	0	0	0		•	
DAVIOSE	-																																	•															0	0 0	20	٠	•	0	•	0	• •	, -	. 0
S	0	0.00343269	. 0	0.0054070	0.011373	0	0	0.042	0	0	0 0			0	0	0	0 .		0	0	0	0.0063493	• •		0	•	•	0	0	0				0		0.0061923		0	0 0	•	0	0	0 0		0	00		0	0	0 0		•	0	0	0	0			, 0
Some	0	0.081730769	0	0.128739316	0.27/0835353		0 (-	0	0				0	0	0	0 1			0	0	0.151175214			0	c	0	0	0	0				0		0.14/43589.		0	00	>	0	0	0 0	•	0	0 0		0	0	0	0 0	•	0	0	0	0	00		, 0
	0																								0									. 0					0 0										0	0 1	0 0		o	0	c	, 0	9.0	, e	, c

Sevenity	15104	25394	127771	00410	0.182182	0.172230	\$720\$	0.138058	35081	28941	7837	16683	0.060295	58360	0.051256	57159	0,035882	0.045512	43294	0.043216	0.041793	36270	0.035312	34294	0.030812	0.030144	0,029499	0.027179	0.023698	0.023543	21394	0.021356	0.02132E	17149	0.015706	114764	13255	0,011873	0.010166	07395	0.007064	0.004891	0,004,565	0.002269	0.001872	0.001375	0.000664	0.000436	0.000245	0.000242	0.000182	0.000116	0.000092	0.00001	0.00000
				_	-																																	_								_									
Other MSN Fectors	0.067333347	161411160.0	0.063049997	0.04619303	0.06195	0.036101056	0.03651719	\$6190	0.03156189	0.03220949	0.045593863	0.044574893	0.008830539	0.01805694	0.016115346	0	EL021/9000	1195109000	0.018516732	0.014907855	0.0064854	0.00058080	0.000113335	0.01364217	0.00807442	0.009474013	0.000449814	0.02156247	0.019276188	0.003008391	0.00636	0.006426726	0.009820332	0.00576947	E1182100	0.00\$012359	0.001006116	0.007122714	0 0000	0.000190374	0,0010	0.004452676	0.00163081	0.002098561	0.001872313	0.000343934	0.000551719	0.000421081	0.000245025	0.000242	0.000112307	0.00011616	9 19602E-05	0	
Other MSN Factors	171.0	0.177	21.0	121	0.177	0.177	0.177	0.177	0.177	0.177	0.177	1771 0	171.0	0.177	0.177	0.177	7 E	221.0	0.177	0.177	0.177	0.177	0.17	0.17	2210	0.177	0.177	0.177	110	0.177	0.177	0.177	0.177	0.177	0.177	0.177	0.177	71.0	0.17	0.177	0.177	0.177	0.177	0.177	0.177	0.177	0 177	0.17	617	0.177	771.0	0.177	0.177	0.177	0.177
Other MSN Factors	0.380427	0.175943	0.35104	0.264932	0.350000	0.204000	0.206312	0.350000	0.178316	0.181975	0.257592	0.274436	0.049890	0.102017	0.091047	0.00000	0.037926	0.034387	0.104614	0.084225	0.036641	0.003281	0.000640	0.077074	0.045618	0.053525	0.002541	0.121822	0.108903	0.016997	0.037103	0.036648	0.055482	0.032596	0.019981	0.045268	0.003684	0.040241	0.00000	9201000	0.006132	0.025156	0.009327	0.0011856	0.010578	0.001943	0.003117	0.002379	0.001384	0.001367	0.001030	0.000656	0.000520	0.00000	0.00000
Environmental Damage	0.051344865	0.048745125	0.0389961	0.013126649	0	0.021819246	0.011420286	0	0.012795595	0.010169603	0.004549545	0.0129987	0.003249675	0.005046243	0.00502225	0	0.014623338	0.000	0.000541613	0,004874513	0.00519948	0	•	0	0.001083223	0.002940182	ð	0	٥ (•	0.000778091	0.000453443	0	0.001516515	0.000328619	0.000953238	0.000324968	•	> •		0,000812419	•	0.002907604	.		0		9 (0	•	•	•	• •
Weign Environmental Damage	0.117	0.117	0.117	211.0	0,117	0.117	0.117	0.117	0,117	0,117	0.117	9.117	6.117	0.117	0.117	0,117	0,117	0.17	0,117	0.117	0,117	0.117	0.117	0.117	0.137	6.117	0.117	0.117	0.117	0.117	6117	0.117	0.117	0.117	0.117	6,117	0.117	0.117	6.117	6,117	0.117	0.117	0,117	0.117	0.117	0.117	0.117	0.117	0.117	0,117	0.117	0.117	0.117	0.117	0.117
Environmental Damage	0.43845	0.416623	0.333300	0.11303	0.00000	0.186489	0.097609	0.000000	0.109364	0.092903	0.038885	0.111100	0.027775	0.043130	0.042925	0.00000	0.124918	7/19000	0.004629	0.041663	0.044440	0.00000	0.000000	0.00000	0.009238	0.025130	0.00000	0.00000	0.00000	0:00000	0.106650	0.003876	0.00000	0.012962	0.002809	0.001147	0.002778	0.000000	0,00000	0.00000	0.006944	0.000000	0.024851	0,000000	0.000000	0.00000	0.000000	0.00000	0.00000	0.00000	0 000000	0.000000	0.00000	0.00000	0.00000
Weighted Degree Injury/Illness	0.17974022	0.127707163	0,136473303	F070528500	0.002813599	0.03636423	0.049693339	•	0.051147222	0.039991649	0.001761616	0.012586783	4.67034E-08	0.015607436	0.00197019	0	0.001306376	70/15/100/0	0.001028985	1.50714E-09	0.021475604	o	0.035198301	0	1.60327E-08	0.003931712	4.31015E-09	0.002783945	0.004421672	0.01713934	0.005489716	0,005173669	0	0.003595182	0.004650944	4.28748E-05	0					0.000435438	0 1	• •		0	0	0				•	•	•	• •
Weight Degree brincy/Illacus	0.47	0.47	0.47	647	0.47	0.47	0.47	0.47	0.47	0.47	0.47	7.0	247	0.47	0.47	0.47	0.47	470	270	0.47	0.47	0.47	0.47	0,47	7,0		0.47	0.47	0.47	0.47	0.47	0.47	0.47	0.47	7.0	0.47	0.47	0.47	7.0	247	0.47	0.47	0.47	6.67	0.47	0.47	0.47	0.47	7.0	240	0.47	0.47	0.47	0.47	0.47
Degree Injury liness	0.382426	0.271717	0.290369	0.167778	0.003986	0.077371	0,105731	0.00000	0.108824	0.083089	0.003763	0.026780	0000000	0.033207	0.004192	0.00000	0.002780	0.002408	0.002189	0.00000	0.045693	0.00000	0.074890	0.000000	0.00000	0.008408	0.900090	0.005923	0.009408	0.036467	0.000000	0.012497	0.00000	0.007649	0.009896	0.000091	0.00000	0.000000	0.00000	000000	0.00000	0.000926	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.00000	0.000000	0.000000	0.000000	0.00000
Weinhed Dennee to Easin Prop	0.085007332	0.118	0.077195821	0.1417.0960	0.11741876\$	0.077938898	197573761	0.076102107	0.039576333	0,045170641	0.077014534	0.042520744	0.041215044	0.019649077	0.035148222	0.057158554	0.033238699	0.024347031	0.021206799	0.023434028	0.008632042	0.035688965	1.15979E-08	0.021251341	0.016139841	201777100	0.029049573	0.00283274	3,863215-10	0.003395269	0.0222/8542	0,008542042	0.011507759	0.006268041	0.008189664	0.005755198	0.011923417	0.004749948	0.011156677	0.007204446	0.003166476	2.61593E-06	6.4952E-06	0.002581621	3,16489E-09	0.001030606	0.000112307	1.4482E-05	1.17092E-03	1.02544E-09	2.6016915-09	5.51782E-08	2.04002E-09	1.79047E-05	1.88192E.07
Weight Damage to Equip Prop	0.236	0.236	0.236	0.136	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0,236	0.236	0.236	0.236	0.236	0.236	0.736	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0,236	0.236	0.236	0.236	0,236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236	0.236
Unweighted Utility Damage to Equip Prop	0.360201	0.500000	0.327101	0.60013	0.497537	0.330250	0.252431	0.322492	0.167696	0.194367	0.326333	0.180173	0.05420	0.083259	0.148933	0.242197	0.140842	0.103165	DEGISTO O	0.099297	0.036376	0.151224	0.00000	0.090048	0.061474	0.052440	0.123091	0.012003	0.000000	0.014387	0.094401	0.036195	0.041762	0.026559	0.034702	0.00020	0.050523	0.020127	0.047274	0.010427	0.021892	0.000011	0.000028	0.010939	0.00000	0.004367	0.000476	0.000061	0.000050	0.00000	0.900000	0,00000	0.00000	0.000076	1000000
EVENT	#	16	33	2 5	2 2	3	-	92	2	8	ŧ	F	2 4	2 2	Ä	78	19	2 1	3 2	33 23	2	6	-	7	£ :	₹ 7	‡	ø	•	\$:	# F	3 8	*	36	2 :	8 5	: E	¥	= :	8 3	3 5	•	ñ	5 . ;	• 5	. 4	£	76	n s	:	2 =	=	7	63	\$ 5

Appendix H: Sensitivity Analysis Graphs

H.1 General: This Appendix presents graphs developed for sensitivity analysis of criteria weights for accidents and hazards. These graphs were referred to but not presented in Chapter Four.

H.2 Accident Sensitivity Over the Full Range of Weights




Figure H-1 Accident Sensitivity: Injury Weight

Property Weight




Figure H-2 Accident Sensitivity: Property Damage Weight

Environment Weight




Figure H-3 Accident Sensitivity: Environment Weight




Figure H-4 Accident Sensitivity: Other Mission Factors Weight

H.3 Hazard Sensitivity Over the Full Range of Weights




Figure H-5 Hazard Sensitivity: Injury Weight




Figure H-6 Hazard Sensitivity: Property Damage Weight




Figure H-7 Hazard Sensitivity: Environment Weight




Figure H-8 Hazard Sensitivity: Other Mission Factors Weight

j

- ANACAPA Sciences Inc. <u>Aviation System Safety Risk Management Tool Analysis.</u>
 <u>Volume 1.</u> Contract MDA 903-92-D-0025 (ADA273503), Fort Rucker, AL, October 1993.
- Army Safety Center Web Site, safety.army.mil/stats/index.html
- Bunn, Derek. Applied Decision Analysis. New York: McGraw-Hill, 1984.
- Chief of Staff of the Army Statement on Risk Management. 27 July 1995.
- Clemen, Robert T. <u>Making Hard Decisions: An Introduction to Decision Analysis</u>, 2nd Edition. Duxbury Press
- Department of the Army. Accident Reporting and Records. Army Regulation 385-40. Washington DC: HQDA, 1 November 1994
- Department of the Army. Army Accident Investigating and Reporting. Department of the Army Pamphlet 385-40. Washington DC: HQDA, 1 November 1994
- Department of the Army. Military Environmental Protection. FM 20-400, September 1997 (draft)
- Department of the Army. Risk Management. FM 100-14, April 1998.
- Department of the Army. System Safety Engineering and Management. Army Regulation 385-16. Washington DC: HQDA, 3 May 1990
- DPL for Windows 95. Versions 3.2, 1.44 MB, disk. Computer Software. ADA Decision Systems Advanced Version (Student Edition), 1995
- Federal Aviation Administration. The FAA Plan for Research, Engineering and Development. Volume 1. Washington DC, Jan 1989 (AD-A221263)
- Grelk, Brian, J. <u>A CERCLA-Based Decision Support System for Environmental Remediation Strategy Selection</u>. Thesis, Masters of Science, Air Force Institute of Technology, AFIT/GOR/ENS/97M-10. 1997.
- Hunsaker, Oren. Personal Interview, 1998.
- Jackson, Jack A. Jr., Jones, Brian, L., Lehnkuhl, Lee, J., An Operational Analysis for 2025, Maxwell AFB, AL: Air University, 1996.

- Keeney, Ralph L. <u>Value Focused Thinking: A Path to Creative Decision Making</u>. Cambridge Mass; Harvard University Press, 1992.
- Kerschus, Christine, E. <u>A CERCLA-Based Decision Model to Support Remedy</u>
 <u>Selection for an Uncertain Volume of Contaminants at a DOE Facility</u>, Thesis,
 Masters of Science, Air Force Institute of Technology, AFIT/GEE/GOR/97D-01.
 1997.
- Kinzey, R.P. <u>System Safety Risk Assessment Manual</u>. Naval Safety Center, Norfolk, VA, Jan 1989 (AD-A205904)
- Kirkwood, C. W. <u>Strategic Decision Making: Multiobjective Decision Analysis With</u> Spreadsheets. California: Wadsworth Publishing Co, 1997.
- Kloeber, Jack, M. Personal Interview.
- <u>Logical Decisions for Windows 95</u>, Version 5.0, 1.44 MB, disk. Computer Software. Logical Decisions, April 1998
- Merkhofer, Miley W., Rarilee Conway, and Robert G. Anderson. "Multiattribute Utility Analysis as a Framework for Public Participation in Siting a Hazardous Waste Management Facility," <u>Environmental Management</u>, 21: 831-839 (1997).
- Moon, Tony. Personal Interview. 1998.
- Risk Management Information Database, http://www.rmis.army.mil
- U.S. Army Safety Center. <u>Director of Army Safety's FY98 Strategic Plan for the U.S.</u>
 <u>Army Safety Center.</u> Fort Rucker, AL, April 1998.
- Warren, Colonel. Personal Interview. 1998.
- Wilson, Helene, A. <u>A Risk Analysis of Remediation Technologies for a DOE</u>
 <u>Facility</u>, Thesis, Masters of Science, Air Force Institute of Technology,
 AFIT/GOR/ENS/98M-28. 1997.

Vita

Captain Brian K. Sperling was born on 4 October 1966 in Passaic, New Jersey.

He graduated from Roxbury High School in New Jersey in 1985. He entered undergraduate studies at the United States Military Academy, West Point, N.Y. where he graduated with a Bachelor of Science degree in Mechanical Engineering Systems in May 1989.

His first assignment was attending the Officer Basic Course and Initial Entry
Rotary Wing Course at Fort Rucker, Al. He was married to his wife, JoAnna, in
September of 1990. He served as an AH-1 platoon leader for a cavalry squadron in
Germany where he was deployed to Operation Desert Storm/Desert Shield. Upon
returning stateside, CPT Sperling attended the Aviation Advanced Course and the AH-64
Apache transition course. He next moved to Fort Campbell, KY and served for 18
months as an Assistant Operations Officer in the 101st Aviation Brigade. In September
of 1995 he accepted the command of B Company, 2nd Battalion of the 101st Aviation
Brigade. In July 1997, he entered the Graduate Operations Research program at the Air
Force Institute of Technology. Upon graduation he will be assigned to the Operations
Research Division of the U. S. Army Safety Center.

Permanent Address:

5 Cynthia Drive

Succasunna, N.J. 07876

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highery, Suite 1204, Aprilogrop, VA 22202-4302, and to the Office of Management and Burdett, Paperwork, Reduction Project (0704-0188), Washington, DC 2050-01.

Davis Highway, Suite 1204, Arlington, VA 2220	2-4302, and to the Office of Management a		
1. AGENCY USE ONLY (Leave blank	2. REPORT DATE	3. REPORT TYPE AND DATES	COVERED
•	March 1999		's Thesis
4. TITLE AND SUBTITLE			DING NUMBERS
A VALUE FOCUSED APPROAG		TOP TEN	
HAZARDS IN ARMY AVIATIO	N		
6. AUTHOR(S) Brian K. Sperling, CPT, USA			
Brian K. Sperinig, CF1, USA			
7. PERFORMING ORGANIZATION N	IAME(S) AND ADDRESS(ES)	8. PERI	ORMING ORGANIZATION
Air Force Institute of Technology		REP	ORT NUMBER
2950 P Street			TITL (C.O.D. (T) 10 (O.O.) (. 1.6
WPAFB, OH 45433-7765		A	.FIT/GOR/ENS/99M-16
,			
9. SPONSORING/MONITORING AG	ENCY NAME(S) AND ADDRESS(E	(S) 10. SPC	NSORING/MONITORING ENCY REPORT NUMBER
U.S. Army Safety Center		AG	ENCT REPORT NOMBER
Fort Rucker, Alabama 36362			
		, and the second	
11. SUPPLEMENTARY NOTES			·
Advisor: LTC Jack M. Kloeber Jr	DSN 785-6565 ext 4336. e	mail ikloeber@afit.af.mil	
Tidyisor. Bi o dada iii ii ii aacaa a	.,	,	
12a. DISTRIBUTION AVAILABILITY	STATEMENT	12b. DI	STRIBUTION CODE
Distribution Unlimited			
			•
13. ABSTRACT (Maximum 200 word The United States Army Safety Co	IS) anter (IISASC) is challenged u	ith identifying the most severe	hazards in Army Aviation
This research utilizes value-focus			
model designed to aid decision-ma	hare in their analysis process	The value model is based on the	ne Army's Risk Management
doctrinal manual (FM 100-14) and	there have tailored enecifically	for aviation-related accidents a	nd hazards The model
determines and rank orders the se			
of the relationship between the pro-			
Understanding this relationship is	instrumental in developing rish	reduction controls. Hence, in	e information in this report
was used to make recommendation			
probability. The model provides	decision-makers with a decisio	n analysis methodology that is t	and the adjusted for
and the values of the current chair	of command at the Army Saf	ety Center. Furthermore the m	oder can be adjusted for
different leadership levels or situa		educe the innerent risks in Arm	y Aviation and therefore
protect the military force as a who	ole.		
44 OUR FOT TERMS			15. NUMBER OF PAGES
14. SUBJECT TERMS Safety, Aviation, Helicopters, Va	lue Focused Thinking Value I	Model Hazards Accidents	200
Multi Attribute Value Analysis, I		record remained, recondition	16. PRICE CODE
Viulu Auribuic Value Aliaiysis, L	option amarysis		
17. SECURITY CLASSIFICATION 1	8. SECURITY CLASSIFICATION	19. SECURITY CLASSIFICATION	20. LIMITATION OF ABSTRACT
OF REPORT	OF THIS PAGE	OF ABSTRACT	
Unclassified	Unclassified	Unclassified	SAR